NOTES:
1. SEE MANUFACTURER'S INSTALLATION TEMPLATE FOR ADDITIONAL DETAIL.
2. X-RAY SUPPORT WALLS TO BE FRAMED WITH STUDS 16" (MAX.) O.C. EXCEPT AT PAN SUPPORT BLOCKING LOCATION IN ORDER TO PROVIDE PROPER WALL SUPPORT & ELIMINATE MOVEMENT.
3. MOUNTING MATERIALS SUPPLIED AND INSTALLED BY CONTRACTOR.
4. IN APPLICATIONS WHERE OFFICE FRAMING MUST BE NON- COMBUSTIBLE, THE USE OF FIRE-RETARDANT TREATED WOOD IS NECESSARY TO PROVIDE THE REQUIRED SUPPORT FOR THE DENTAL EQUIPMENT.

D-9C PAN X-RAY SUPPORT
NOT TO SCALE

D-35 TYPICAL CABINETRY BLOCKING
SCALE: 3/4" = 1'-0"

ADA RECEPTION COUNTER DETAIL
NOT TO SCALE

WS1 WALL SECTION AT RECEPTION
SCALE 3/4" = 1'-0"

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 02/25/15

HENRY SCHEIN DENTAL
10920 WEST LINCOLN AVENUE
WEST ALLIS, WI 53227

PROJECT: **SOUTHERN MAINE ORAL SURGERY**

LOCATION: 131 JOHNSON ROAD PORTLAND, ME 04102

HENRY SCHEIN REP: JESSE LEVEILLE
CENTER: BOSTON, MA
PHONE #: (207) 233-4978

-IMPORTANT NOTE-
THIS DOCUMENT HAS BEEN PREPARED AS AN INSTRUMENT OF PROFESSIONAL SERVICE, AND **IS NOT AN ARCHITECTURAL PLAN.** THE IDEAS/ DESIGNS INCLUDED HEREIN ARE THE SOLE PROPERTY OF HENRY SCHEIN DENTAL AND ARE PROTECTED UNDER COPYRIGHT. THEY MAY NOT BE USED OR REPRODUCED WITHOUT EXPRESSED WRITTEN CONSENT OF HENRY SCHEIN AND FULL PAYMENT OF ANY ASSOCIATED DESIGN FEES.
ALL DIMENSIONS ARE SUBJECT TO JOB-SITE VERIFICATION.

DRAWING NAME: SMOS-1c-D
PROJECT START DATE: 08/11/2014
FINALS START DATE: 08/20/2014
DRAWN BY: AKL/CAS
FINALS BY: AKL
CHECKED BY: TJK

REVISIONS:

10/24/14	AKL
--/--/--	---
--/--/--	---
--/--/--	---
--/--/--	---
--/--/--	---
--/--/--	---
INT.SQ.FT.=	3992

SCALE: 3/4"=1'-0" | SHT. SIZE: D

CONSTRUCTION DETAILS

SA.3

© 2014 by HENRY SCHEIN, INC.