#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 99 State STreet 772-4929 Stuart MacGuire Lessee/Buyer's Name: Owner Address: Phone: BusinessName: Permit Issued: Contractor Name: Address: Phone: Sign Design 743 Broadway, S.P. 04106 799-2000 Proposed Use: COST OF WORK: PERMIT FEE: Past Use: \$ \$26.00 FIRE DEPT. □ Approved INSPECTION: Prof Office Same/with signage ☐ Denied Use Group: Type: CBL: Zone: $R-6 \mid 45-B-26$ Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: ☐ Shoreland Professional Office w/sign (5 sq ft) Denied □ Wetland ☐ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: 4/7/97 Vicki Dover **Zoning Appeal** □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous Building permits do not include plumbing, septic or electrical work. □ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation 3. □ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review Mail to SIGN DESIGN ☐ Requires Review Action: **CERTIFICATION** □ Appoved I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Approved with Conditions ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition. if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 4/7/97 ADDRESS: DATE: SIGNATURE OF APPLICANT Eric Movnihan PHONE: Sign Design RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: **CEO DISTRICT** White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

<del>n de la company de la comp</del> Antigen de la company de la

## May and the state of the state

### SIGNAGE

#### PLEASE ANSWER ALL OURSTIONS

ADDRESSI 99 STATE 57	ZONE:
OWNER STUART MAGNIRE, MID	
APPLICANTI SIGN Design	
ASSESSA NO.1	
SINGLE TENANT LOT? YES NO L	
Hulti Tenant Lot? Yes L No No	
TREESTANDING SIGH? YES NO (ex. pole sign)	ріменвіона
HORE TEAN ONE SIGHT YES NO L	DIMERSIONS
BLDG. WALL SIGN? YES NO (attached to bldg)	DIMENSIONS 2-1"x 30"
NORE THAN ONE SIGH? YES NO.	ріненатона
LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:	
LOT FRONTAGE (FEET) 50	
BLDG FRONTAGE (FEET) 35 × 55 TALL - S	
AMNING YES NO IS AMNING DAC	Cicac is GG. 25  KLIT? YES NO
HEIGHT OF ANNING:	
IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR	SYMBOL ON IT? VES

SITE SETTCH AND BUILDING SKETCH SHOWING EXACULY WHERE EXISTING AND HEW


#### **BUILDING PERMIT REPORT**

DATE: BO APVI 97 ADDRESS: 99 STATE ST	
REASON FOR PERMIT: TO E rect Signage	
BUILDING OWNER: STuart Mac Guire	
CONTRACTOR: Sign Design	
PERMIT APPLICANT: Sinc Mayping APPROVAL: 1/4 26_	DENIED
Serve your met	

#### CONDITION(S) OF APPROVAL

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
  - 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
  - 3. Precaution must be taken to protect concrete from freezing.
  - 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
  - 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
  - 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
  - 7. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1. I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
  - 8. Headroom in habitable space is a minimum of 7'6".
  - 9. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
  - 10. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
  - Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
  - 12. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
  - 13. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
  - 14. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
  - All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Snoke detectors shall be installed and maintained at the following locations):
    - In the immediate vicinity of bedrooms
    - In all bedrooms
    - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)






# Sign Contractors A FULL SERVICE SIGN COMPANY

743 Broadway South Portland, ME 04106 (207) 799-2000 \* 1-800-949-9037 FAX: (207) 799-9544

Eric A. Moynihan



26"



24"

PROPERTY OF

Sign Design, Inc.

Customer: MAINE EYE CENTER

Project: SIGN W/ BRACKET Date:

4-15-97

Revised:

Approved: