
Location of Construction: 571 Congress St	Owner: Doukas, 911	lion & Andrew	Phone:	Permit No: 980221
Owner Address:	Lessee/Buyer's Name: -	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name: William Boukes	Address: 195 State 5t 7	Phone:	Permit Issued:	
Past Use:	Proposed Use:	COST OF WORK \$ 7,000,00	: PERMIT FEE: \$ 55.00	MAR 1 7 1998
Vacant Space	Same	FIRE DEPT. A	enied INSPECTION: Use Group: Type:	Zone: CBL: 046-C-013
Proposed Project Description:		PEDESTRIAN AC	TIVITIES DISTRICT (P.A.D.	
Approved with Conditions:			□ Special Zone or Reviews: □ Shoreland □ Wetland □ Flood Zone □ Subdivision	
Permit Taken By: Bary Greelk	Date Applied For:	04 Bebch 1993- 0		Site Plan maj Eminor Emm E
 This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. Building permits do not include plumbing, septic or electrical work. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work 				 Miscellaneous Conditional Use Interpretation Approved Denied
			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation
		. 61	MEMENTS	□ Requires Review
	CERTIFICATION	Ale and delle		Action:
I hereby certify that I am the owner of record o authorized by the owner to make this applicati if a permit for work described in the applicatio areas covered by such permit at any reasonabl	f the named property, or that the proposed on as his authorized agent and I agree to n is issued, I certify that the code officia	conform to all applicable I's authorized representativ	laws of this jurisdiction. In addit e shall have the authority to ente	ion,
FUL ~		04 Norch 1998		
SIGNATURE OF APPLICANT WITTING D	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF W	ORK, TITLE		PHONE:	
White	-Permit Desk Green-Assessor's C	anary-D.P.W. Pink-Pub	lic File Ivory Card-Inspector	

City of Portland, Maine – Building or Use Permit Application. 389 Congress Street, 94101, Tel: (207) 874-8703, FAX: 874-8716

LAND USE - ZONING REPORT

671 (conquess) DATE: 3/11 ADDRESS: interior removations - No USC PEROFOSCO REASON FOR PERMIT: William in Andrew Dec. 5-1: 1-6. C-1 BUILDING OWNER: PERMIT APPLICANT: in ditandenied: APPROVED; CONDITION(S) OF APPROVAL During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be 1. maintained. The footprint of the existing _______ shall not be increased during maintenance 2. reconstruction. All the conditions placed on the original, previously approved, permit issued on _____ 3. are still in effect for this amendment. Your present structure is legally nonconforming as to rear and side setbacks. If you were 4. to demolish the building on your own volition, you will not be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the garage in place and in phases. This property shall remain a single family dwelling. Any change of use shall require a 5. separate permit application for review and approval. Our records indicate that this property has a legal use of _____ units. Any change б. in this approved use shall require a separate permit application for review and approval. Separate permits shall be required for any signage. Separate permits shall be required for future decks and/or garage. Other requirements of condition This permit ung issued without regard This property is located e use (VACAM) aver by District which restrict plope sed use in This building La Rance Kal. Marge Schmuckal, Zoning Administrator, Asst. Chief of Code Enforcement



DATE FILE NO. OF PRELIM. BY PROJ. NO. SH NO. 2 OF 2 FINAL CHK. BY LOCATION DATE Bly Permit. ITEM NO. Part 2 SUBJECT Owner -671 Congress St. William Doukas 193-197 State St. Apt 4 Rebuilt Partially. Portland Me 04/01 (H) 207-879-7924 Will complete to suit terentat Later Date. (W) 207-287-2754 - Constess St. -> 'Stud 16" oc 2×4 Interior Walls througout Entire permeter of Blog. h Insulate Walls Install New Plywood w/ 31/2" Fiber-Winkow Units on all Plooring. glass. to match Exst Openia, (15'7" × 4'5") New Electrical Service Inst. Bathroom(s) Revice to. Portul City To be installed Vernon Place -> Code. Later per Code. Sheet Rock and Somewhere Part Walls. in this (1/2" drywall) Vacmity 60 Add time Permits will be 20 applied for Concerning of Plusi No Cerling to be instelled Elactica, until Tenant Selection. etc.

BUILDING PERMIT REPORT					
DATE:	16 March 98 ADDRESS: 671 Congress ST, 046-C-013				
REASC	ONFORPERMIT: TO MAKE INTERIOR renovations Demo				
BUILD	16 March 98 ADDRESS: 671 Congress ST, 046-C-013 DN FOR PERMIT: TO MAKE INTERIOR REPORTIONS DEMO				
CONT	RACTOR: OWNER				
PERM	IT APPLICANT:				
	ROUPB BOCA 1996 CONSTRUCTION TYPE3 B				
CONDITION(S) OF APPROVAL					
This Permit is being issued with the understanding that the following conditions are met:					
Approved with the following conditions: $\frac{1}{\sqrt{29}}$					
$\begin{array}{c} 1\\ 2\\ 2\end{array}$	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.				
L.	2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)				
3					
4.					
	verify that the proper setbacks are maintained.				
5.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from				
	adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting				
	rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior				
	spaces and the attic area by means of $\frac{1}{2}$ inch gypsum board or the equivalent applied to the garage means of $\frac{1}{2}$ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)				
6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National					
Mechanical Code/1993).					
7	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.				
8.					
	surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum				
	height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a				
	diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.				
	(Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)				
	Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".				
×9.	Headroom in habitable space is a minimum of 7'6".				
10.	Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum				
11.	11" tread. 7" maximum rise. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")				
12.	Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or				
12,	exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special				
	knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more				
	than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear				
	opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm),				
17	and a minimum net clear opening of 5.7 sq. ft. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it				
13.	exits directly from the apartment to the building exterior with no communications to other apartment units.				
14.	All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self				
- 14	closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)				
15.	The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing				
	automatic extinguishment.				

16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the

ų. Į provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21 Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code.
- 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 27 Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).
- 28. Please read and implement the attached Land Use-Zoning report requirements.

Care shall be Taken Not To remove bearing walks - 29 30. 31 32.

١.

Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal