## City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

			T21		
Location of Construction:    This bearing Street   Ptid, ME	Owner:	\$14	Phone:	774-9545	Permit No 9 9 0 6 7 9
Owner Address:	Lessee/Buyer's Name:	Phone:	Business	sName:	PERMIT ISSUED
Contractor Name:	Address:	Phone:			Permit Issued:
Past Use:	Proposed Use:	COST OF WORK	:	PERMIT FEE:	JM 2 8 1999
Rereastille/Suminess	Dāane	FIRE DEPT. □ A		INSPECTION: Use Group 77 Type 3 75	CITY OF PORTLAND
		Signature:		Bocs 96 Hells	Zone: CBL: 046-D-016
Proposed Project Description:			TIVITIE	S DISTRICT (P.A.D.)	Zoning Approval:
Change of Use on the first floor sp to be now used as shop to sell fabr		Action: A	pproved	vith Conditions:	Special Zone or Reviews:  Shoreland Wetland Flood Zone
		Signature:		Date:	Subdivision
Permit Taken By:	Date Applied For:	June 24, 1999		2 attor	☐ Site Plan maj ☐minor ☐mm ☐
<ol> <li>Building permits do not include plumbing, set</li> <li>Building permits are void if work is not started tion may invalidate a building permit and stop</li> </ol>	within six (6) months of the date of iss		clin		☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
		6 Omering St Portland, WE	Idel		Historic Preservation  □ Not in District or Landmark  □ Does Not Require Review  □ Requires Review
				ERMIT ISSUED REQUIREMENTS	Action:
	CERTIFICATION				□Appoved
I hereby certify that I am the owner of record of the authorized by the owner to make this application a if a permit for work described in the application is areas covered by such permit at any reasonable ho	s his authorized agent and I agree to co issued, I certify that the code official's	onform to all applicable authorized representativ	laws of thi e shall hav	is jurisdiction. In addition,	☐ Approved with Conditions☐ Denied☐ Date:
		June 14, 1999			
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WORK	K, TITLE			PHONE:	CEO DISTRICT
White-Pe	rmit Desk Green-Assessor's Can	ary-D.P.W. Pink-Pub	lic File I	vory Card-Inspector	ub

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

### Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)	to Deening Street 0410	
Total Square Footage of Proposed Structure —	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number  Chart# O 4 6 Block# D Lot# 616	Owner: X Chushne Maclin	Telephone#: 774.9545
Owner's Address: 39 DECKING ST. PORTLAND, ME OYLOI	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$ 35
Providend, Me 04101  Proposed Project Description: (Please be as specific as possible)  Space, formerly an art 90  CHECOVATON FABRIC ON 157	change of use alley, is now to be retail blook	shop selling
Contractor's Name, Address & Telephone	Business	SAME Rec'd By
Current Use: MCC	Cantile Proposed Use: Retail	top the

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
•All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
 HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

ACopy of Your Deed or Purchase and Sale Agreement
 A Copy of your Construction Contract, if available
 A Plot Plan/Site Plan

T. OF BUILDING INSPECTION CITY OF PORTLAND, ME

JUN 2 4 1999

D

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design profession.

A complete set of construction drawings showing all of the following elements of construction:

Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.


#### Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Muth Mochin Date: 6/22/55

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum



	BUILDING PERMIT REPORT
DATE	E: 24 June 99 ADDRESS: G Deering ST. CBL: 646-D-016
REAS	CONFORPERMIT: Change of use 1st Floor From A-3 Tom.
BUIL	DINGOWNER: FAK-NFOSTER, Christin Machin
PERM	ITT APPLICANT: Leddy Houser 17850 c. owner
USE	GROUP B/M BOCA 1996 CONSTRUCTION TYPE 3B
	CONDITION(S) OF APPROVAL
This p	ermit is being issued with the understanding that the following conditions are met:
Appro	ved with the following conditions: * ( * // *   3
<u>V1.</u> 2.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.  Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A
3.	24 hour notice is required prior to inspection) Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10
	percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain
	tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations
	shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4.	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from comers of foundation and a
5.	maximum 6' o.c. between bolts. (Section 2305.17) Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6.	Precaution must be taken to protect concrete from freezing. Section 1908.0
7.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached - side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4,
	Section 407.0 of the BOCA/1996)
9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211  Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
10. A11.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the
¥	purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
12.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
<b>X</b> 13.	Stair construction in <u>Use Group R-3 &amp; R-4is a minimum of 10" tread and 7 %" maximum rise</u> . All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
14.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15.	Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
16.	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building extenor with no communications to other apartment units. (Section 1010.1)
17.	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.  (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

extinguishment. (Table 302.1.1) All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's 19. Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be

18.

The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic

Spiring insp-411 existing - need Linal - will check on rails on front		SI 460 400 400 400 400 400 400 400 400 400
- All the same business-Non+ need 2 hour sep	All	
PS.H.		12
The Manch to site, 1st Floor in compliance, ox. to issue cike of		
Inspection Record		
Type Foundation:	Date	
Framing: Plumbing:		
Final:		
Other		

046-5-016

Planning & Urban Development



Joseph E. Gray Jr. Director

June 24, 1999

#### CITY OF PORTLAND

Ms. Christine Maclin 6 Deering Street Portland, Mame 04101

Re: Certificate of Appropriateness, Attached 15in. x 19in. wooden painted sign.

Dear Ms. Maclin,

The City of Portland's Historic Preservation staff has approved your application for a Certificate of Appropriateness for a sign hanging from a metal bracket as submitted.

All improvements shall be carried out as shown on the plans and specifications submitted on 6/24/99 to the Planning Staff. Changes to the approved plans and specifications and any additional work which may be undertaken must be reviewed and approved by this office prior to construction, alteration, or demolition. If, during the course of completing the approved work, conditions are encountered which prevent completing the approved work, or which require additional or alternative work, you must apply for and receive a Certificate of Appropriateness or Non-Applicability PRIOR to undertaking additional or alternative work.

This Certificate is granted upon condition that the work authorized herein is commenced within twelve (12) months after the date of issuance. If the work authorized by this Certificate is not commenced within twelve (12) months after the date of issuance or if such work is suspended in significant part for a period of one year after the time the work is commenced, such Certificate shall expire and be of no further effect; provided that, for cause, one or more extensions of time for periods not exceeding ninety (90) days each may be allowed in writing by the Department.


Sincerely,

William B. Needelman, Planner

cc: Deborah Andrews, Senior Planner

Building Inspections
HP Approval Letter File





.