





S4	S4	S4	S4	S1
01	02	03	01	01
UL# U000	UL# U000	UL# U404	UL# U000	UL# U000
RATING	RATING	RATING	RATING	RATING
00 MINS	00 MINS	60 MINS	00 MINS	00 MINS

**1 PARTITION TYPES**



SCALE: 1 1/2" = 1'-0"



GENERAL NOTES:



1. PROVIDE WOOD BLOCKING BETWEEN ALL STUDS TO REINFORCE GWB WALLS AT THE FOLLOWING LOCATIONS:
  - A. BEHIND ALL DOORS RECEIVING WALL MOUNTED BUMPERS (DOORS INDICATED AS SWING AGAINST WALL)
  - B. AT ALL WALLS SCHEDULED TO RECEIVE WALL HUNG CABINETS, SHELVING, FIXTURES, ACCESSORY AND BASE CABINETS.
2. PROVIDE DOUBLE STUDS IN ANY GWB WALL AT DOOR JAMB CONDITIONS.
3. PROVIDE ACOUSTICAL SEALANT BENEATH ALL STUD RUNNERS AND AROUND ALL PENETRATIONS IN WALLS WITH SOUND BATS.
4. PROVIDE 1/2" WOOD BLOCKING TO REINFORCE GWB WALLS IN OFFICE 103, 104 AND OFFICE SPACE 101.
5. CLEAN EXISTING FLOOR AND PREPARE FOR CARPET TILE FINISH.
6. CLEAN AND PAINT EXISTING WALLS.
7. MAIN WATER SUPPLY / PUMP IS ANTICIPATED, MODIFY / ADJUST EXISTING SYSTEM AS REQUIRED / POSSIBLE TO MINIMIZE AREA IMPACT WITHIN OFFICE 104.
8. INSTALL 4X8 MAGNETIC WHITEBOARD PANELS ON WALL (3 WALLS) ORIENTED VERTICALLY FULL WIDTH OF WALL. PANELS TO BE PROVIDED BY OWNER (INSTALLATED BY G.C. PERMITS REQUIRED). SEE 104 FOR DETAILS AND TO BE PROVIDED BY OWNER (INSTALLATED BY G.C. PERMITS REQUIRED). SEE 104 FOR DETAILS AND TO BE PROVIDED BY OWNER (INSTALLATED BY G.C. PERMITS REQUIRED).
9. INSTALL DOORS 4" OFF FACE OF WALL TYPICAL UNO.

NOTE: EXTEND WALL TO UNDERSIDE OF FLOOR FRAMING / CEILING ABOVE AND SEAL PER UL #404




**2 PARTIAL FIRST FLOOR PLAN**

SCALE: 1/4" = 1'-0"




	DUPLEX 110V OUTLET		PULL STATION
	DUPLEX 110V FLOOR OUTLET		HORN STROBE
	QUAD 110V OUTLET		DOUBLE EMERGENCY LIGHT HEAD
	CABLE TV OUTLET		DECORATIVE SURFACE MOUNTED LIGHT FIXTURE (PURCHASED BY OWNER)
	2-WAY SWITCH W/ DIMMER		DECORATIVE SURFACE MOUNTED LIGHT FIXTURE (PURCHASED BY OWNER)
	3-WAY SWITCH W/ DIMMER		8" LINEAR FLORESCENT PENDANT (EXISTING RELOCATED)
	TEL/ DATA		4" LINEAR SURFACE MOUNT LIGHT (EXISTING RELOCATED)
	EXIT SIGN		4" LINEAR SURFACE MOUNT LIGHT (MATCH TYPE F1)

	8" LINEAR FLORESCENT PENDANT (EXISTING RELOCATED)
	4" LINEAR FLORESCENT PENDANT (MATCH TYPE A1)
	RECESSED DOWNLIGHT (EXISTING RELOCATED)
	DECORATIVE PENDANT LIGHT FIXTURE (PURCHASED BY OWNER)
	DECORATIVE SURFACE MOUNTED LIGHT FIXTURE (PURCHASED BY OWNER)
	4" LINEAR SURFACE MOUNT LIGHT (EXISTING RELOCATED)
	4" LINEAR SURFACE MOUNT LIGHT (MATCH TYPE F1)



- GENERAL LIGHTING/ELECTRICAL NOTES:**
1. ALL LUMINAIRES SHALL BE CONSTRUCTED, WIRED AND INSTALLED IN COMPLIANCE WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES. STANDARDS ALL LUMINAIRES SHALL CONFORM TO THE UNDERWRITERS LABORATORIES STANDARDS AND TO APPLICABLE CODES EXCEEDING THOSE STANDARDS.
  2. ALL LUMINAIRES SHALL CONFORM TO ANY ADDITIONAL REGULATIONS NECESSARY TO OBTAIN APPROVAL FOR USE OF SPECIFIED HARDWARE, HANGERS, CABLES, SUPPORTS, CHANNELS, FRAMES AND BRACKETS TO MAKE A SAFE, COMPLETE AND FULLY OPERATIVE INSTALLATION. THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS, VERIFY THE LIGHTING FIXTURE PART NUMBER FOR SIZE AND TYPE TO BE COMPATIBLE WITH THE LIGHTING FIXTURE PART NUMBER INDICATED ON THE DRAWINGS. APPROVAL OF SHOP DRAWINGS BY THE ARCHITECT/LIGHTING DESIGNER SHALL NOT RELIEVE THE CONTRACTOR OF THE RESPONSIBILITY OF VERIFYING THE CORRECT LIGHTING FIXTURE PART NUMBER BEFORE ORDERING THE FIXTURE.
  3. THE CONTRACTOR TO PROVIDE NEW OUTLETS AND TEL/DATA AS SHOWN, ALONG WITH ANY ADDITIONAL OUTLETS AS REQUIRED BY CODE. RUN GALVANIZED METAL CONDUIT ALONG WALLS, 18" AFF. AND ALONG FLOOR AND/OR CEILING AS REQUIRED FOR ELECTRICAL WIRING. QUANTITY TO BE DETERMINED BY ELECTRICAL CONTRACTOR.
  4. REMOVE ALL EXISTING LIGHT FIXTURES WITHIN UNFINISHED SPACES AND OTHERS AS INDICATED ON DRAWINGS. REMOVE ALL ABANDONED SWITCHING AND WIRING.
  5. ALL EXISTING EXIT SIGNS, FIRE PULL STATIONS, FIRE EXTINGUISHERS, FIRE HORN STROBES AND EMERGENCY LIGHTS TO REMAIN UNLESS NOTED OTHERWISE.
  6. ALL ELECTRICAL AND TEL/DATA OUTLETS SHALL BE INSTALLED 18" AFF. UNLESS NOTED OTHERWISE.
  7. COORDINATE AV CONNECTIONS TO FLATSCREEN TV IN OFFICE 102 AND PULL-UP GALLERY 120 WITH AV CONSULTANT/OWNER.
  8. LIGHT FIXTURES NOTED AS EXISTING RELOCATED IN LIGHTING SCHEDULE SHALL BE PROVIDED BY OWNER OUT OF ATTIC STOCK AND INSTALLED BY GC. LIGHT FIXTURES NOTED AS PURCHASED BY OWNER SHALL BE PROVIDED BY OWNER AND INSTALLED BY GC. ALL OTHER FIXTURES SHALL BE PROVIDED AND INSTALLED BY GC. ATTIC STOCK CONSISTS OF (1) TYPE A1 FIXTURES, (1) TYPE F1 FIXTURE AND (2) TYPE F1 FIXTURES.
  9. COORDINATE WITH GC FOR NEW LIGHTING THROUGHOUT WITH OWNER.
- GENERAL HVAC NOTES:**
1. RECONFIGURE EXISTING HVAC SUPPLY AND RETURN DUCTWORK AND DIFFUSERS AS REQUIRED TO ACCOMMODATE THE NEW LAYOUT.
  2. RETEST AND ADJUST THE AIRFLOW TO ACHIEVE THE PROPER BALANCE THROUGHOUT.
- GENERAL NOTES:**
1. SCRAPE, PATCH AND PAINT ALL EXISTING PLASTER CEILINGS AND UTILITIES.
  2. REMOVE ALL MISCELLANEOUS HARDWARE AND HANGERS FROM CEILINGS AND WALLS.
  3. CLEAN AND PAINT ALL EXISTING WALLS AS REQUIRED TO SEAL PER CODE.
  4. MOST EXISTING CEILING FIXTURES ARE REQUIRED FOR NEW WALLS. TYPICAL EXISTING LAYOUT TO REMAIN.
  5. G.C. SHALL COORDINATE A PRE-CONSTRUCTION MEETING WITH OWNER, ARCHITECT, AND SUB-CONTRACTORS TO REVIEW PULL SCOPE OF WORK AND DESIGN INTENT PRIOR TO ANY WORK. TYPICAL ALL FLOORS.
  6. EXISTING CEILING, LIGHTING AND SWITCHING SHALL REMAIN UNLESS OTHERWISE NOTED. MODIFY LAYOUT AS REQUIRED FOR NEW CONSTRUCTION AND AS REQUIRED TO PROVIDE ADEQUATE LIGHTING LEVELS. TYPICAL.
  7. CONSTRUCTION AND AS REQUIRED TO PROVIDE ADEQUATE LIGHTING LEVELS. TYPICAL.

1 PARTIAL FIRST FLOOR REFLECTED CEILING PLAN  
SCALE: 1/8" = 1'-0"



**Scott Simons Architects**  
755 Water Street  
Portland, Maine 04101  
www.scottsimonsarchitects.com  
207.772.4866

**Scott Simons Architects**  
LICENSED ARCHITECT  
SCOTT SIMONS  
NO. 2934  
STATE OF MAINE

PROJECT NAME: VIA Phase II  
RENOVATIONS 619 CONGRESS STREET PORTLAND, ME 04101  
SEAL: \_\_\_\_\_

DATE OF ISSUE: JUNE 25, 2012  
PROJECT NUMBER: 2011-03001-06-Phase II  
STATUS: ISSUED FOR BIDDING

DATE: \_\_\_\_\_  
DATE: \_\_\_\_\_  
DATE: \_\_\_\_\_  
DATE: \_\_\_\_\_

DATE OF ISSUE: JUNE 25, 2012  
PROJECT NUMBER: 2011-03001-06-Phase II  
STATUS: ISSUED FOR BIDDING

**PARTIAL FIRST FLOOR REFLECTED CEILING PLAN**



# A101

**DOOR SCHEDULE**



MARK	TYPE	SIZE			MATERIAL	H-WARE FRAME	REMARKS
		WIDTH	HEIGHT	THICK			
100A	D3	VF	VF	VF	WOOD	H2 NA	RELOCATED SALVAGED DOOR AND FRAME
101A	D2	3'-0"	7'-6" VF	1/2"	TEMP. GLASS	H3 NA	RATED DOOR AND FRAME, MATCH STAIR RAINING
101B	D3	+1-2-0" VF	+1-7-0" VF	1 1/2"	WOOD	H1 F1	EXISTING
101C	EXISTING DOOR AND FRAME TO REMAIN						
102A	D2	3'-0"	7'-6" VF	1/2"	TEMP. GLASS	H3 NA	TEMP. GLASS
102B	D2	(2) 2'-6"	7'-6" VF	1/2"	TEMP. GLASS	H3 NA	TEMP. GLASS
103A	D2	3'-0"	7'-6" VF	1/2"	TEMP. GLASS	H3 NA	TEMP. GLASS
104A	D2	3'-0"	7'-6" VF	1/2"	TEMP. GLASS	H3 NA	TEMP. GLASS
104B	D2	3'-0"	7'-6" VF	1/2"	TEMP. GLASS	H3 NA	TEMP. GLASS
106A	D3	VF	VF	1 1/2"	WOOD	H2 F1	RELOCATED SALVAGED DOOR AND FRAME
107A	D2	+1-2-0" VF	+1-7-6" VF	1/2"	TEMP. GLASS	H3 NA	GLASS DOOR IN EXISTING OPENING
108A	D3	3'-0"	7'-0"	1 1/2"	WOOD	H2 F1	RELOCATED SALVAGED DOOR
111A	D2	+1-2-0" VF	+1-7-6" VF	1/2"	TEMP. GLASS	H6 NA	
111B	D2	+1-2-0" VF	+1-7-6" VF	1/2"	TEMP. GLASS	H6 NA	
115A	D3	VF	VF	1 1/2"	WOOD	H2 F1	DOOR RELOCATED FROM SERVER ROOM
203A	D1	3'-0"	7'-0"	1 3/4"	MATCH EXIST.	H1 F1	SEE NOTE 1
204A	D1	3'-0"	7'-0"	1 3/4"	MATCH EXIST.	H1 F1	SEE NOTE 1
305A	D3	3'-0" VF	7'-0" VF	1 1/2"	WOOD	H7 NA	

GENERAL NOTES:  
 1. ALL NEW DOOR TYPES, FINISHES, HARDWARE, & FRAMES TO MATCH EXISTING DOORS  
 2. ALL GLASS TO BE TEMPERED AS REQUIRED BY CODE  
 3. ONE SOLID WOOD DOOR (TYPE D3) WITH HARDWARE EXISTS UNUSED, COORDINATE HINGE SIDE AND HARDWARE AND DETERMINE BEST LOCATION FOR REUSE

HARDWARE SPECIFICATIONS:  
 NOTE: ALL CYLINDERS TO BE KEVED TO MATCH EXIST. MASTER KEY. TYP. GC TO PROVIDE HARDWARE SUBMITTAL FOR REVIEW AND APPROVAL BY ARCHITECT/OWNER BEFORE PROCEEDING WITH ORDERWORK.  
 H1: PASSAGE SET - MATO MANUF. - STYLE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H2: PASSAGE SET - MATO MANUF. - STYLE & FINISH OF EXIST. DOOR STOPS PROVIDE (1) DOOR STOP FOR EACH NEW DOOR. MATCH MANUF., STYLE & FINISH OF EXIST. DOOR STOPS  
 H3: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H4: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H5: FINISH - STAINLESS STEEL, SATIN (FINI) FINISH - STAINLESS STEEL, SATIN (FINI) FINISH - STAINLESS STEEL, 1 PER DOOR.  
 H6: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H7: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H8: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H9: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H10: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H11: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H12: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H13: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H14: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.  
 H15: KEVED CLASSROOM SET - MATCH MANUF., LINE & FINISH OF EXIST. HARDWARE THROUGHOUT INTERIOR.



1 Second Floor Plan  
 SCALE: 1/4" = 1'-0"



2 Second Floor RCP  
 SCALE: 1/4" = 1'-0"

GENERAL NOTES:

- SOME EXISTING LIGHTING, DIFFUSERS AND SPRINKLER HEADS SHOWN FOR REFERENCE.
- ALL CEILING GRIDS TO REMAIN UNLESS OTHERWISE NOTED.

GENERAL HVAC NOTES:

- RECONFIGURE EXISTING HVAC SUPPLY AND RETURN DUCTWORK AND DIFFUSERS AS REQUIRED TO ACCOMMODATE THE NEW LAYOUT.
- RETIEF AND ADJUST THE AIRFLOW TO ACHIEVE THE PROPER BALANCE THROUGHOUT.

GENERAL LIGHTING/ELECTRICAL NOTES:

- ALL LUMINAIRES SHALL BE CONSTRUCTED, WIRED, AND INSTALLED IN COMPLIANCE WITH ALL APPLICABLE NATIONAL, STATE AND LOCAL CODES. ALL LUMINAIRES SHALL CONFORM TO THE UNDERWRITERS LABORATORIES STANDARDS AND TO APPLICABLE CODES EXCEEDING THE MINIMUM REQUIREMENTS. PROVIDE THE MANUFACTURER'S INSTALLATION, RECOMMENDATIONS, AND INSTRUCTIONS FOR USE OF SPECIFIED LUMINAIRES IN LOCATIONS SHOWN. ALL ELECTRICAL COMPONENTS SHALL BE UNDERWRITERS LABORATORIES APPROVED EQUIPMENT.
- ALL LUMINAIRES SHALL BE INSTALLED COMPLETE WITH LAMPS AS DIRECTED AND WITH ALL EQUIPMENT, MATERIALS, SPARKS CHANNELS, FRAMES AND BRACKETS TO MAKE A SAFE, COMPLETE AND FULLY OPERATIVE INSTALLATION.
- THE CONTRACTOR SHALL SUBMIT SHOP DRAWINGS, VERIFY THE LIGHTING FIXTURE PART NUMBER FOR SIZE AND TYPE TO BE COMPATIBLE WITH USE AND LOCATION AS INDICATED ON THE DRAWINGS. VERIFY THE MANUFACTURER'S INSTALLATION, RECOMMENDATIONS, AND INSTRUCTIONS FOR USE OF SPECIFIED LIGHTING FIXTURES. THE CONTRACTOR OF THE RESPONSIBILITY OF VERIFYING THE CORRECT LIGHTING FIXTURE PART NUMBER BEFORE ORDERING THE LIGHTING FIXTURES.
- RELOCATE EXISTING FIXTURES AS SHOWN. ALL OTHER EXISTING EXISTING LIGHTING IS TO REMAIN, COORDINATE NEW SWITCHING, AS NEEDED, IN FIELD WITH OWNER.
- ELECTRICAL CONTRACTOR TO PROVIDE NEW OUTLETS AND TEL/DATA AS NEEDED TO ACCOMMODATE NEW WORKSTATIONS, ALONG WITH ANY ADDITIONAL OUTLETS AS REQUIRED BY CODE. VERIFY SCOPE WITH OWNER PRIOR TO CONSTRUCTION.

LIGHTING SCHEDULE:


C	2x4 GRID LIGHT TO MATCH EXISTING
---	----------------------------------

ELECTRICAL SCHEDULE:

⊕	DUPLEX 110V OUTLET
⊕	DUPLEX 110V FLOOR OUTLET (ST FINISH)
⊕	DUPLEX 110V OUTLET W/ GROUND FAULT INTERRUPT
⊕	QUAD 110V OUTLET
⊕	CABLE TV OUTLET
⊕	2-WAY SWITCH
⊕	3-WAY SWITCH
⊕	TEL/DATA
⊕	TELEPHONE
⊕	THERMOSTAT
•	SPRINKLER HEAD

PROJECT NAME:  
**VIA Phase II**

RENOVATIONS  
 619 CONGRESS STREET  
 PORTLAND, ME 04101



THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS (S&A) AND IS NOT TO BE COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF SCOTT SIMONS ARCHITECTS, L.L.C.

REVISION:

1	ISSUED FOR CONSTRUCTION - JUNE 25, 2012
2	
3	
4	
5	
6	

DATE OF ISSUE: JUNE 25, 2012  
 PROJECT NUMBER: 2011-03001-04a-Phase II  
 STATUS: ISSUED FOR BIDDING

**SECOND FLOOR PLANS & DOOR SCHEDULE**


# A102

**GENERAL LIGHTING/ELECTRICAL NOTES:**

1. All luminaires shall be constructed, wired, and installed in compliance with all applicable national, state and local codes. All luminaires shall conform to the Underwriters Laboratories Standards and to applicable codes exceeding those standards. All luminaires shall conform to any additional regulations necessary to obtain approval for use of specified luminaires in locations shown. All electrical components shall be Underwriters Laboratories approved equipment.
2. All luminaires shall be installed complete with lumps, as directed and with all equipment, materials, parts, attachments, devices, hardware, hangers, cables, supports, channels, frames and brackets to make a safe, complete and fully operative installation.
3. The Contractor shall submit shop drawings, verify the lighting fixture part number for size and type to be compatible with use and location as indicated on the drawings. Approval of shop drawings by the Architect/ Lighting Designer shall not relieve the Contractor of the responsibility of verifying the correct lighting fixture part number before ordering the lighting fixtures.
4. Relocate existing fixtures as shown. All other existing fixtures within scope to be removed and salvaged for owner reuse, unless otherwise noted.
5. Where existing lighting is to remain, coordinate new switching, as needed in field with Owner.
6. Electrical Contractor to provide new outlets and TxDelta as needed to accommodate new offices, along with any additional outlets as required by code, verify scope with owner prior to construction.
7. Rewire as needed in Office [333] and [334] to create independent circuits and adjust switching as necessary.


**ELECTRICAL SCHEDULE:**

- Ⓢ DUPLEX 110V- FLOOR OUTLET
  - Ⓢ DUPLEX 110V- OUTLET
  - Ⓢ GROUND FAULT INTERRUPT
  - Ⓢ QUAD 110V- OUTLET
  - Ⓢ CABLE TV OUTLET
  - Ⓢ 2-WAY SWITCH
  - Ⓢ 3-WAY SWITCH
  - Ⓢ TEL/ DATA
  - Ⓢ TELEPHONE
  - Ⓢ THERMOSTAT
  - Ⓢ SPRINKLER HEADS - NEW
- LIGHTING SCHEDULE:**
- Ⓢ DECORATIVE SURFACE MOUNTED LIGHT FIXTURE (PURCHASED BY OWNER)




**1** THIRD FLOOR REFLECTED CEILING PLAN  
SCALE: 1/4" = 1'-0"

- GENERAL HVAC NOTES:**
1. RECONFIGURE EXISTING HVAC SUPPLY AND RETURN DUCTWORK AND DIFFUSERS AS REQUIRED TO ACCOMMODATE THE NEW LAYOUT.
  2. RETEST AND ADJUST THE AIRFLOW TO ACHIEVE THE PROPER BALANCE THROUGHOUT.
  3. PROVIDE NEW HVAC DISTRIBUTION TO NEW OFFICES AND BREAKFAST/SEATING ROOM AS REQUIRED BY CODE. WE IMAGINE THESE ROOMS HAVING SUPPLY AIR AND RETURN AIR PROVIDED FROM THE EXISTING HVAC SYSTEMS. HVAC CONTRACTOR TO WORK WITH ARCHITECT TO DETERMINE THE BEST WAY TO SUPPLY AIR TO THESE ROOMS.




**2** THIRD FLOOR PLAN  
SCALE: 1/4" = 1'-0"



Scott Simons Architects  
75 South Main Street  
Portland, Maine 04101  
www.scottsimonsarchitects.com  
207.772.4656

PROJECT NAME:  
**VIA Phase II**

RENOVATIONS  
619 CONGRESS STREET  
PORTLAND, ME 04101



THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECT'S (SSA) AND IS NOT TO BE COPIED OR REPRODUCED WITHOUT THE WRITTEN CONSENT OF SCOTT SIMONS ARCHITECTS, LLC.



REVISION:

1	ISSUED FOR CONSTRUCTION - JUNE 25, 2012	DATE
2		DATE
3		DATE
4		DATE
5		DATE
6		DATE

DATE OF ISSUE: JUNE 25, 2012  
PROJECT NUMBER: 2011-0300 VIA Phase II  
STATUS: ISSUED FOR BIDDING



**THIRD FLOOR PLANS**

**A103**








**1** Add Alternate #1 - Relocate Mechanical Unit  
SCALE: 1/4" = 1'-0"

**2** Section Detail - At Glazing Head  
SCALE: 1 1/2" = 1'-0"




**3** Section Detail - At Soffit Ext.  
SCALE: 1 1/2" = 1'-0"

**4** Section Detail - At Office Glazing  
SCALE: 1 1/2" = 1'-0"




**5** Interior Glazing Elevations  
SCALE: 1/4" = 1'-0"

**6** Cabinet Elevation  
SCALE: 1/4" = 1'-0"




**7** Interior Elevation  
SCALE: 1/4" = 1'-0"



**8** Interior Elevation  
SCALE: 1/4" = 1'-0"

PROJECT NAME:  
VIA Phase II  
RENOVATIONS  
619 CONGRESS STREET  
PORTLAND, ME 04101



THIS DRAWING IS THE PROPERTY OF SCOTT SIMONS ARCHITECTS (SSA) AND IS NOT TO BE COPIED OR REPRODUCED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF SCOTT SIMONS ARCHITECTS, LLC.

REVISION:	DATE
1	ISSUED FOR CONSTRUCTION - JUNE 25, 2012
2	DATE
3	DATE
4	DATE
5	DATE
6	DATE

DATE OF ISSUE: JUNE 25, 2012  
PROJECT NUMBER: 2011-03001 (A) Phase II  
STATUS: ISSUED FOR BIDDING

**INTERIOR ELEVATIONS, DETAILS & ALTERNATES**


**A401**

# VIA PHASE II RENOVATIONS

619 CONGRESS STREET, PORTLAND, MAINE 04101

ISSUED FOR CONSTRUCTION: JUNE 25, 2012

- GENERAL INFORMATION FOR PRICING
1. PROVIDE SEPARATE PRICING FOR EACH FLOOR'S
  2. SCOPE OF WORK
  3. PROVIDE COST FOR ADD ALTERNATE #1
  4. PROVIDE COST FOR ADD ALTERNATE #2
  5. PROVIDE COST FOR ADD ALTERNATE #3
  6. PROVIDE COST FOR DEDUCT ALTERNATE 2, DELETE GLAZING AT PARTITION BETWEEN OFFICE 102 AND 102A AND CHANGE DOORS 102B TO SOLID WOOD FRENCH DOORS. SEE A100.



MATERIAL KEY	ARCHITECTURAL ABBREVIATIONS	ARCHITECTURAL SYMBOLS	DRAWING LIST
<p>COARSE GRAVEL CONCRETE STONE EARTH/CONTACT FILL GYPSUM/PLASTER PLYWOOD BATT INSULATION FINISH WOOD ROUGH WOOD BLOCKING WOOD CONCRETE MASONRY BRICK MASONRY SANDFIRE GRAVEL RIGID INSULATION GLASS</p>	<p><b>ARCHITECTURAL ABBREVIATIONS</b></p> <p>AB ARCHIBORNEAU ACT ADDITIONAL CEILING TILE ADL ADDITIONAL ABOVE FINISH FLOOR AFV ASPHALT FLOOR ALUM ALUMINUM AVV ASPHALT PAVEMENT ARCH ARCHITECT BD BOARD BIT BITUMINOUS BLG BLOORING BN BENCHMARK BNG BENCH MARK BNG BENCH MARK CBM CABINET CEN CEMENT CFM CARP FLOOR CFL CARP FLOOR CJ CENTER JOINT CLG CENTER LINE COU CONCRETE MASONRY UNIT COL COLUMN CONC CONCRETE CONT CONTINUOUS COP COPPER COOR CORRUGATED CPS CERAMIC TILE CTY CERAMIC TILE CUH CABINET UNIT CY CUBIC YARD</p>	<p><b>ARCHITECTURAL SYMBOLS</b></p> <p><b>FINISH MATERIAL</b> ROOM NUMBER DOOR NUMBER WINDOW TYPE PARTITION TYPE REVISION REFERENCE FIRE EXTINGUISHER, RECESSED CABINET FIRE EXTINGUISHER SURFACE MOUNT DETAIL</p> <p><b>PROPOSED ELEVATION</b> TOP OF FIN FLOOR BUILDING SECTION BUILDING ELEVATION WALL SECTION INTERIOR ELEVATION COLUMN REFERENCE LINE</p>	<p><b>DRAWING LIST</b></p> <p>GENERAL COVER SHEET G001 ARCHITECTURAL A100 PARTIAL FIRST FLOOR PLAN/PARTITION TYPES A101 PARTIAL FIRST FLOOR RCP A102 SECOND FLOOR PLANS / SCHEDULES A103 THIRD FLOOR PLANS A401 INTERIOR ELEVATIONS AND DETAILS</p>