

NOTES:
1. MINIMUM LENGTH OF THE CURB SECTIONS SHALL BE 3'-Ø".
2. FOR ALL CURBS WITH RADIUS LESS THAN 15' INSTALL STONES CUT TO THE RADIUS REQUIRED (NOT STRAIGHT SECTIONS).

7 SLOPED GRANITE CURB SECTION ON-SITE

NOT TO SCALE



9 STEEL BOLLARD DETAIL

NOT TO SCALE



8 BIKE RACK DETAIL

NOT TO SCALE



NEW PAVEMENT

PAVEMENT REPAIR AT TRENCHES



CONCRETE EQUIPMENT PADS



CONCRETE PAVERS

NOTES:
1. HMA = HOT MIX ASPHALT. MDOT = MAINE DEPARTMENT OF TRANSPORTATION.
2. ALL COURSE THICKNESS AFTER FINAL COMPACTION.

4 BITUMINOUS PAVEMENT SECTIONS

NOT TO SCALE



1 PAVEMENT CUTTING & MATCHING SECTION

NOT TO SCALE



BRICKS TO BE USED:

NEW CONSTRUCTION:
4"x8" PINE HALL PATHWAY PAVER BRICK; MFG. BY PINE HALL BRICK CO., MADISON, NORTH CAROLINA. LACHANCE ITEM # 193623, PINE HALL PATHWAY PAVER BRICK.

REPAIR /MAINTENANCE TO EXISTING BRICK SIDEWALKS: VERMONT PAVER; SUPPLIED BY GAGNE AND SONS. SPECIFICATION NUMBER: "VERMONT BACKER BRICK", ITEM NUMBER # VBBB

4 BRICK SIDEWALK WITH BITUMINOUS BASE (I-10)

NOT TO SCALE

NOTE:
MATCH GRADE OF EXISTING DRIVEWAY AT R.O.W. LINE, EXCEPT WHEN DIRECTED OTHERWISE BY CITY ENGINEER.



2 DRIVEWAY APRON LAYOUT (I-9)

NOT TO SCALE

5 BITUMINOUS DRIVEWAY APRON (I-13)

NOT TO SCALE



TERMINAL CURB PROFILE



VERTICAL GRANITE CURB PLAN VIEW



VERTICAL GRANITE CURB CROSS SECTION

3 VERTICAL GRANITE CURB INSTALLATION IN EXISTING STREET (I-17)

NOT TO SCALE

PINKHAM & GREER
CIVIL ENGINEERS
28 VAUGHAN AVE., PORTLAND, ME. 04103
TEL: 207.797.5262 FAX: 207.797.4265

STATE OF MAINE — THOMAS GREER No. 4206 — LICENSED PROFESSIONAL ENGINEER — 11/22/16

REV.	DATE	DESCRIPTION
1	6/7/16	REVISED UTILITIES
2	6/29/16	ADDED STAFF COMMENTS

APPLICANT: DENOVO,LLC
47 WAITES LANDING ROAD
FALMOUTH, MAINE

SCALE: AS SHOWN
DATE: JANUARY 22, 2016
PROJECT: 15178
DRN BY: JDC
DESG BY: TSG
CHK BY: TSG

749 CONGRESS STREET
749 CONGRESS STREET
PORTLAND, MAINE

SITE DETAILS

C2.2

MAP/LOT 28 / 1 / 4, 6, 9 & 10