FRAMING PLAN SYMBOLS KEY	
□	WOOD POST
○	STEEL COLUMN
(X)	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
◄	JOIST BEARING
—	CONTINUOUS JOIST WITH INTERMEDIATE BEARING
T	FLUSH FRAMED JOIST BEARING WITH HANGER
	WOOD STUD BEARING WALL BELOW
"X"T	NUMBER OF TRIM STUDS UNDER HEADER
"X"K	NUMBER OF KING STUDS ADJACENT TO HEADER

1 / S1.4 FOURTH FLOOR FRAMING PLAN
1/8" = 1'-0"

0' 2' 10' 20'

NOTES:

1. SEE SHEET S1.0 FOR GENERAL STRUCTURAL NOTES
2. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE (3) 2x6 AND IN 2x4 WALLS SHALL BE (3) 2x4 UNLESS NOTED OTHERWISE ON PLANS
3. ALL BEAMS ARE FLUSH, UNO
4. ALL HEADERS IN 2x BEARING WALLS ARE (2) 2X8 W/ TOP & BOTTOM PLATE - TYP. UNO.
5. ALL FLOOR JOIST TO BE 14" P.E. FLOOR TRUSSES @ 16" W/ LSL RIM -TYP UNO
6. FLOOR SHEATHING TO BE 3/4" T+G, SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP
7. ALL TRUSS TO TRUSS CONNECTIONS BY MANUFACTURER - TYP UNO.
8. TRUSS DESIGNER TO COORIDINATE TRUSS LAYOUT WITH FLOOR OPENING, PLUMBING, AND UTILITY REQUIREMENTS - TYP.

STATE OF MAINE
AARON C JONES
No. 10968
LICENSED
PROFESSIONAL ENGINEER
11/18/2016

Reviewed for Code Compliance
Inspection Services
Portland, Maine
Date: 07/05/17

Prepared
Bramhall Row, LLC

Consultant:
Structural Integrity Consulting Engineers
79 Fox Street
Portland, ME 04101
P: 207-774-5445
F: 800-793-7303
JOEL@STRUCTURALINTEGRITY.COM
BUILD STRUCTURAL INTEGRITY
S1#16-0137

Architect:
ARCHETYPE Architects
48 Union Wharf Portland, Maine
(207) 772-6022;ARCHETYPE@ARCHETYPEPA.COM

Project:
BRAMHALL ROW
749 CONGRESS ST
PORTLAND, MAINE

Revisions

Date: 11 NOV. 2016
Scale: 1/8" = 1'-0"

FOURTH FLOOR FRAMING PLAN

S1.4