NOTES:

1. MINIMUM LENGTH OF THE CURB SECTIONS SHALL BE 3'-0".
2. FOR ALL CURBS WITH RADIUS LESS THAN 15' INSTALL STONES CUT TO THE RADIUS REQUIRED (NOT STRAIGHT SECTIONS).

7 SLOPED GRANITE CURB SECTION ON-SITE

NOT TO SCALE

NEW PAVEMENT

PAVEMENT REPAIR AT TRENCHES

CONCRETE EQUIPMENT PADS

CONCRETE PAVERS

NOTES:

1. HMA = HOT MIX ASPHALT. MDOT = MAINE DEPARTMENT OF TRANSPORTATION.
2. ALL COURSE THICKNESS AFTER FINAL COMPACTION.

4 BITUMINOUS PAVEMENT SECTIONS

NOT TO SCALE

1 PAVEMENT CUTTING & MATCHING SECTION

NOT TO SCALE

9 STEEL BOLLARD DETAIL

NOT TO SCALE

8 BIKE RACK DETAIL

NOT TO SCALE

BRICKS TO BE USED:

NEW CONSTRUCTION:
4"x8" PINE HALL PATHWAY PAVER BRICK; MFG. BY PINE HALL BRICK CO., MADISON, NORTH CAROLINA. LACHANCE ITEM # 193623, PINE HALL PATHWAY PAVER BRICK.

REPAIR /MAINTENANCE TO EXISTING BRICK SIDEWALKS: VERMONT PAVER; SUPPLIED BY GAGNE AND SONS. SPECIFICATION NUMBER: "VERMONT BACKER BRICK", ITEM NUMBER # VBBB

4 BRICK SIDEWALK WITH BITUMINOUS BASE (I-10)

NOT TO SCALE

NOTE:
MATCH GRADE OF EXISTING DRIVEWAY AT R.O.W. LINE, EXCEPT WHEN DIRECTED OTHERWISE BY CITY ENGINEER.

2 DRIVEWAY APRON LAYOUT (I-9)

NOT TO SCALE

TERMINAL CURB PROFILE

VERTICAL GRANITE CURB PLAN VIEW

5 BITUMINOUS DRIVEWAY APRON (I-13)

NOT TO SCALE

VERTICAL GRANITE CURB CROSS SECTION

3 VERTICAL GRANITE CURB INSTALLATION IN EXISTING STREET (I-17)

NOT TO SCALE

PINKHAM & GREER
CIVIL ENGINEERS
28 WMWM AVE. PORTLAND, ME 04103
TEL. 207.797.1520 FAX. 207.797.1248

STATE OF MAINE — THOMAS GREER No. 4206 — LICENSED PROFESSIONAL ENGINEER

7/17/17

Reviewed for Code Compliance Inspection Division Approved as Noted
Date: 07/05/17

REV.	DATE	DESCRIPTION
2	6/29/16	ADDED STAFF COMMENTS
1	6/7/16	REVISED UTILITIES

APPLICANT: DENOVO,LLC
47 WAITES LANDING ROAD
FALMOUTH, MAINE

SCALE: AS SHOWN
DATE: JANUARY 22, 2016
PROJECT: 15178
DRN BY: JDC
DESG BY: TSG
CHK BY: TSG

749 CONGRESS STREET
749 CONGRESS STREET
PORTLAND, MAINE

SITE DETAILS

C2.2

MAP/LOT 28/1/4, 8, 9 & 10