

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 143 Grant Street		Owner: GRANTWEY APTS LIMITED		Phone: 772-2303	Permit No: 000194
Owner Address: 152 Grant St. Ptld, ME 04101		Lessee/Buyer's Name: N/A		Phone: N/A	
Contractor Name: William Wight Carpentry		Address: 265 Preble St. South Ptld, ME 04106		Phone: 799-3789	Zoning Approval: OK Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>
Past Use: Multi family unit <i>legal: 20 units</i>		Proposed Use: Same <i>20 units</i>		COST OF WORK: \$ 1,000	
Proposed Project Description: Fire escape on apt. building.		FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: A-2 Type: 5B 000899- <i>Hoffner</i>	
		Signature: <i>Wight</i>		Signature: <i>Hoffner</i>	
Permit Taken By: ub		Date Applied For: 3-8-00		PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied	
		Signature: _____		Date: _____	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

***Please Send to: William Wight Carpentry
265 Preble Street
South Portland, ME 04106

**PERMIT ISSUED
WITH REQUIREMENTS**

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT _____ ADDRESS: _____ DATE: 3-8-00 PHONE: _____

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE _____ PHONE: _____

**PERMIT ISSUED
WITH REQUIREMENTS**

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <i>143 Grant St</i>			
Total Square Footage of Proposed Structure		Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# <i>048</i> Block# <i>A</i> Lot# <i>014</i>		Owner: <i>Grantway Apts Limited</i>	Telephone#: <i>772-2303</i>
Owner's Address: <i>152 Grant St Portland, ME 04101</i>		Lessee/Buyer's Name (If Applicable)	Cost Of Work: <i>\$ 1000</i> Fee: <i>\$ 30</i>
Proposed Project Description: (Please be as specific as possible) <i>Fire escape on apt bldg</i>			
Contractor's Name, Address & Telephone: <i>William Carney Carpentry 265 Public St</i>			
Current Use: <i>multi units</i>		Proposed Use: <i>multi units</i>	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application.

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:


- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dautproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <i>[Signature]</i>	Date: <i>3-8-00</i>
--	---------------------

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.
Additional Site review and related fees are attached on a separate addendum



BUILDING PERMIT REPORT

DATE: 9 MARCH 2K ADDRESS: 143 Grant ST. CBL: 048-A-014

REASON FOR PERMIT: Repair of existing Fire escape

BUILDING OWNER: Grantway Apts. Limited

PERMIT APPLICANT: _____ CONTRACTOR William Wright Carpentry

USE GROUP: R-2 CONSTRUCTION TYPE: 503 CONSTRUCTION COST: 1,000. PERMIT FEES: 30.00

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL


This permit is being issued with the understanding that the following conditions are met: *1, *11, *13, *29, *32, #31, *36

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A,B,H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 1/2" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
- 18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

04/15/20

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
27. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
28. All requirements must be met before a final Certificate of Occupancy is issued.
- *29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
31. Please read and implement the attached Land Use Zoning report requirements. *① The legal # of units is 20 D.U. Any change in that number requires a separate approval. ② The*
- *32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. *SHALL BE NO INCREASE: egress footpr*
33. Bridging shall comply with Section 2305.16.
34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

*36. *During reconstruction a second mean of egress shall be maintained.*


 P. Stephen Hennes, Building Inspector
 Cc: Lt. McDougall, PFD
 Marge Schmuckal, Zoning Administrator
M.S. McQ

PSH 1/26/00


*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

******ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, OR EQUIVILENT.**

*******CERTIFICATE OF OCCUPANCY FEE \$50.00**

Existing fire escape



143 Grant St

Portland, ME 04102

Contractor Bill Wight


Home 799-3789

Pager 761-5141

- 1) Remove existing railing and replace to code ✓
- 2) Remove Rotted landing and replace exactly as is ✓
- 3) Adding one concrete sun tube under landing ✓
- 4) New stairs 3'-0" wide to ground from first deck of fire escape ✓

(143 Grant St)

Site



143 Grant St

ELECTRICAL PERMIT

City of Portland, Me.

048-A-014



To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations in accordance with the laws of Maine, the City of Portland Electrical Ordinance, National Electrical Code and the following specifications:

Date 6-15-99
 Permit # MS60003013
 CBL# 048-A-014

SITE LOCATION: 141-143 Grant St.

OWNER Grantway Apts Limited **TENANT** _____

				TOTAL EACH FEE				
OUTLETS	Receptacles	48	Switches	36	Smoke Detectors	84	.20	16.80
FIXTURES	incandescent	36	fluorescent		Strips	36	.20	7.20
SERVICES	Overhead	1	Underground		TTL AMPS <small><800</small>	1	15.00	15.00
	Overhead		Underground		TTL AMPS <small>>800</small>		25.00	
Temporary Service	Overhead		Underground	TTL AMPS		25.00		
						25.00		
METERS	(number of)					22	1.00	22.00
MOTORS	(number of)						2.00	
RESID/COM	Electric units						1.00	
HEATING	oil/gas units		Interior		Exterior		5.00	
APPLIANCES	Ranges		Cook Tops		Wall Ovens		2.00	
	Insta-Hot		Water heaters		Fans		2.00	
	Dryers		Disposals		Dishwasher		2.00	
	Compactors		Spa		Washing Machine		2.00	
	Others (denote)						2.00	
MISC. (number of)	Air Cond/win						3.00	
	Air Cond/cent				Pools		10.00	
	HVAC		EMS		Thermostat		5.00	
	Signs						10.00	
	Alarms/res						5.00	
	Alarms/com						15.00	
	Heavy Duty(CRKT)						2.00	
	Circus/Carnv						25.00	
	Alterations						5.00	
	Fire Repairs						15.00	
	E Lights						1.00	
	E Generators						20.00	
PANELS	Service		Remote		Main		4.00	
TRANSFORMER	0-25 Kva						5.00	
	25-200 Kva						8.00	
	Over 200 Kva						10.00	
					TOTAL AMOUNT DUE			61.00
					MINIMUM FEE/COMMERCIAL	35.00	MINIMUM FEE	25.00

INSPECTION: Will be ready _____ or will call x

CONTRACTORS NAME HENRY G. Gagne **MASTER LIC. #** MS60003013
ADDRESS 660 E. Bridge St. Westbrook, ME 04092 **LIMITED LIC. #** _____
TELEPHONE 797-3472

SIGNATURE OF CONTRACTOR *Henry G. Gagne*

ELECTRICAL PERMIT

City of Portland, Me.



K

To the Chief Electrical Inspector, Portland Maine:
 The undersigned hereby applies for a permit to make electrical installations
 in accordance with the laws of Maine, the City of Portland Electrical Ordinance,
 National Electrical Code and the following specifications:

Date Sept 10 1999
 Permit # _____
 CBL# 048-A-014

SITE LOCATION: 143 Grant St -

OWNER Harris Evans Assoc. - TENANT _____

					TOTAL EACH FEE
OUTLETS	Receptacles	Switches	Smoke Detectors		.20
FIXTURES	incandescent	fluorescent	Strips		.20
SERVICES	Overhead	Underground	TTL AMPS	<800	15.00
	Overhead	Underground		>800	25.00
Temporary Service	Overhead	Underground	TTL AMPS		25.00
					25.00
METERS	(number of)				1.00
MOTORS	(number of)				2.00
RESID/COM	Electric units				1.00
HEATING	oil/gas units	Interior	Exterior		5.00
	APPLIANCES	Ranges	Cook Tops	Wall Ovens	2.00
		Insta-Hot	Water heaters	Fans	2.00
	Dryers	Disposals	Dishwasher	2.00	
	Compactors	Spa	Washing Machine	2.00	
	Others (denote)			2.00	
MISC. (number of)	Air Cond/win				3.00
	Air Cond/cent			Pools	10.00
	HVAC	EMS		Thermostat	5.00
	Signs				10.00
	Alarms/res				5.00
	Alarms/com	1			15.00
	Heavy Duty(CRKT)				2.00
	Circus/Carnv				25.00
	Alterations				5.00
	Fire Repairs				15.00
E Lights				1.00	
E Generators				20.00	
PANELS	Service	Remote	Main		4.00
	TRANSFORMER	0-25 Kva			5.00
		25-200 Kva			8.00
Over 200 Kva				10.00	
TOTAL AMOUNT DUE					
MINIMUM FEE/COMMERCIAL 35.00					<input checked="" type="checkbox"/> MINIMUM FEE 25.00
					35.00

INSPECTION: Will be ready _____ or will call _____

CONTRACTORS NAME MITCHEL A. KOSOFF MASTER LIC. # _____
 ADDRESS 290 BEECH RIDGE RD, SCARDURO LIMITED LIC. # LM50000410
 TELEPHONE 839-8900

SIGNATURE OF CONTRACTOR Mitchell A