

FOUNDATION DRAIN PLAN - BUILDING B

SCALE:
1"=10'

FOUNDATION DRAIN NOTES


1. COORDINATE BOTTOM OF FOOTING ELEVATIONS WITH STRUCTURAL DRAWINGS.
2. UNDERDRAIN INVERTS TO BE EQUAL TO, OR LESS THAN 8" BELOW, THE BOTTOM OF ADJACENT FOOTING. COORDINATE WITH INVERT ELEVATIONS SHOWN ON THIS PLAN.
3. UNDERDRAIN TO BE LEVEL EXCEPT AT STEP FOOTINGS. SLOPE UNDERDRAIN AS REQUIRED AT STEP FOOTINGS.
4. COORDINATE UNDERDRAIN BACKFILL REQUIREMENTS WITH GEOTECHNICAL REPORT AND DETAIL BY S.W. COLE. DETAIL 2 ON SHEET C6.

LEGEND

- (28.58') BOTTOM OF FOOTING ELEVATION
- Bottom of Footing
- INV. 28.25 FOUNDATION DRAIN INVERT
- - - F-D - - - FOUNDATION DRAIN
- INV. AT BOTTOM OF DRDP FOUNDATION DRAIN DROP
- INV. AT TOP OF DRDP

FOUNDATION DRAINS, BLDG B

GRANT STREET
P.R.O.P. PORTLAND MAINE


PINKHAM & GREER
 CONSULTING ENGINEERS, INC.
 FAIRBORN, MAINE
 SCALE: 1"=10'
 DATE: FEB. 10, 2004
 DESG BY: TSG
 PROJECT: 01404