Location of Construction: 140 Grant St.	Owner: Donald & Na	ncy Blaisdell	Phone: 772-6729	Permit No:
Owner Address: SAA	Lessee/Buyer's Name:	Phone:	BusinessName:	j00438
Contractor Name: **Charles Fortin	Address: 1125 Forest Ave Box 8 P	ortland, ME 04103	871-7920 or 758-0336	Permit Issued:
Past Use:	Proposed Use:	COST OF WORK \$ 1250		MAY 8 mm
Duplex	Same	FIRE DEPT.  A De		
Proposed Project Description:			TIVITIES DISTRICT (PAD.)	Zoning Approval: 2 mit of
rebuild front porch & stair	treads	A	pproved with Conditions:	□ Special Zone or Reviews: □ Shoreland □ Wetland □ Flood Zone 5 3 5 5 5
Permit Taken By: UNA	Date Applied For:	Signature: 4/28/00	Date:	□ Subdivision Not To Second □ Site Plan maj □minor □mm □ (
2. Building permits do not include plumb	started within six (6) months of the date of			<ul> <li>☐ Miscellaneous</li> <li>☐ Conditional Use</li> <li>☐ Interpretation</li> <li>☐ Approved</li> <li>☐ Denied</li> </ul>
I hereby certify that I am the owner of record authorized by the owner to make this applic if a permit for work described in the applica	ation as his authorized agent and I agree to tion is issued, I certify that the code officia	d work is authorized by the conform to all applicable l l's authorized representative	laws of this jurisdiction. In additio e shall have the authority to enter a	Historic Preservation Historic Preservation Does Not Require Review Requires Review Action: Appoved Approved with Conditions Denied
areas covered by such permit at any reasona	ADDRESS:	ode(s) applicable to such p 5/1/00 (nv DATE:		- MA 5/4
RESPONSIBLE PERSON IN CHARGE OF			PHONE:	CEO RISTRIGTMENTS
Wh	ite–Permit Desk Green–Assessor's C	anary-D.P.W. Pink-Publ	ic File Ivory Card-Inspector	WITH RECOME

# City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

ry-D.P.W. PINK-Public File Ivory Card-Inspector 💡 🗍

COMMENTS Sing tubes oh - well have severed w/contracta - he will ATLA **Inspection Record** Туре Date Foundation: Framing: Plumbing: Final: Other:

# THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE

### PERMIT IS ISSUED

**Building or Use Permit Pre-Application** 

Attached Single Family Dwellings/Two-Family Dwelling

#### Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	140 Gran	# St		
Total Square Footage of Proposed Structure	Square F	ootage of Lot		
Tax Assessor's Chart, Block & Lot Number Chart# 48 Block# C Lot# 2.	Owner DONALD	+ NANCY BY	772-6	729
Owner's Address: 140 GRANT STREET	Lessee/Buyer's Name (If Ap	plicable)	Cost Of Work: \$ 250,00	<sub>Fee</sub>
	RE BUILDIN Stair	Treads	1	<u>\</u>
Contractor's Name, Address & Telephone CHARKE 371-79	5 A. FORTIN 1 20 BBR. 7	1125 FORB5T 58-0336	AUR BOR By phid 04103	Rec'd ByUB
Current Use: DIMPILY	Proposed	Illse: Sam	e	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

• All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

•HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application

1) ACopy of Your Deed or Purchase and Sale Agreement

ITY OF PORTLAND, ME

NPR 2 8 2000

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

#### 4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Forta	Date:	1-28-2000	

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum

BUILDING	PERMIT	REPORT
----------	--------	--------

	BUILDING PERMIT REPORT
DATE: /MAY2000 AD	DRESS: 140 Frant ST. CBL: 048-C-002
REASON FOR PERMIT: Rebuild	A Front Porch & Stair Trouds
BUILDING OWNER: Blaisde	(/3
PERMIT APPLICANT:	ICONTRACTOR Charles For Tin
USE GROUP: $\underline{R} - \underline{3}$ construction	TYPE: 53 CONSTRUCTION COST: 1250.00 PERMIT FEES: 3660
The City's Adopted Building Code (The BOCA The City's Adopted Mechanical Code (The BOC	National Building code/1999 with City Amendments) CA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
This permit is being issued with the underst +29 $+32$ $-436$ $+$	tanding that the following conditions are metric $\frac{1}{2}$ $\frac{1}{2}$
<ul> <li>Before concrete for foundation is placed, approved the protocol of the second the performation drain shall be placed around the performation of the data shall be such that the bottom of the datases than 6 inches above the top of the footing, tile or performed with not less than 6' of the shall be protected with an approved filter membershall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered with not less than 6' of the same shall be covered for the proper setbacks are maintained.</li> <li>Private garages located beneath habitable rooms spaces by fire partitions and floor/ceiling assem side-bv-side to rooms in the above occupancies gypsum board or the equivalent applied to the g</li> <li>All chimneys and vents shall be installed and m Code/1993). Chapter 12 &amp; NFPA 211</li> <li>Sound transmission control in residential building the fourthails with a diameter provide a ladder effect. (Handrails shall be a minimum of 7' and not greater than 2''. (Sections 1021 &amp; 10'.</li> <li>Headroom in habitable space is a minimum of 7' as an origener than 2''. (Sections 1021 &amp; 10'.</li> <li>Headroom in habitable space is a minimum of 7'.</li> <li>Stair construction in <u>Use Group R-3 &amp; R-4 is a</u> 7' maximum rise. (Section 1014.0)</li> <li>The minimum headroom</li></ul>	<ul> <li>in diameter, 7<sup>°</sup> into the foundation wall, minimum of 12" from corners of foundation and a <u>17</u></li> <li>in accordance with <u>Section 1813.0</u> of the building code. on freezing. <u>Section 1908.0</u></li> <li>id surveyor check all foundation forms before concrete is placed. This is done to verify that the sin occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior by which are constructed with not less than 1-hour fire resisting rating. <u>Private garages attached</u> shall be completely separated from the interior spaces and the artic area by means of ½ inch arage side. (Chapter 4, Section 407.0 of the BOCA/1999) aintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical neg shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. a system of building components located near the open sides of elevated walking surfaces for the dental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In and R and public garages and open parking structures, open guards shall have balusters or be of of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would inimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 022.0). Handrails shall be on both sides of stairway. (Section 1014.7)</li> <li>6". (Section 1204.0)</li> <li>misimum of 10" tread and 7 ½" maximum rise. All other Use Group minimum 11" tread, y shall not be less than 80 inches. (6'8") 1014.4</li> <li>uiddings of Use Groups R and 1-1 shall have at least one operable window or exterior door nits must be operable from the inside without the use of special knowledge or separate tools. <u>or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All hall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum ches (508)mm,</li></ul>

5/1/00 Duplot

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanica) Code/1993). (Chapter M-16) Not to Exceed Existing for the City's Mechanical code (The BOCA National Mechanica)
- 31.) Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999). Thease read and implement attached requirements for STAIR handrails quar arach

A Semiler Hoffses, Building Inspector CA AcDougall, PFD Marge Schmuckal, Zoning Administrator

PSH 1.2600

\*\* On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

••••THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

### \*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

\*\*\*\* All PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL,(AS PER SECTION114.0 OF THE BUILDINGCODE ) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.



