



Certificate of Design Application

Designer: Mark Sengelmann dba ALPHA architects
 Date: 6-16-2015
 Job Name: BRAZELL Residence
 Address of Construction: 276 State St 04102

2009 International Building Code

Construction project was designed to the building code criteria listed below:

Building Code & Year 2009 IBC Use Group Classification (s) R-2
 Type of Construction TYPE III-B
 Will the Structure have a Fire suppression system in Accordance with Section 903.3.1 of the 2009 IRC No
 Is the Structure mixed use? No If yes, separated or non separated or non separated (section 302.3) N/A
 Supervisory alarm System? _____ Geotechnical/Soils report required? (See Section 1802.2) _____

Structural Design Calculations

_____ Submitted for all structural members (106.1 - 106.11)

Design Loads on Construction Documents (1603)

Uniformly distributed floor live loads (7603.11, 1807)

Floor Area Use	Loads Shown
<u>LIVING AREAS</u>	<u>40 PSF</u>
<u>BEDROOMS</u>	<u>30 PSF</u>
_____	_____
_____	_____

Wind loads (1603.1.4, 1609)

N/A Design option utilized (1609.1.1, 1609.6)
N/A Basic wind speed (1809.3)
N/A Building category and wind importance Factor, I_w (table 1604.5, 1609.5)
N/A Wind exposure category (1609.4)
 Internal pressure coefficient (ASCE 7)
 Component and cladding pressures (1609.1.1, 1609.6.2.2)
 Main force wind pressures (7603.1.1, 1609.6.2.1)

Earth design data (1603.1.5, 1614-1623)

N/A Design option utilized (1614.1)
N/A Seismic use group ("Category")
 Spectral response coefficients, S_D & S_{D1} (1615.1)
 Site class (1615.1.5)

N/A Live load reduction
N/A Roof live loads (1603.1.2, 1607.11)
46 PSF Roof snow loads (1603.7.3, 1608)
60 PSF Ground snow load, P_g (1608.2)
46 PSF If $P_g > 10$ psf, flat-roof snow load P_f
1.0 If $P_g > 10$ psf, snow exposure factor, C_e
1.0 If $P_g > 10$ psf, snow load importance factor, I_s
1.1 Roof thermal factor, C_t (1608.4)
46 PSF Sloped roof snowload, P_s (1608.4)
 _____ Seismic design category (1616.3)
 _____ Basic seismic force resisting system (1617.6.2)
N/A Response modification coefficient, R , and deflection amplification factor, C_d (1617.6.2)
 _____ Analysis procedure (1616.6, 1617.5)
 _____ Design base shear (1617.4, 16175.5.1)

Flood loads (1803.1.6, 1612)

_____ Flood Hazard area (1612.3)
 _____ Elevation of structure

Other loads

_____ Concentrated loads (1607.4)
 _____ Partition loads (1607.5)
 _____ Misc. loads (Table 1607.8, 1607.6.1, 1607.7, 1607.12, 1607.13, 1610, 1611, 2404)