				Γ	PERMIT	SSUED	
City of Portland, Maine 389 Congress Street, 04101	•	* *		rmit No: 01-0341	Issue Date: APR	8 ე∩∩ <mark>CBL:</mark> C48 E	017001
Location of Construction:	Owner Name:		Owner	r Address:		Phone:	
563 Cumberland Ave	Krigman Harr	y M	3 Ca	pe Woods	CITY OF PO)RTLAND	
Business Name:	Contractor Name	:	Contra	actor Address:	an an a shaka na an	Phone	
n/a	Krigman, Harr	у	563 (Cumberland A	Ave Portland	2077675	5276
Lessee/Buyer's Name	Phone:		Permi	t Type:			Zone:
n/a	n/a		Mul	lti Family			R-6
Past Use:	Proposed Use:		Permi	it Fee:	Cost of Work:	CEO District:	
Multi Family	Multi Family/	Repair existing porch	1	\$30.00	\$600.00	0 2	
		Il Rusty Potts @ 207	- FIRE	DEPT:	Approved INS	PECTION:	
	775-0403				Use	e Group: R-Z	Туре: 5 3,
II D.U	11 D.U	- No macas	e		æ	DEBMITISSUED WITH REQUIREMEN	\$ 2 Y
Proposed Project Description:						$\cap D t$	
Repair porch & stairs			Signat				Y.
			PEDE	STRIAN ACTI	VITIES DISTRIC	T(P.A.D.)	9
			Action	n: 🗌 Approv	ved Approved	d w/Conditions	Denied
		T	Signat	ture:		Date:	
	Date Applied For:			Zoning	Approval		
gg	04/11/2001			1		/	
1.7 This permit application do		Special Zone or Re	views	Zonii	ng Appeal	Historic Pro	eservation
 Applicant(s) from meeting Federal Rules. 	applicable State and	Shoreland N/	r		e	Not in Distr	ict or Landmark
2. Building permits do not in septic or electrical work.	clude plumbing,	Wetland		Miscella	ineous	Does Not R	equire Review
 Building permits are void a within six (6) months of th 		🗍 Flood Zone		Conditio	onal Use	Requires Re	eview
False information may invo permit and stop all work.		Subdivision		Interpret	ation	Approved	
		🔲 Site Plan		Approve	:d	Approved w	/Conditions
		Maj Minor M Ol W M (Date: A	M□ injiti i)lôi	Denied		Denied Date:	
		<i>/ n</i>				PERMIT ISSU WITH REQUIREN	

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provision of the code(s) applicable to such permit.

SIGNATURE OF APPLICANT	ADDRESS	DATE	PHONE
RESPONSIBLE DERSON IN CHARGE OF WORK TITLE			

4/24/01 Inspected - Steps ok - Guardrail 32" discussed height toptonal hadidrail lower w/keturns. JB

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 563	Sumberland and Pris	ME 04101
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart#ひみて Block# E Lot# した	Owner: Harry Kricmon	Telephone#: 767-5276
UTI E UT		
Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address: SAA APT	Cost Of Work: 600 Fee: 30,0
Current use: Apontments		
If the location is currently vacant, what was Approximately how long has it been vacant	-	
Proposed use: Samue		4
Project description: Repair Exist	ing porch and Stours	ALE OF OUR OF THE ALE
Contractor's Name, Address & Telephone: 5	AA (1)	CONTRACTION OF CONTRACTION
Applicants Name, Address & Telephone: 5	Luce	
Who should we contact when the permit is rea Telephone:	dy: Rusty Potts 207-	775-0403
If you would like the permit mailed, what mai	ling address should we use:	¥".
		Rec'd By:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

PLOT PLAN INCLUDES THE FOLLOWING:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches; a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

A COMPLETE SET OF CONSTRUCTION DRAWINGS INCLUDES THE FOLLOWING:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and damp proofing

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

SEPARATE PERMITS ARE REQUIRED FOR INTERNAL & EXTERNAL PLUMBING, HVAC AND ELECTRICAL INSTALLATIONS

- All construction must be conducted in compliance with the 1999 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1999 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

Minor/Minor Site Review Fee for New Single Family homes: \$300.00/Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

ONE SET OF SUBMISSIONS INCLUDING CONSTRUCTION AND SITE PLAN DRAWINGS MUST BE SUBMITTED ON PAPER NO LARGER THAN 11" x 17" BEFORE ANY BUILDING PERMIT WILL BE ISSUED Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant Date:

	BUILDING PERMIT REPORT
D	ATE: 1.3 APRIL 2001 ADDRESS: 563 Cumberland AVE. CBL: 048-E-017
R	EASON FOR PERMIT: Repair porch's Stairs
B	JILDING OWNER: Harry M. Krigman
PI	CRMIT APPLICANT:/CONTRACTOR_SAO
US	SE GROUP: $\underline{R} \cdot \underline{2}$ construction type: <u>5</u> $\underline{5}$ construction cost: <u>600.00</u> permit fees: <u>50.00</u>
TH Th	e City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) e City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
	CONDITION(S) OF APPROVAL
T1 	his permit is being issued with the understanding that the following conditions shall be met: $\frac{*/}{+1}$
 ★1. 2. 3. 4. 5. 6. 7. 8. 9. 	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING." Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of gravel or crushed stone, and shall be covered with not less than 6° of the same material. Stelloro 1813.5.2 Foundations anchors shall be a minimum of W" in diameter, T" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6° O.C. between bolts. Section 2305.17 Waterprocing and dampprofing shall be done in accordance with Section 1813.0 of the building code. Precaution must be taken to protect concrete and masony. Concrete Sections 1908.9-19.8.10' Masony Sections 2111.3-2111.4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 6° in the atore case y means of ½ inch gypsum board or the equivalent applied to the gara
¥13. 14. 15. 16.	7' maximum rise. (Section 1014.0) The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36". Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4) Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1) All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's.
18.	All vertical openings shall be enclosed with construction having a merating of at least one (1) hour, merading me door owneed effective at (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

(Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

00/11/00

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. <u>No closing in of walls until all</u> <u>electrical</u> (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).

31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical 7, Code/1993). (Chapter M-16)

- (32.) Please read and implement the attached Land Use Zoning report requirements. See Atta
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)
- **36.** All flashing shall comply with Section 1406.3.10.
 - 37. All signage shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

Samuel Hofffes, Building Inspector c: Lt/McDougall, PFD Marge Schmuckal, Zoning Administrator Michael Nugent, Inspection Service Manager

PSH 10/1/00

**This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.


***THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

****ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

*****CERTIFICATE OF OCCUPANCY FEE \$50.00

LAND USE - ZONING REPORT
ADDRESS: 563 Cumberlandt DATE: 4/17/01.
REASON FOR PERMIT: POPUL PORChi, STAIRS
BUILDING OWNER: HAVry M. Kright C-B-L: 048-E-017
PERMIT APPLICANT: OWNER
APPROVED: With conditions: #1, #4, #17, #10
CONDITION(S) OF APPROVAL
 This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work. During its existence, all aspects of the Home Occupations criteria, Section 14-410, shall be maintained. All the conditions placed on the original, previously approved, permit issued on are still in effect for this amendment, and/or revised permit. The footprint of the existing <u>porch</u> <u>And</u> <u>Stars</u> shall not be increased during maintenance reconstruction. Your present structure is legally nonconforming as to setbacks. If you are to demolish this structure on your own volition, you will only have one (1) year to replace it in the same footprint (no expansions), with the same height, and the same use. Any changes to any of the above shall require a separate permit application for review and approval. This property shall remain a single family dwelling. Any change of use shall require a separate permit application for review and approval. Our records indicate that this property has a legal use of <u>cleven (11)</u> Durelland Separate permits shall be required for future decks, sheds, pool(s), and/or garage. Separate permits shall be required for future decks, sheds, pool(s), and/or garage. This is <u>not</u> an approval for an additional dwelling unit. You <u>shall not</u> add any additional kitchen equipment including, but not limited to items such as stoves, microwaves, refrigerators, or kitchen sinks, etc. without special approvals. All of the atached Floodplain forms shall be appropriately filled out, signed, and returned prior to the issuance of any certificates of occupancy. Other requirements of condition:
Marge Schmith Marge Schmuckal, Zoning Administrator

•



Porch Repairs No change my Dimension of Location

Replace Decking 1)/1×6 PT Deckink Reframe for Reof posts w/ PT Reframe stairs w/PT humber and clecking New handwails ballacters

Stairs -2×12 PT staigedos 1X6 PT TREAdy 1x8 Pine Risers, 4×4 PT Newels 2×2 PT Ballasters 4" 51/204 Sel neper


Pennit app Drawing 563 Cumberland Que PORTLAND NIE

owners Harry Krigman 207-767-5276



CITY OF PORTLAND, MAINE

Department of Building Inspection



THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Auditors Copy