City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 34 Sherman 81	Owner:	Phone:		Permit No: 971072
Owner Address:	Lessee/Buyer's Name:	Phone: Business	sName:	PERMIT ISSUED
Contractor Name:	Address:	Phone:	846-0774	Permit Issued: 0CT - 8 1997
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE: \$ 55.00	00.
Church	Same	FIRE DEPT. Approved Denied Signature:	INSPECTION: Use Group: Type: Signature:	Zone: CBL:
Proposed Project Description:	· · · · · · · · · · · · · · · · · · ·	PEDESTRIAN ACTIVITIE	S DISTRICT (P.A.D.)	Zoning Approval:
Erect ramp - temporary - I year			Action: Approved Approved with Conditions: Denied	
		Signature:	Date:	☐ Flood Zone ☐ Subdivision
Permit Taken By: Raffy Grewis	Date Applied For:	September 1997		☐ Site Plan maj ☐minor ☐mm ☐ Zoning Appeal
 This permit application does not preclude the Building permits do not include plumbing, se Building permits are void if work is not started tion may invalidate a building permit and sto 	eptic or electrical work. d within six (6) months of the date of i			☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
		WITH RE	OUIREMENT	Historic Preservation □ Not in District or Landmark □ Does Not Require Review □ Requires Review Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application if a permit for work described in the application is areas covered by such permit at any reasonable here.	as his authorized agent and I agree to issued, I certify that the code official'	work is authorized by the owner of a conform to all applicable laws of the s's authorized representative shall have	record and that I have been is jurisdiction. In addition,	□ Denied
		72 September 1997		
SIGNATURE OF APPLICANT 51ks 51110	ADDRESS:	DATE:	PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WOR	K, TITLE		PHONE:	CEO DISTRICT
White-Pe	ermit Desk Green-Assessor's Ca	anary-D.P.W. Pink-Public File I	vory Card-Inspector	

cation of Construction: 82 Sherman St 82XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Owner: St Roman Catholic	Bishop of Portland	ne:	Permit No: 971072
wner Address: P.O. Box 11559 Ptld,	Lessee/Buyer's Name:		nessName:	PERMIT ISSUED
ontractor Name: M & M Builders	Address: 2 Tenney St Yarı	mouth, ME Phone: 04096	846-0774	Permit Issued: OCT - 8 1997
ast Use:	Proposed Use:	COST OF WORK: \$ 7,000.00	PERMIT FEE: \$ 55.00	
Church	Same	FIRE DEPT. Approve	ed INSPECTION: Use Group: Type:	CITY OF PORTLAND
Proposed Project Description: Erect ramp - temporary	- 1 year	Action: Approve	Signature: 9 449 FIES DISTRICT (P.A.D.) Ed	Shoreland 4/2 / (47)
Permit Taken By: Mary Gresik	Date Applied For:	2 September 1997		☐ Site Plan maj ☐minor ☐mm ☐ Zoning Appeal
 This permit application does not preclude Building permits do not include plumbing Building permits are void if work is not st tion may invalidate a building permit and 	g, septic or electrical work. arted within six (6) months of the date of	issuance. False informa-		□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied
I hereby certify that I am the owner of record of authorized by the owner to make this application if a permit for work described in the application areas covered by such permit at any reasonable SIGNATURE OF APPLICANT Mike Mi.	ion as his authorized agent and I agree to on is issued, I certify that the code officia le hour to enforce the provisions of the c	d work is authorized by the owner conform to all applicable laws o l's authorized representative shall	f this jurisdiction. In addition have the authority to enter al	Denied
RESPONSIBLE PERSON IN CHARGE OF W	ORK, TITLE		PHONE:	CEO DISTRICT
White	-Permit Desk Green-Assessor's C	anary-D.P.W. Pink-Public File	e Ivory Card-Inspector	D. Jadan

BUILDING PERMIT REPORT

DATE: 40cT, 97 ADDRESS: 82 Sperman ST.
REASON FOR PERMIT: To ConsTruct a Temporary Bamp
BUILDING OWNER: Bongo Catholic Bishop of PorThand
CONTRACTOR: M&M Balders
PERMIT APPLICANT: Mitte Miller APPROVAL: 1, *2, *36 DENIED
USE GROUP U BOCA 1996 CONSTRUCTION TYPE 5B


CONDITION(S) OF APPROVAL


- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Precaution must be taken to protect concrete from freezing.
 - It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is
 done to verify that the proper setbacks are maintained.
 - 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 - All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
 - Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
 - 8. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a distance of 4" cannot pass unorgh any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
 - Headroom in habitable space is a minimum of 7'6".
 - Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise.
 - 11. The minimum headroom in all parts of a staleway small not be less than 80 inches.
 - 12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
 - All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
 - The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
 - 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Clarger 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be histailed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including pasements

Cl/1=100
Applicant: 82 Sherman St/65 Mella
Address: Roman Ca Prolic Church
CHECK-LIST AGAINST ZONING
Date - Chicky
Zone Location - P-
Interior or corner lot-
Proposed Use/Work - Andicky PAMP
Sewage Disposal -
Lot Street Frontage -
Front Yard - 10 rey - 10 Show
Rear Yard - N/A
Side Yard - 10 / Show
Projections -
Width of Lot -
Height -
Lot Area -
Lot Coverage/Impervious Surface -
Area per Family -
Off-street Parking -
Loading Bays -
Site Plan -
Shoreland Zoning/Stream Protection -
Flood Plains -


ORDINANCE

.-- ,





·/



- - -/

In addition to the required AC printary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battary when the AC printary power source is interrupted. (Interconnection is required)

A portable fire extinguisher shall be lecated as per a 7.0 4 #10. They shall bear the label of an approved agency and be of an 17. approved type. 18. The Fire Alarm System shall be maintained to NE 7, #72 Standard, 19. The Sprinkler System shall maintained to NEFA #13 Standard. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 20. 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996) 21. No construction or demolition work shah begin, until you have obtained permits for dumpsters or containers. A work Stop Order shall be issued if this requirement is not met. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to 22. excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". The builder of a facility to which S. . . . 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a 23. certification from a design professional that the plan's commencing construction of the facility, the builder shall submit the certification to the Division of Lasosction Service... This permit does not excuse the applicant from cotaining any license which may be needed from the City Clerk's office. 24. 25. Ventilation shall meet the reministeness of Chapter 12 Sections 1210, of the City's Building Code. 26. All electrical and plumbing permits must be obtained by a Master Licensed holders of their trade. All requirements must be met before a final Co. Affecte of Occupancy is issued, 27. 28. All building elements shall meet the fistening schoolale as per Table 2305,2 of the City's Building Code. (The BOCA National Building Code/1996). Ventilation of spaces within a believe gother to be a secondance with the City's Mechanical Code (The BOCA National 29. Mechanical Code/1993). RAMPS Shall ¥ 30. NATIONAL 31. 32.

P Samuel Houses, Code Enforcement

Marge Schmuckal

33.

34.