

OPTION 1: #4's 2'-6" @ SPACING TO MATCH WALL REINFORCING. LAP w/WALL REINFORCING.

OPTION 2: HOOK WALL REINFORCING @ ENDS TYPICAL AROUND OPENING

NOTE: TYPICAL WALL REINFORCING NOT SHOWN FOR CLARITY.

TYPICAL WALL OPENING DETAIL

SCALE: 3" = 1'-0"



LOW WALL BASE AT WET ROOMS, MATCH WALL WIDTH; 6" TALL. INSTALL TWO #3 CONTINUOUS PLUS #3 ELL DOWELS @ 18" OC, ALTERNATE DIRECTION. SEE ARCH PLANS FOR DIMENSIONS.

11 / S410 TYPICAL WET ROOM WALL

TYPICAL WET ROOM WALL DETAIL

SCALE: 3" = 1'-0"



7 / S410 TYPICAL THICKENED SLAB

TYPICAL THICKENED SLAB DETAIL

SCALE: 3" = 1'-0"



TYPICAL EXTERIOR PAD



TYPICAL SLAB-ON-GRADE



NOTES:
1. SAW CUT 1/4 OF SLAB THICKNESS, SEE PLAN FOR CONTROL JOINT LOCATIONS

CONTROL JOINT



CONSTRUCTION JOINT

TYPICAL SLAB DETAILS

SCALE: 3" = 1'-0"



TYPICAL EXTERIOR WALL DETAILS

SCALE: 3" = 1'-0"



TYPICAL INTERIOR WALL DETAILS

SCALE: 3" = 1'-0"



TYPICAL BASEPLATE DETAIL

@ INTERIOR COLUMNS



TYPICAL BASEPLATE DETAIL

@ INTERIOR COLUMNS



8 / S410 TYPICAL COLUMN DETAIL

@ INTERIOR COLUMNS



9 / S410 TYPICAL COLUMN DETAIL

@ EXTERIOR COLUMNS

TYPICAL COLUMN DETAILS

SCALE: 3" = 1'-0"



TYPICAL FOOTING STEP DETAIL

SCALE: 3" = 1'-0"



10 / S410 TYPICAL EXT. DOOR OPENING @ FROST WALL

NOTE: SIM @ DOUBLE LAYER OF REINF.

TYPICAL WALL DETAIL AT DOORS

SCALE: 3" = 1'-0"



DETAIL @ WALL CORNER

W/ DOUBLE ROW OF WALL REINFORCING



DETAIL @ WALL INTERSECTION

W/ DOUBLE ROW OF WALL REINFORCING



DETAIL @ WALL END

W/ DOUBLE ROW OF WALL REINFORCING



NOTE:
PLACE @ 30'-0"o.c. MAX. OR AS SHOWN OF FDN PLAN. DO NOT LOCATE LOCATE JOINT WITHIN 3'-0" OF ANY GRID LINE OR BUILDING CORNER.

CONSTRUCTION JOINT DETAIL

TYPICAL WALL REINFORCING DETAILS

SCALE: 3" = 1'-0"

WOODBURY HILL PROFESSIONALS
8 WOODBURY HILL RD.
AUBURN, ME 04210
P: 207.783.4459
C: 207.754.8549

JASON POTTER, P.E.

DOMUS ARCHITECTS
PO BOX 301
FREEPORT, MAINE
04032

TEL 207-865-1272
FAX 207-865-XXXX
WWW.DOMUSARCHITECTS.NET

NOTES/ REVISIONS

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

PORTLAND SEA DOGS CLUB HOUSE

HADLOCK FIELD
PORTLAND, ME

PRINT STATUS:
CONSTRUCTION DOCUMENTS
BIDDING PRINT
8/06/07

S-410

CONCRETE DETAILS

STATE OF MAINE
JASON W. POTTER
#6362
REGISTERED PROFESSIONAL ENGINEER