
Location of Construction:	Owner:	~	Phone:		Permit No:
423 Congress St	Part Sendrese	<u>(</u>	\$28	-6048	000768
Owner Address:	Lessee/Buyer's Name:	Phone:	Busine	ssName:	
175 Lancaster St Portland	74.11				DEPMIT ISSUED
Contractor Name:	Address:	Pho	ADC:		
Rester Shore Some improvements	Proposed Use:	cost or wo	****	PERMIT FEE:	1 0000
Past Use:	Proposed Use:	/ 18	na.		JUL 1 3 2000
		7 750,000	14)	324.00	
amplements andti family	4890	FIRE DEPT.	- thursday	INSPECTION:	CITY OF PORTLAND
	^		Denied	Use Group: 42 Type: 5/3	Zone: CBL-3 C-03
Lunits		C:		BOCA 92, LDI	E 22 3-6-00
Proposed Project Description:		Signature:	A CHEVER JEWENE	Signature: Asia	Zoning Approv
Toposou I Toject Description.	021 9208	1		ES DISTRICT (J.D.)	Chill hit was
	831-7200	Action:	Approved		Special Zone or Reviews:
replace stope rails etc	831-9208 Scott			with Conditions:	D Shoreland
and the second s		1	Denied		☐ Wetland //
	·	S:		Date:	☐ Subdivision
n m	D-4- AE-4 E	Signature:		Date:	☐ Site Plan maj Eminor Emm (
Permit Taken By:	Date Applied For:	1-1- 7 2666 #			
	·	July 7 2000 K			Zoning Appeal
1. This permit application does not preclude the	ne Applicant(s) from meeting applica	ble State and Federal rules	s.		☐ Variance (Mariana)
Building permits do not include plumbing,					☐ Miscellaneous
	_	oficenson Felssi-fesses	_	,	☐ Conditional Use ☐ Interpretation
3. Building permits are void if work is not star	- ·	oi issuance, raise informa	g -		
tion may invalidate a building permit and s	оку ан жик				☐ Denied
())		_			
, 0, ,		ANNE			Historic Preservation
11 10 /					Mot in District or Landmark
₩ 0 /		VIVI	LJ		□ Does Not Require Review
1 40				PERMIT ISSUED	☐ Requires Review
· /		N.		WITH REQUIREMENTS	Action:
	_	_		Marine	Language 2
•	CERTIFICATION	٧			□ Appoved
I hereby certify that I am the owner of record of			the owner of	record and that I have been	☐ Approved with Conditions
authorized by the owner to make this applicatio					□ Denied ○
if a permit for work described in the application					
areas covered by such permit at any reasonable				•	Date:
	-		_		· ·
		7-1-1 T 6884			
SIGNATURE OF APPLICANT	ADDRESS:		1	PHONE:	-
MONATURE OF AFFLICANT	ADDRESS:	DATE:		FHONE;	PERMIT ISSUED
					WITH REQUIREMENTS
ESPONSIBLE PERSON IN CHARGE OF WO	RK, TITLE			PHONE:	CEO DISTRICT 2
•					
MARLIA	Permit Desk Green_Assessor's	Conser. D.DW. Blok S	andle Elle	MARY Card Increases	

125 600 Work in gragues		8 11.5c 10 Treach Chairings to be submitteed) &C. 11 8/000 11 1/2 11 11 8/000 11/2/20 11 11/2 11 11/2 11 11/2 11/2	Door Will Clase on 11/8/00 @ -	land the windows plast that physical following the good of the way	Continuent the training of the water of the Continuent of the Continuent of the water of the South Minimum. No cross you and where a restrict	11.1.00 - Did wull Am w/ sucht + Sin Hather went over all above isones -	12/50 feel O When Sink Type Inspection Record Date 5+ An meet Blank Foundation: 2rel outcover Framing:	bour 26
2/8	10/6	No.	בני כמידני		A STATE OF THE STA	00/8/11		



Stroke water of the state of th LS Yhurs It 2 dewell 7140452 1 J. Sextos **~2** oal 552/9NO) 12.11 100

823 Congress 57.

LAND USE - ZONING REPORT

ADDRESS: 823 (Mg.SS ST DATE: 7/13/00
REASON FOR PERMIT: Senovetine of PLAT form Stims i Val.
BUILDING OWNER: PORT PESOURCES C-B-L: 053-C-3
PERMIT APPLICANT: 0 W
APPROVED: with condutured) DENIED:
CONDITION(S) OF APPROVAL
This permit is being approved on the basis of plans submitted. Any deviations shall
require a separate approval before starting that work. 2. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be
maintained. The footprint of the existing fulfows 55 shall not be increased during maintenance reconstruction.
4. All the conditions placed on the original, previously approved, permit issued on
 are still in effect for this amendment. Your present structure is legally nonconforming as to rear and side setbacks. If you were
to demolish the building on your own volition, you will not be able to maintain these same
setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only
rebuild the in place and in phases.
6. This property shall remain a single family dwelling. Any change of use shall require a
separate permit application for review and approval. Our records indicate that this property has a legal use of 51 units. Any change
in this approved use shall require a separate permit application for review and approval.
 Separate permits shall be required for any signage. Separate permits shall be required for future decks, sheds, pool(s), and/or garage.
(10.) This is not an approval for an additional dwelling unit. You shall not add any additional
kitchen equipment, such as stoves, microwaves, refrigerators, or kitchen sinks, etc.
without special approvals. 11. Other requirements of condition
11. Other requirements of condition
Marge Schmuckal, Zoning Administrator

BUILDING PERMIT REPORT
DATE: 9 July 2000 ADDRESS: 823 Congress ST. CBL: 053- C- 032
PATE: 9 July: 2000 ADDRESS: 823 Congross ST. CBL: 053-C-032 REASON FOR PERMIT: Renova Trons of Phatforms, Starrs & railings
BUILDING OWNER: POST Re Source S
PERMIT APPLICANT: /CONTRACTOR EasTern Shores Home Inpro
USE GROUP: B-2 CONSTRUCTION TYPE: 5 B CONSTRUCTION COST! 5/566 PERMIT FEES: 32466
The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions are met: */ *// */3 *29 *32
 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not

less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and

Foundations anchors shall be a minimum of 12" from corners of foundation and a

It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the

Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch

All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A,B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1

13. Stair construction in Use Group R-3 & R-4 Is a minimum of 10" tread and 7 %" maximum rise. All other Use Group minimum 11" tread,

15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.

18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic

net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4) 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly

from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

shall be covered with not less than 6" of the same material. Section 1813.5.2

Precaution must be taken to protect concrete from freezing. Section 1908.0

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

(Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

"and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

maximum 6' O.C. between bolts. Section 2305.17

proper setbacks are maintained.

Code/1993). Chapter 12 & NFPA 211

7" maximum rise. (Section 1014.0)

extinguishment. (Table 302.1.1)

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): In the immediate vicinity of bedrooms In all bedrooms 🦠 In each story within a dwelling unit, including basements 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0) 21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard. 22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard. 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999) 24. Section 25 - 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year". 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services. 26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics). 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspectious have been done. 28. All requirements must be met before a final Certificate of Occupancy is issued. ₹-29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996). 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements. See AT 31. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. 33. Bridging shall comply with Section 2305.16. 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0) 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999). 10" Sogo Tubo shall be a minimum of 4" Bachorage Shall be provided between and Cahumniand deck Framing

Samuel Hoffses, Building Inspector

Marge Schmuckal, Zoning Administrator

PSH 1/26/00

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****CERTIFICATE OF OCCUPANCY FEE \$50.00

**** All PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL,(AS PER SECTION114.0 OF THE BUILDINGCODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT'S ISSUED

Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the

City, payment arrangements must be made before permits of any kind are	accepted.
Location/Address of Construction: 823 Congress ST., Portland	
Tax Assessor's Chart, Block & Lot Number Chart# 053 Block# C Lot# 030 POTT Resources	Telephone#: 207 828 - 0048
Owner's Address: 175 Lancaster ST., Ste 217 Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee \$304
Proposed Project Description: (Please be as specific as possible) Replace existing exterior platter 6 sets of Pails on Rear Deck, Remodel 6 Baths + 6 Kita doors.	them and SKPS, replace inskring
Contractor's Name, Address & Telephone Red Eastern Share Home Improvement, I Birkdale Rd., Cumberland, ME O	1By: pager 821-4992 4021 Scott
1) A Copy of Your Deed or Purchase and Sale Agreem 2) A Copy of your Construction Contract, if availab	umbing Code. Inded by Section 6-Art III. 93 BOCA Mechanical Code. REPLAIN INSPECTION REPLAND, ME UL - 7 2000
pools, garages and any other accessory structures. Scale and required zoning district setbacks	<u> </u>
4) Building Plans (Sample Attached)	
A complete set of construction drawings showing all of the following elements of	
 Cross Sections w/Framing details (including porches, decks w/railings, and accessory stru 	ictures)

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification


I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Signature	Date: 7- 8-00

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter.

O:\INSP\CORRESP\MNUGENT\APADSFD.WPD

11:11 DD 11:11 mm 1 - 2 × 4 823 Congress ST. 42½" - 2×2 BALASTER 724 274 11" Rise - 14'11" Ø Replacement Stairs
existing footprint 1 ALL 8 1/6" Fi SE ALL 10% TREAD 734 RisE 331/2" 42 RAIL HEIGHT SIDEWALK



,