

1. 2ND FLOOR SLAB IS 6" NORMAL WEIGHT CONCRETE ON 3" — 20 GAUGE COMPOSITE METAL DECK. TOTAL THICKNESS 9". REINFORCE WITH #5@12 E.W. PROVIDE ADDITIONAL #5 X 8'-0" LONG @ 12" O.C. OVER ALL GIRDERS AND AT ALL SLAB EDGES. TOP OF STEEL

ELEVATION IS 9" BELOW TOP OF SLAB ELEVATION SHOWN, 2. PEDESTRIAN ACCESS STAIR FROM 2ND FLOOR OF CENTRAL PLANT (EL. 96'-0") TO GRADE ABOVE (EL. 107'-0"±). STAIR TO BE METAL GRATE W/ STANDARD STEEL PIPE HANDRAILS. STAIR SHALL BE RÍGIDLY

ARCH. DWGS. FOR ADDITIONAL STAIR DETAILS. 3. FOR COST ESTIMATING PURPOSES, ASSUME THE A) CARRY ALLOWANCE FOR 1000 SHEAR STUDS  $(^3/_4$ " $\phi$ X6"

LONG) FOR LEVEL 2 FRAMING. 4. SEE DRAWINGS BY OTHERS FOR LOCATIONS AND SIZES OF ALL CONCRETE HOUSEKEEPING PADS FOR CHILLERS, PUMPS, TANKS, SWITCHGEAR, MOTOR CONTROL CENTERS, COMPRESSORS, ETC.


5. SEE DRAWINGS BY OTHERS FOR STAIR DETAILS. 6. OPEN SHAFT FOR DISTRIBUTION OF MEP DUCTS, PIPES, ETC. SEE ARCH. DRAWINGS FOR DETAILS OF SHAFT

Simpson Gumpertz & Heger Inc.

41 Seyon Street, Building 1, Suite 500 Waltham, MA 02453 San Francisco, CA The Landmark at One Market Telephone: Suite 600 (415) 495 3 San Francisco, CA Facsimile:


Rockville, MD 20850

09/24/04 PERMIT SET - NOT FOR CONSTRUCTION



Maine Medical Center

CENTRAL UTILITY PLANT (CUP)
LEVEL 2 FLOOR PLAN



SWW/RWS/KEW