

- General Notes:
- (E) SLAB AT BEAN BUILDING:
1" COMPOSITE SLAB WITH 4" LIGHTWEIGHT CONCRETE ON 3" 20 GA. GALV. COMPOSITE METAL DECK WITH 6"x6"W2.9xW2.9 WELDED WIRE FABRIC.
 - (E) CONCRETE SLAB AT RICHARDS BUILDING:
5" NORMAL-WEIGHT, 3000 PSI CONCRETE FILL SLAB
 - NEW 1" 20 GA. METAL ROOF DECK W/ INSULATION AND WATER-PROOFING MEMBRANE (SEE ARCHITECTURAL DRAWINGS FOR DETAILS)
- LEGEND GRID LINES:
- F.5 EXISTING ED EXPANSION (1997)
 - A EXISTING RICHARDS BUILDING (1966)
 - 11 EXISTING BEAN BUILDING (1983)
 - A EXISTING PARKING GARAGE (1971, 1992)
 - A PROPOSED NEW PEDESTRIAN FOOT BRIDGE & LOBBY CONNECTORS
 - C PROPOSED NEW PARKING GARAGE

SGH
Simpson Gumpertz & Heger Inc.
Consulting Engineers


Boston, MA
41 Bayon Street
Building 1, Suite 500
Waltham, MA 02453
Telephone (781) 907 9000
Facsimile (781) 907 9009

San Francisco, CA
The Landmark at One Market
Suite 600
San Francisco, CA 94105
Telephone (415) 498 3700
Facsimile (415) 498 3550

Washington, DC
1885 Ploard Drive
Suite 225
Rockville, MD 20850
Telephone (301) 417 0999
Facsimile (301) 417 9825

www.sgh.com

MARK	ISSUE DATE	DESCRIPTION
PERMIT	09/16/04	PERMIT SET
BID	08/26/04	BID SET
Issue Log		



TRO
ARCHITECTURAL PLANNING
ENGINEERING
INTERIOR DESIGN

The Ritchie Organization
80 Bridge Street
Newton, MA 02458-1134
617-969-9400

Maine Medical Center
Pkg F - Garage / Vault / Conn / Heliport
Portland, ME
MMC Project No. 21845

Drawing Title:
**LOBBY CONNECTOR
SECOND LEVEL
FRAMING PLAN**

Commission No. 4678 Date Issued 08/26/04
Scale 1/8"=1'-0" Sheet Number
Drawn By SWW
Approved By JHT/JJZ
Designer S233

PKG-F
S20R

Copyright © 2004 The Ritchie Organization

1 SECOND LEVEL FRAMING PLAN
1/8" = 1'-0"