

1 BASEMENT LEVEL SUPPLY PIPING PLAN  
1/8" = 1'-0"

**NOTE:**

1. SEE P-001 FOR LEGEND, ABBREVIATIONS AND GENERAL NOTES.

**KEYED NOTES:**



1. 1/2" HW AND 1/2" CW DROP IN WALL, ROUTE 1/2" HW AND 1/2" CW TO SK-8 AND TO EE-8, ROUTE 1/2" TW FROM EE-8 TO EE-8.

**FIRE PROTECTION NOTES:**

1. REWORK EXISTING SPRINKLER LAYOUT PER NFPA 13 REQUIREMENTS TO MATCH NEW CEILING GRID (RE: ARCHITECTURAL).
2. MODIFY AND REWORK EXISTING SPRINKLER SYSTEM TO AVOID CONFLICTS WITH HVAC, CEILING HEIGHT CHANGES AND OTHER NEW INSTALLATIONS.
3. CONTRACTOR SHALL VERIFY THE EXISTING CONDITIONS AND IDENTIFY POTENTIAL CONFLICTS WITH NEW INSTALLATION PRIOR TO FINALIZING PROJECT BID. CHANGE ORDERS BASED ON CONFLICTS BETWEEN EXISTING PIPING AND NEW INSTALLATIONS WILL NOT BE ALLOWED.

144 Elm Street, P.O. Box 618  
Portland, Maine 04104  
Tel: (207) 775-3846  
Fax: (207) 775-1070  
www.smartinc.com

ARCHITECTURE  
ENGINEERING  
PLANNING  
INTERIOR DESIGN  
COMMISSIONING



MAINE MEDICAL CENTER  
HOLDING, RADCU & PBC RENOVATION  
PORTLAND, ME

ISSUED FOR CONSTRUCTION  
02.24.12

CURRENT ISSUE STATUS:

NO.	DESCRIPTION	DATE
0	ISSUED FOR CONSTRUCTION	2.24.12
1	REV	

GRAPHIC SCALE:  
0" 1"

SCALE: 1/8" = 1'-0"  
PROJECT MANAGER: DW  
J.C./DRAWN BY: BGG  
A/E OF RECORD: TAC  
PROJECT NO: 11061  
DATE: 02.24.12

SHEET TITLE:  
BASEMENT SUPPLY  
PIPING PLAN

SHEET No. PL102