


ISSUED FOR PERMIT	02/07/14
2 ADDENDUM #3	01/17/14
1 ADDENDUM #1	06/14/13
NO	ISSUE DATE

Sheet Information	
Date	12 APRIL 2013
Job #	C140135461(MMC)152168.000
Drawn	BMT/SWW
Checked	MJB
Approved	JHT

LEVEL 04 MEZZANINE FRAMING PLAN - SECTOR C



MEZZANINE EQUIPMENT DESIGN PARAMETERS			
NAME	SUPPORT LOCATION	DESIGN WEIGHT	APPROX. PLAN DIMENSIONS
ACCU-1	CONC. PAD	0.5 kip	3'x2.5'
ACCU-2	DUNNAGE	0.6 kip	4'x2.5'
BLAST CHILLER AIR-COOLED (BCAC)	DUNNAGE	1.0 kip	4'x12'
BLAST CHILLER WATER-COOLED (BCWC)	CONC. PAD	2.0 kip	6.5'x4.5'
TRANSFORMER (TR)	CONC. PAD	0.9 kip	3'x2.5'

NOTE S-2:
3 1/4"± LIGHTWEIGHT CONCRETE (LWC) SLAB ON 3"± 20 GA. COMPOSITE METAL DECK. REINFORCE WITH #3@15" OC. SEE PLAN FOR TOP OF CONCRETE ELEVATION, TOP OF CONCRETE AND TOP OF STEEL TO MATCH EXISTING CONSTRUCTION WHEN NEW SLAB ABUTS EXISTING. TOP OF STEEL IS NOMINALLY 6 1/4" BELOW TOP OF CONCRETE UON WITH [±#'-##"], INDICATING CHANGE FROM TYPICAL TOP OF STEEL ELEVATION.

- LEVEL 04 MEZZANINE PLAN NOTES:**
- LWC SLOPED TOPPING, PITCH TO DRAIN. ADD ALTERNATE: SNOW-MELT SYSTEM, SET WITH ARCHITECTURAL CONCRETE PAVERS. COORD. WITH ARCH. DRAWINGS.
 - LINE DENOTES ARCHITECTURAL WALL AND EDGE OF ROOF DECK ABOVE.
 - COORDINATE FINAL SLAB OPENINGS WITH MECHANICAL DRAWINGS AND APPROVED MECHANICAL SUBMITTALS.
 - SEE TYPICAL DETAILS FOR FRAMING AT ROOF DRAINS AND VENT OPENINGS. MAXIMUM EQUIPMENT WEIGHT = 600 LBS AT OPENING. COORDINATE FINAL LOCATIONS WITH ARCHITECTURAL DRAWINGS.

LEVEL 04 MEZZANINE FRAMING PLAN - SECTOR C
1/4" = 1'-0"

2/7/2014 3:43:13 PM I:\BOS\Projects\20101003\04-04-04\Drawings\Working\Bent_Revit\LOCAL USERS\MLB\Bent\Drawings\MAC_BEAN2_NEW_STRUC_AMB\Bent.dwg