



**Revisions**

NO.	ISSUED FOR PERMIT	DATE
1	ISSUED FOR PERMIT	08.11.14
1	ADDITIONAL F.T.	07.28.14
NO.	ISSUE FOR BID	07.11.14
NO.	ISSUE	DATE

  

Sheet Information	
Date	JULY 11, 2014
Job #	1521681010
Drawn	DOC
Checked	AJR
Approved	AJR

**PLUMBING  
FLOOR PLAN**



- PLUMBING KEYNOTES:**
- CONNECT TO EXISTING 1/2" CW 2" V AND 1/2" HW PIPING WITH NEW 1/2" CW, 2" V AND 1/2" HW PIPING AS SHOWN. PROVIDE FRESH AIR ASSEMBLY TO MATCH THE RATING OF THE PENETRATED WALL. NEW 2" WASTE DN.
  - CONNECT TO EXISTING 4" SAN AND 1/2" CW PIPING WITHIN THE WALL WITH NEW 4" SAN AND 1/2" CW PIPING CONNECTION AS SHOWN. PIPING ABOVE THE CEILING WITH NEW 2" VENT PIPING CONNECTION AS SHOWN.
  - CONNECT TO EXISTING 1/2" CW AND 4" SAN PIPING WITHIN THE WALL WITH (C) NEW 2" WASTE AND 1/2" CW PIPING CONNECTION AS SHOWN. CONNECT TO EXISTING 2" VENT PIPING ABOVE THE CEILING WITH NEW 2" VENT PIPING CONNECTION AS SHOWN.
  - CONNECT TO EXISTING CAPED 4" SAN PIPING WITHIN THE WALL ABOVE THE CEILING WITH NEW 1/2" CW AND 1/2" CW PIPING CONNECTION AS SHOWN.
  - 2" W DN & VENT RISE  
1/2" CW DROP
  - 2" W DN & VENT RISE
  - CONNECT TO EXISTING PIPING ABOVE CEILING WITH NEW 2" VENT PIPING CONNECTION AS SHOWN.
  - CONNECT TO EXISTING CAPED 1/2" CW PIPING ABOVE THE CEILING WITH NEW 1/2" CW PIPING TO NEW LAVATORY LOCATION AS SHOWN.
  - EXTEND NEW 4" SAN IN WALL TO RELOCATED TB.
  - 1" HW DROP

