DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK





This is to certify that

MAINE MEDICAL CENTER

Located at

CBL:

22 BRAMHALL ST

053 D007001

PERMIT ID: 2014-02427 **ISSUE DATE:** 10/20/2014

has permission to Alterations, which include the installation of 4 doors between the existing Patient Rooms, adding 1 cross corridor wall and door, and reinstating a former shower/toilet room - 2590 SF (Fourth Floor - Richards Wing).

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and	written permission procured
before this building or part the	reof is lathed or otherwise
clsoed-in. 48 HOUR NOTICE	E IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ David Petruccelli

/s/ Tammy Munson

Fire Official

Building Official

Type: 1A

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

Hospital ENTIRE MUBEC 2009

Use Group: |

PERMIT ID: 2014-02427

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY) or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

Close-in Plumbing/Framing Electrical - Commercial Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit			Permit No:	Date Applied For:	CBL:				
389	Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 8	874-8716	2014-02427	10/17/2014	053 D00700	1			
-	osed Use: ne: Maine Medical Center	Alteration existing reinstati	Patient Rooms, a	e the installation of 4 dding 1 cross corrido er/toilet room - 2590	r wall and door,	, and			
N	pt: Zoning Status: Approved F te: nditions:	Reviewer:	Tammy Munson	Approval Da)14 ✓			
No Co	pt: Building Status: Approved w/Conditions H te: nditions: Penetrations through fire resistance rated assemblies shall be pre-		Tammy Munson		Ok to Issue:)14 ✓			
 tested in accordance with ASTM E814 or UL 1479 2) The continuity of the fire resistance rated wall or floor/ceiling assembly shall be installed and maintained as described in IBC Ch. 7 and all penetrations shall be treated with approved materials and methods. 3) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process. 									
4)									
No Co	pt: Fire Status: Approved w/Conditions F te: nditions: Construction or installation shall comply with City Code Chapter		David Petruccelli)14 ✓			
2)	2) Through-penetrations and membrane penetrations in fire walls, fire barrier walls, and fire resistance rated horizontal assemblies shall be protected by firestop systems or devices in conformance with NFPA 101:8.3.5 (ASTM E 814 or ANSI/UL 1479). Providing firestop labels at each firestop system or device and an onsite manual containing the detail for each firestop system or device used for the project will streamline final inspection approvals.								
3)) Any cutting and welding done will require a Hot Work Permit from Fire Department.								
	4) Emergency lights and exit signs are required. Emergency lights and exit signs are required to be labeled in relation to the panel and circuit and on the same circuit as the lighting for the area they serve.								
5)	5) Shall meet the requirements of 2009 NFPA 1 Fire Code.								