


N:\Projects\2014\14014 - Intermediate Care Unit\00 Drawing Files\14014_S.dwg May 04, 2015 - 4:49pm


NOTES:
 (*) CONTRACTOR SHALL CONFIRM LOCATION OF MC'S. CENTER MC'S BENEATH MECH. UNIT CURB
 (**) PROVIDE SPLICE DETAIL WITHIN 24" OF CENTER OF BEAM SPAN (MEX. BEAM LENGTH SHALL NOT EXCEED 8'-8". SEE DETAIL C6/SF-500 FOR BEAM SPLICE DETAIL

NOTES:
 1. REMOVE FIREPROOFING AS NECESSARY TO FACILITATE WELDING OF SHEAR TABS AND GUSSETS FOR STEEL BRACE CONNECTION AND BEAM REINFORCEMENT. REPLACE UPON COMPLETION OF CONNECTIONS PER FIREPROOFING SPEC. SECTION 078100
 2. STEEL SHALL BE SHOP PRIMED EXCEPT FOR SECTIONS TO RECEIVE FIREPROOFING.
 3. STEEL BEAM REACTION VALUES ARE UNFACTORED AND SHALL BE 8K MIN. UNLESS NOTED ON PLAN ON EITHER END OF BEAM BY R=#
 ** INDICATES (E) MOMENT CONNECTION




Winton Scott Architects
 5 Milk Street
 Portland, Maine 04101
 207 774 4811
 www.wintonsscott.com

Architecture / Planning
 Preservation Architecture
 Interior Architecture



168 Foreland Street
 Portland, Maine 04103
 1-207-221-2266
 1-207-221-2266
 www.allied-eng.com



REVISIONS	
NUMBER	DESCRIPTION

Date: 27 APRIL, 2015
 Drawn By: SCL
 Checked By: IAM
 Project Mgr: IAM
 Project No: 14014
 Cad File: 14014_SDWG
 Graphic Scale: 0

STRUCTURAL FRAMING PLAN EAST TOWER PENTHOUSE
 R6 Intermediate Care Unit
 Richards Wing Sixth Floor
 PORTLAND MAINE
 © copyright 2015 Allied Structures, Inc.

SF-100

A1 STRUCTURAL FRAMING PLAN - EAST TOWER - PENTHOUSE
 1/4"=1'-0"

A6 STRUCTURAL ROOF FRAMING PLAN - EAST TOWER - PENTHOUSE
 1/4"=1'-0"