

## LIGHTING PLAN NOTES


- CIRCUIT NUMBERS ARE FOR DESCRIPTIVE PURPOSES ONLY.
  EXACT NUMBERS SHALL BE DETERMINED IN FIELD AND SHALL BE
- 3. EXIT SIGNS, FIXTURES DESIGNATED AS NIGHT LIGHTS, AND EMERGENCY BATTERY UNITS SHALL BE CONNECTED TO AN UNSWITCHED, CONSTANT "ON" SOURCE AS INDICATED.
- RECEPTACLE BRANCH CIRCUIT SERVING THE AREA. IF THE
- FOLLOWS: REMOVE, CLEAN, RE-LAMP AND STORE FOR RE-USE. MOUNT IN NEW LOCATION AS DIRECTED BY ARCHITECT. MAINTAIN EXISTING BRANCH CIRCUITRY SERVING FIXTURES INDICATED. EXTEND EXISTING WIRING TO NEW LOCATION AS JOB CONDITIONS REQUIRE. ANY NEW WIRING SHALL MATCH
- 1 EXISTING LIFE SAFETY LIGHTING BRANCH CIRCUIT CURRENTLY SERVING THIS AREA SHALL BE EXTENDED AND MODIFIED TO SERVE NEW AND RELOCATED LIGHT FIXTURES. NEW CONDUIT AND
- SERVE NEW AND RELOCATED LIGHT FIXTURES. NEW CONDUIT AND
















Maine Medical (LEVEL 2 0





PROJECT NUMBER: SHEET TITLE AND NUMBER:

SCALE: 1/4" = 1' - 0"

**E202** 

ELECTRICAL LIGHTING PLAN