



INSTALLATION.

## DRAWING NOTES:

1. REFER TO FLOOR PLANS FOR EXACT QUANTITIES AND LOCATIONS OF DEVICES. 2. ALL PENETRATIONS OF FIRE-RATED BARRIERS SHALL BE FIRE-STOPPED AFTER CABLE 3. CAT6A UTP CABLING IS BY LV CONTRACTOR. COORDINATION AS REQUIRED

CABLE LEGEND				
SYMBOL	DESC	DESCRIPTION		
A-COMPOSITE CABLE (PLENUM)	A1	6C #22AWG TWISTED, SHIELDED - CARD READER		
	A2	2C #22AWG TWISTED, SHIELDED - DOOR CONTACT		
	A3	4C #22AWG UNSHIELDED - REX ; MOTION DETECTOR / PUSH BUTTON		
	A4	4C #18AWG UNSHIELDED - ELEC LOCKSET / ELEC STRIKE / MAGNETIC LOCK		
В	6C #2	6C #22AWG TWISTED, SHIELDED - CARD READER		
С	2C #7	2C #18AWG TWISTED, SHIELDED - DOOR CONTACT / DURESS BUTTON / PUSH BUTTON		
D	4C #7	4C #18AWG TWISTED, SHIELDED - MOTION DETECTOR / GLASS BREAK / LOCAL ALARM / KEYSWITCH		
E	4PR i	4PR #24AWG TWISTED, UNSHIELDED CAT6A - CAMERA / ACCESS CONTROL PANEL / INTERCOM STATIC		
F	2PR ;	2PR #24AWG TWISTED, SHIELDED, W/DRAIN RS-485 - CONTROLLER PANEL / HUB COMMUNICATION		

	PERKINS
	225 Franklin Street, Suite 1100 Boston, MA 02110
	t 617.478.0300 f 617.478.0321 www.perkinswill.com
	CLIENT
	Maine Medical Center MaineHealth
E	
	22 Bramhall Street Portland, ME 04102
	CONSULTANTS
	civil/ Landscape architect Sebago Technics
	75 John Roberts Road , Suite 1A, South Portland, ME 04106
-	STRUCTURAL ENG/ BUILDING ENVELOPE CONSULTANT Simpson Gumpertz & Heger Inc. 41 Seyon Street, Building 1, Suite 500, Waltham, MA 02453
	MEPFP ENGINEER/ CODE AKF Group LLC 99 Bedford Street, 2nd Floor, Boston MA 02111
	CONSTRUCTION MANAGER
	<b>Turner Construction</b> 2 Seaport Lane, Suite 200, Boston, MA 02210
	ELEVATOR CONSULTANT VDA (Van Deusen & Associates) 101 Summer Street, 4th Floor, Boston MA 02110
D	COST ESTIMATOR D. G. Jones International
3	Baldwin Green Common, Suite 202, Woburn, MA 01801
_	PROJECT TITLE
	East Tower 6 & 7 Addition
	22 Bramhall Street Portland, ME 04102
с	
╞	KEY PLANS
	1 - GILMAN GARAGE 2 - CONGRESS STREET 3 - VISITOR GARAGE
В	4 - EAST TOWER 5 - CENTRAL UTILITY PLANT 6 - BEAN BUILDING 7 - RICHARDS BUILDING 8 - MAINE GENERAL BUILDING
	5 6 7 4
	8
╞	
	CONSTRUCTION DOCUMENTS JANUARY 26, 2018
	1ADDENDUM NO. 103/22/18000NOISSUEDATE
	Job NumberB150312-000DrawnNV
A	CheckedBNApprovedBN
	DIAGRAM
	SHEET NUMBER
	<b>SC20-01</b>
	Copyright 2017 © Perkins+Will

DEVICE
CR
DC
RX PB
EL ES ML LK
CR
DC DB PB
MD GB LA KS
ACP HUB

1\_\_\_\_\_1