22 Bramball St Ind fl	Owner:	cal Center	Phone:	Permit No. 000160
Owner Address:	Lessee/Buyer's Name:		BusinessName:	77010
Contractor Name:	Address: 171 Warren AV	Phone:	97-3369	Per REMANDER ISSUED
Past Use:	Proposed Use:	COST OF WORK: \$ 273,000	PERMIT FEE: \$ 1385.00	MAR - 1 1999
Office	Same	FIRE DEPT. App	Street, and the street, and th	CITY OF PORTLAND
Proposed Project Description: Interior Renovations		PEDESTRIAN ACT Action: App	rivities district (P.A.D.) proved proved with Conditions: nied Date:	Zoning Approval Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision
Permit Taken By:	Date Applied For:	ebruary 24, 1999	23101	□ Site Plan maj □minor □mm □
 This permit application does not preclude the analysis. Building permits do not include plumbing, see Building permits are void if work is not started tion may invalidate a building permit and sto 	eptic or electrical work. d within six (6) months of the date of i	1.00		☐ Variance ☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
	CERTIFICATION		Mill	□ Appoved
I hereby certify that I am the owner of record of the authorized by the owner to make this application a if a permit for work described in the application is areas covered by such permit at any reasonable he	e named property, or that the proposed as his authorized agent and I agree to issued, I certify that the code official	conform to all applicable la 's authorized representative	ws of this jurisdiction. In additi shall have the authority to enter	on, Denied
authorized by the owner to make this application a if a permit for work described in the application is	e named property, or that the proposed as his authorized agent and I agree to issued, I certify that the code official	conform to all applicable la 's authorized representative	lws of this jurisdiction. In additi- shall have the authority to enter rmit	on, Denied
authorized by the owner to make this application a if a permit for work described in the application is	e named property, or that the proposed as his authorized agent and I agree to issued, I certify that the code official	conform to all applicable la 's authorized representative ode(s) applicable to such per	lws of this jurisdiction. In additi- shall have the authority to enter rmit	on, Denied

CO	MENTO
C	MENTS

-

Called APT. 29 To Chock on work, They said They would be starting soon 20 May 99 work area with AT. McDongall work in grogress going as per plans 16 June 99 Inspected area, spoke To supt regarding patching certifies and covering wood above Now certifies
- 20MAY 99 WO-K arey with LT. McDongall wo-K in progress going as per plans
16 June 99 Inspected grey, Spoke To SUPT regarding patching certings
and covering wood above Now ceilings
20 July 99 on site tota LT Mc Dougal I work going as per plant
20 July 99 On site tota LT. M. Dougall nork going as por plants 19 Aug. 94 Inspected area with LT McDougall work going well &
24Sept. 99 Work going Well-8
15/10 v.99 walk area with LT. Mc Dongall 95% completed &
1546 V.99 Walk drey with LT. Mc Dongall 95% Completed of 21 Dec. 99 Work Completed of

Inspection Record		
Туре	Date	
Foundation:		
Framing:		
Plumbing:		
Final:		
Other:		

0

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (Include Portion of Building):	22 BRAMHALL ST- MAINE !	18DICAL CENTER 2 P.
Total Square Footage of Proposed Structure 9500	SF. ± Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number	OWNER MAINE MEDICAL CENTER	Z Telephone#:
Chart# 053 Block# D Lot# 007	22 BRAMHALL ST. POPILAND MAINE	
Owner's Address: 22 BRAMHALL ST.	1 .ssec/Buyer's Name (If Applicable)	Cost Of Work: Fee
POPTLAND, MAINE		\$ 273,000°\$ 138
Proposed Project Description: (Please be as specific as possible) INTEKIOR RENOVATIONS OF EXISTING OFFICE SPACE, INCLUDING DEMO. NEW STEEL STUD PARTITIONS, CEILINGS, FLOOIZING, PAINT, ELECTRICAL, PLUMIDING AND HVAC.		
Contractor's Name, Address & Telephone THE FOCHEBIT CO.	INC. 171 WARREN NE FO	97-3369 Rec'd By My ETCAND, ME
Current Uso: ADMINISTRATIVE OF	FICE Proposed Use: ADM INISTR	ATIVE OFFICE
•All construction must be conducted in compile •All plumbing must be conducted in compile •All Electrical Installation must comply would be expected. Installation and Air Cond of the HVAC (Heating, Ventililation and Air Cond You must Include the following with you application 1) A Copy of 2) A Copy of 2) A Copy of the Copy of	ith the 1996 National Electrical Code as ameritioning) installation must comply with the 18 cour Deed or Purchase and Sale Agreement fyour Construction Contract, if available 3) A Plot Plan/Site Plan the above proposed projects. The attached plan. 4) Building Plans construction: ing porches, decks w/ railings, and accessory struction process.	samended by Section 6-Art II. ambing Code. Inded by Section 6-Art III. 193 BOCA Mechanical Code. PT. OF BUILDING INSPECTABLE CITY OF PORTLAND, ME FEB 2 4 1999 E G E V E Bered design professional.
 Foundation plans with required drainage 	and dampprooting	

equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the code applicable to this permit.

entorce the provisions of the codes applicable to this periodi.	
Signature of applicant (1997) HOMEN POCHERIT CO. INC.	Date: 2/18/99
Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1.0	00.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

Call Pochebit for Pichens

_

	BUILDING PERMIT REPORT
DAT	TE: 3/1/99 ADDRESS: 22 Bramballst mgBz CBL 053-D-007
REA	SON FOR PERMIT: renewation.
BUII	LDING OWNER: mm 4
CON	TRACTOR: Pochebit Co.
PER	MIT APPLICANT:
USE	GROUP I-2 BOCA 1996 CONSTRUCTION TYPE 1-B
	CONDITION(S) OF APPROVAL
This	Permit is being issued with the understanding that the following conditions are met:
Appr	roved with the following conditions: X1 × 9 × 10 *11 *17 × 16 × 19 × 29 × 24
<u></u> → 1.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be
2.	obtained. (A 24 hour notice is required prior to inspection)
2.5	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more
	than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside
	edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the
	floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be
	higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane
	material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6"
	of the same material. Section 1813.5.2
2.6	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of
	foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
3.	Precaution must be taken to protect concrete from freezing. Section 1908.0
4.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
_	verify that the proper setbacks are maintained.
5.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from
	adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting
	rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior
	spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board
6.	or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996) All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National
O.	Mechanical Code/1993). Chapter 12 & NFPA 211
7.	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
	building code.
X 8.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking
	surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum
	height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and
	public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a
	diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
	(Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
	Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections
V -	1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
N. 9.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
X	Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum
X 11.	11" tread. 7" maximum rise. (Section 1014.0) The minimum handsoom in all parts of a stainway shall not be less than 80 inches. (6' 8") 1014.4
AII.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4

Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

12.

knowled or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 thes (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening ight dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

13. Each artment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits dirtly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1

All verial openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer? (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0

The hear shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing

The boer shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automic extinguishment. Table 302.1.1

- All sin/e and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisins of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.32

A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0

The Fire Alarm System shall be maintained to NFPA #72 Standard.

The Sprinkler System shall maintained to NFPA #13 Standard.

All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)

21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)

All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

25. All requirements must be met before a final Certificate of Occupancy is issued.

All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).

27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)

28. Please read and implement the attached Land Use-Zoning report requirements.

29. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.

30. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

31) A Fire alaim acceptance shall be submitted to the Portland Fire Dept.

32) State Fire merchan approved required for this project

Samuel Hoffses, Building Inspector

cc: Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 8-1-98