

PRECAST CONCRETE-BASEMENT LEVEL FLOOR PLAN (INTERIM ROOF LEVEL)
1/8" = 1'-0"



LEGEND	
	CAST IN PLACE CONCRETE
	PRECAST CONCRETE

- General Notes:
- ELEVATIONS:
SUB-LEVEL 6: VARIES
SUB-LEVEL 5: 83'-9"
SUB-LEVEL 4: 93'-9"
SUB-LEVEL 3: 103'-9"
SUB-LEVEL 2: 113'-9"
SUB-LEVEL 1: 123'-9"
BASEMENT LEVEL: 133'-9"
GROUND FLOOR LEVEL: 143'-9"
FUTURE 1ST FLOOR LEVEL: 153'-9"
FUTURE 2ND FLOOR LEVEL: 163'-9"
HELIPAD/FUTURE 3RD FLOOR LEVEL: 173'-9"
 - ELECTRICAL ROOMS @ SUB-LEVEL 5, SUB-LEVEL 3 & BASEMENT LEVEL, USE 6" CMU UNITS TO FRAME WALLS OF ELECTRICAL ROOMS, TYPICAL. SEE ARCH. DRAWINGS IN PACKAGE "T" FOR EXACT SIZES, LOCATIONS & DETAILS OF ELECTRICAL ROOMS.
 - FACE OF PERMANENT RETAINING WALL BELOW. SEE DRAWINGS S600-S605 IN PACKAGE "D" FOR DETAILS OF EARTH RETENTION SYSTEM.
 - TYPICAL PRECAST CONCRETE CONSTRUCTION. SEE DETAILS 6 & 7/S211 FOR ISOMETRIC VIEWS OF NEW PRECAST STAIR CORE MODULAR UNITS. SEE ARCH. DRAWINGS IN PACKAGE "T" FOR DETAILS OF METAL FIRE STAIRS.
 - TYPICAL PRECAST CONCRETE CONSTRUCTION. SEE DETAIL 8/S211 FOR ISOMETRIC VIEW OF NEW PRECAST ELEVATOR MODULAR UNIT. SEE ARCH. DRAWINGS IN PACKAGE "T" FOR DETAILS OF ELEVATORS.
 - SEE ARCH. DRAWINGS FOR OPENINGS IN PRECAST CONCRETE WALL PANELS.
 - SEE ARCH. DRAWINGS FOR DETAILS OF PORTABLE SNOW MELTER LOCATED IN THIS AREA. PRECAST CONTRACTOR SHALL DESIGN DOUBLE-T'S & SPANDRELS IN THIS AREA TO SUPPORT NET WEIGHT OF THE SNOW-MELTER. SEE ARCH. DWGS. FOR DETAILS OF THE SNOW-MELTER.
 - SLEEVES TO BE CAST INTO PRECAST WALLS FOR PASSAGE OF UTILITY PIPES AND CONDUITS. SEE DRAWINGS BY OTHERS FOR SLEEVE SIZES, LOCATIONS AND QUANTITIES.
 - INFILL BETWEEN EXISTING SPANDRELS WITH CMU FROM GRADE THROUGH ROOF LEVELS TO PROVIDE REQUIRED 2-HOUR FIRE RATING. SEE ARCH. DRAWINGS IN PACKAGE "T" FOR DETAILS OF CMU WALL.
 - 16" SEWER LINE PENETRATING DOUBLE-TEE AT SUB-LEVELS 3 & 4. PRECASTER TO PROVIDE SLEEVE TO ACCOMMODATE SEWER LINE. SEE CIVIL DRAWINGS FOR DETAILS NOT SHOWN HERE.
 - SEE MEP DRAWINGS IN PACKAGE "T" FOR SIZE AND LOCATION OF PIPE PENETRATIONS AT ALL LEVELS.

SGH
Simpson Gumpertz & Heger Inc.
Consulting Engineers

Boston, MA 41 Bayon Street, Suite 500
Telephone: (781) 907 9000
Facsimile: (781) 907 9009


San Francisco, CA The Landmark at One Market, Suite 600
Telephone: (415) 498 3700
San Francisco, CA 94105
Facsimile: (415) 498 3550

Washington, DC 1885 Plooard Drive, Suite 226
Telephone: (301) 417 0999
Rockville, MD 20850
Facsimile: (301) 417 9825

MARK	ISSUE DATE	DESCRIPTION

PERMIT 09/16/04 PERMIT SET
BD 05/17/04 BD SET

Issue Log



TRO
ARCHITECTURAL PLANNING
ENGINEERING
INTERIOR DESIGN

The Ritchie Organization
80 Bridge Street
Newton, MA 02458-1134
617-969-9400

Maine Medical Center
Pkg E - Garage Foundation and Precast
Portland, ME MMC Project No. 21845

Drawing Title:
GARAGE FLOOR PLAN AT BASEMENT LEVEL PRECAST CONCRETE

Commission No. 4678 Date Issued 05/17/04
Scale 1/8"=1'-0" Sheet Number **PKG-E S207**
Drawn By SWW
Approved By JHT/JAZ
Discipline S202

Copyright © 2004 The Ritchie Organization