



- TYPE (A3) NON-RATED
5.5/8" CMU BLOCK, UL-1906
- TYPE (A2) NON-RATED
7.5/8" CMU BLOCK, UL-1905
- TYPE (A1) 2 HR RATED
5.5/8" CMU BLOCK, UL-1906
- TYPE (A4) 2 HR RATED
7.5/8" CMU BLOCK, UL-1905

A3 PARTITION TYPE SCHEDULE
SCALE: 1 1/2" = 1'-0"




- TYPE (B1) NON-RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS
- TYPE (B2) NON-RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 6" METAL STUDS
- TYPE (B3) 1 HR RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS, T-3362 OSU
- TYPE (B4) 1 HR RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 6" METAL STUDS, T-3362 OSU
- TYPE (B5) NON-RATED
(STC 50) TWO LAYERS 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS
- TYPE (B6) NON-RATED
(STC 50) TWO LAYERS 5/8" GWB EACH SIDE ON 6" METAL STUDS
- TYPE (B7) 2 HR RATED
(STC 50) TWO LAYERS 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS, UL-412 OSU
- TYPE (B8) 2 HR RATED
(STC 50) TWO LAYERS 5/8" GWB EACH SIDE ON 6" METAL STUDS, UL-412 OSU

B3 PARTITION TYPE SCHEDULE
SCALE: 1 1/2" = 1'-0"




- TYPE (C1) NON-RATED
(STC 50) DOUBLE LAYER 5/8" GWB CORR SIDE SINGLE LAYER OTHER SIDE ON 3.5/8" METAL STUDS
- TYPE (C2) NON-RATED
(STC 50) DOUBLE LAYER 5/8" GWB CORR SIDE SINGLE LAYER OTHER SIDE ON 6" METAL STUDS
- TYPE (C3) 1 HR RATED
(STC 50) DOUBLE LAYER 5/8" GWB CORR SIDE SINGLE LAYER OTHER SIDE ON 3.5/8" METAL STUDS, T-3362 OSU
- TYPE (C4) 1 HR RATED
(STC 50) DOUBLE LAYER 5/8" GWB CORR SIDE SINGLE LAYER OTHER SIDE ON 6" METAL STUDS, T-3362 OSU
- TYPE (C5) 2 HR RATED
U438 CAVITY SHAFT WALL
- TYPE (C6) 2 HR RATED
U438 CAVITY SHAFT WALL WITH ADDITIONAL LAYER OF GWB ON CORRIDOR SIDE

C3 PARTITION TYPES SCHEDULE
SCALE: 1 1/2" = 1'-0"




- TYPE (D1) NON-RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS
- TYPE (D2) NON-RATED
(STC 50) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS
- TYPE (D3) 1 HR RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS, T-3362 OSU
- TYPE (D4) 1 HR RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 6" METAL STUDS, T-3362 OSU

D3 PARTITION TYPES SCHEDULE
SCALE: 1 1/2" = 1'-0"




- TYPE (E1) NON-RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS
- TYPE (E2) NON-RATED
(STC 50) DOUBLE LAYER 5/8" GWB CORR SIDE SINGLE LAYER OTHER SIDE ON 3.5/8" METAL STUDS

E3 PARTITION TYPES SCHEDULE
SCALE: 1 1/2" = 1'-0"




- TYPE (F1) NON-RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS
- TYPE (F2) NON-RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 6" METAL STUDS
- TYPE (F3) 1 HR RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 3.5/8" METAL STUDS, T-3362 OSU
- TYPE (F4) 1 HR RATED
(STC 45) ONE LAYER 5/8" GWB EACH SIDE ON 6" METAL STUDS, T-3362 OSU


F3 PARTITION TYPES SCHEDULE
SCALE: 1 1/2" = 1'-0"




B4 NON-RATED PARTITION -TOP OF WALL DETAIL
SCALE: 1 1/2" = 1'-0"




C4 RATED PARTITION -TOP OF WALL DETAIL
SCALE: 1 1/2" = 1'-0"




D4 CMU PARTITION -TOP OF WALL DETAIL
SCALE: 1 1/2" = 1'-0"




E4 BOTTOM OF WALL DETAIL
SCALE: 1 1/2" = 1'-0"




F4 WALL FURRING TYPES F, F1, AND F2
SCALE: 1 1/2" = 1'-0"




B5 SECTION A DUCT OPENING INTO 2-HOUR SHAFT WALL
SCALE: 1 1/2" = 1'-0"




C5 DUCT OPENING INTO 2-HOUR SHAFT WALL
SCALE: 1 1/2" = 1'-0"



D5 2-HOUR HORIZONTAL SHAFT WALL CLOSURE
SCALE: 1 1/2" = 1'-0"




E5 WOOD BLOCKING ISOMETRIC FOR WALL MOUNTED ITEMS
SCALE: 3/4" = 1'-0"



F5 WALL FURRING TYPES F3
SCALE: 1 1/2" = 1'-0"

MARK	ISSUE DATE	DESCRIPTION
PERMIT	09/18/04	PERMIT SET
BD	08/28/04	BD SET



TRO
ARCHITECTURAL
PLANNING
ENGINEERING
INTERIOR
The Ritchie Organiza
80 Bridge Stre
Newton, MA 02459-1
617-559-94

Maine Medical Center
Pkg F - Garage / Vault / Conn / Heliport
Portland, ME MMC Project No. 21845

Partition Schedule and Details

Commission No.	4678	Date Issued	08/28/04
Scale	AS NOTED	Sheet Number	PKG-F
Drawn By	AD	Approved By	AW
Approved By	AW	File Name	4678A001.dwg
Copyright	© 2004	The Ritchie Organiza	