



Helen Donaldson &lt;hcd@portlandmaine.gov&gt;

---

## Congress Tower Temporary Tiebacks

---

**Dominic R. Gagnon** <DRGagnon@mmc.org>

Thu, Dec 24, 2020 at 9:43 AM

To: Helen Donaldson &lt;hcd@portlandmaine.gov&gt;, Jodie Keene &lt;JKEENE@portlandmaine.gov&gt;, "hwl@portlandmaine.gov" &lt;hwl@portlandmaine.gov&gt;

Cc: "adam.troidl@colliers.com" &lt;adam.troidl@colliers.com&gt;, "Carroll, Patrick H - (BOS)" &lt;pcarroll@tcco.com&gt;, Walter Pochebit &lt;POCHEW@mmc.org&gt;

Hello,

Please see the attached diagrams associated with the temporary tiebacks we have been discussing, as well as the note from Turner below. As you can see I have copied Harry as well on this email as I believe Pat may have raised this item with him as well.

*Dominic – see attached drawings for the Temporary SOE/ tiebacks below Gilman St. I added a section to help show the relationship to the utilities below Gilman St. I also include the Gilman St as-Obuilt drawing from Shaw. There is an installation and testing procedure on page 2. The tiebacks will be de-tensioned after completion of the foundation work by burning off the tieback heads and cutting the tieback strands. We will cut down the soldier piles and lagging to 3' below grade during final backfill operations.*

-  
*Let me know if you have any questions or if any additional information is needed.*

-  
*If okay – please forward as needed.*

-  
*Thanks*

-  
*Pat*

Best regards,

**Dominic R. Gagnon**

Vice President of Facilities

**Maine Medical Center**

22 Bramhall Street, Portland, Maine 04102

t (207) 662-9005 | [DRGagnon@mmc.org](mailto:DRGagnon@mmc.org)

ination, distribution, or copying of this message is strictly prohibited. If you received this message in error, please notify the sender by reply email and destroy all copies of the original message and attachments.

CONFIDENTIALITY NOTICE: This email message, including any attachments, is for the use of the intended recipient(s) only and may contain information that is privileged, confidential, and prohibited from unauthorized disclosure under applicable law. If you are not the intended recipient of this message, any dissemination, distribution, or copying of this message is strictly prohibited. If you received this message in error, please notify the sender by reply email and destroy all copies of the original message and attachments.

---

## 2 attachments



**Gilman SOE - Utility section Rev 12-23-20.pdf**

3775K



**TEMP SOE - Gilman St Section Sketch 12-23-20.pdf**

267K