



© 2018 RYAN SENATORE ARCHITECTURE

**FIELD OFFICE FOR
TURNER CONSTRUCTION COMPANY**
MAINE MEDICAL CENTER
870 CONGRESS STREET, PORTLAND, MAINE



**RYAN SENATORE
ARCHITECTURE**
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-650-6414
senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: 16 FEBRUARY 2018

PROJECT No. 1806

DRAWN BY: RRT, RJS

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:
**WALL TYPES
AND
ASSEMBLIES**

A-01

GRAPHIC DEPICTION		DESCRIPTION		
		<ul style="list-style-type: none"> - LAYER OF 5/8" GWB - 3/4" METAL HAT CHANNEL AT 16" O.C. - EXISTING CONCRETE PIER 		
TYPE				
NE	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
	N/A	N/A	N/A	N/A

GRAPHIC DEPICTION		DESCRIPTION		
		<ul style="list-style-type: none"> - LAYER OF 5/8" GWB - 3-5/8" METAL STUDS AT 16" O.C. - 3-1/2" SOUND BATT INSULATION - LAYER OF 5/8" GWB 		
TYPE				
NA	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
	N/A	N/A	35-39	N/A

GRAPHIC DEPICTION		DESCRIPTION		
		<ul style="list-style-type: none"> - LAYER OF 5/8" GWB - 6" METAL STUDS AT 16" O.C. - 6" SOUND BATT INSULATION - LAYER OF 5/8" GWB 		
TYPE				
NB	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
	N/A	N/A	35-39	N/A

GRAPHIC DEPICTION		DESCRIPTION		
		<ul style="list-style-type: none"> - LAYER OF 5/8" GWB - EXISTING 3" RIGID INSULATION WITH Z-FURRING - EXISTING CONCRETE WALL 		
TYPE				
NC	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
	N/A	N/A	N/A	N/A

GRAPHIC DEPICTION		DESCRIPTION		
		<ul style="list-style-type: none"> - LAYER OF 5/8" GWB - 3-5/8" METAL STUDS AT 16" O.C. - BUILD WALL TO 7'-0" AFF AND FINISH TOP WITH WOOD CAP - LAYER OF 5/8" GWB 		
TYPE				
ND	FIRE RATING	UL NUMBER	STC RATING	IIC RATING
	N/A	N/A	N/A	N/A