



© 2018 RYAN SENATORE ARCHITECTURE

FIELD OFFICE FOR
TURNER CONSTRUCTION COMPANY
 MAINE MEDICAL CENTER
 870 CONGRESS STREET, PORTLAND, MAINE



RYAN SENATORE
 ARCHITECTURE
 565 CONGRESS STREET
 PORTLAND, MAINE 04101
 207-650-6414
 senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: 16 FEBRUARY 2018

PROJECT No. 1806

DRAWN BY: RRT, RJS

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:

DOOR AND
FINISH
SCHEDULE

A7-0

A CONFERENCE ROOM **B** DOUBLE DOORS **C** BATHROOM

FRAME TYPES

1 WOOD CASED **2** STEEL

NOTES:

1. ALL DOORS TO BE SOLID CORE

GLAZING SCHEDULE	
KEY	GLAZING TYPE
GL-1	INSULATED CLEAR GLAZING
GL-2	FIRE RATED INSULATED GLAZING
GL-3	CLEAR TEMPERED GLASS
GL-4	CLEAR INSULATED TEMPERED GLASS
GL-5	FIRE RATED GLAZING

DOOR SCHEDULE																				
DOOR NO.	TYPE	DOOR						FRAME						GENERAL						FOB ACCESS
		SIZE			MATERIAL	FINISH	INSULATED	TYPE	MATERIAL	THRESHOLD	DETAILS				CLOSER	FIRE RATING (MINUTES)	HARDWARE KEY MLS - MORTISE LOCK SET LS - LOCK SET PR - PRIVACY SET PS - PASSAGE SET LP - LEVER PULL PH - PEEPHOLE LENSE	REMARKS		
		WIDTH	HEIGHT	THICKNESS							HEAD	JAMB	SILL							
100.1	A	3'-0"	7'-0"	1-3/8"	WD	PTD	N	2	STL	-	-	-	-	N	-	-	-			
105.1	B	7'-0"	7'-0"	1-3/8"	WD	PTD	N	2	STL	-	-	-	-	N	-	-	-			
106.1	C	3'-0"	7'-0"	1-3/8"	WD	PTD	N	2	STL	-	-	-	-	N	-	-	-			
107.1	C	3'-0"	7'-0"	1-3/8"	WD	PTD	N	2	STL	-	-	-	-	N	-	-	-			
108.1	A	3'-0"	7'-0"	1-3/8"	WD	PTD	N	2	STL	-	-	-	-	N	-	-	-			

ROOM FINISH SCHEDULE												
ROOM #	ROOM NAME	WALLS					FLOOR	CEILINGS			REMARKS	PAINT COLOR
		NORTH	EAST	SOUTH	WEST	BASE		MATL	HEIGHT	RATING		
101	CONFERENCE	2	2	2	2	10	22	31	9'-0"	-		
102	OPEN DESKS	1	1	1	1	10	20	32	-	-		
103	RECEPTION	1	1	1	1	10	20	32	-	-		
104	OPEN DESKS	4	4	4	4	10	20	30,32	-	-		
105	KITCHENETTE	2	2	2	2	10	21	31	9'-0"	-		
106	MEN'S ROOM	3	3	3	3	10	21	31	9'-0"	-		
107	WOMEN'S ROOM	3	3	3	3	10	21	31	9'-0"	-		
108	CONFERENCE	2	2	2	2	10	22	31	10'-0"	-		

FINISH SCHEDULE KEY	
WALLS	
1	GWB - PAINTED "P1" TO 9'-0" AFF / PAINTED "P2" ABOVE
2	GWB - PAINTED "P1" TO 6" ABOVE HUNG CEILING
3	MOISTURE RESISTANT GWB - PAINTED "P1"
4	GWB - PAINTED "P1" TO CEILING IN DOUBLE HEIGHT SPACE
BASE	
10	VINYL COVE BASE
FLOORS	
20	POLISHED CONCRETE SLAB
21	VINYL COMPOSITE TILE (VCT)
22	CARPET TILE
CEILINGS	
30	GWB - PAINTED SOFFITS - "P1"
31	24" X 24" ACT CEILING TILE WITH GRID SYSTEM
32	PAINT EXPOSED CEILING AND PIPES "P2"

- ROOM FINISH GENERAL NOTES**
- ALSO SEE INTERIOR ELEVATIONS FOR GRAPHIC DEPICTIONS OF EXTENT OF FINISHES
 - INSTALL MOISTURE RESISTANT (MOLD AND MILDEW RESISTANT) GWB IN ALL AREAS WHERE PLUMBING FIXTURES EXIST (CEILING AND WALLS IN BATHROOMS)
 - CLOSETS SHALL BE FINISHED AS THE ROOMS THEY SERVICE
 - PROVIDE APPROPRIATE BLOCKING IN WALLS OF ALL BATHROOMS BEHIND FIXTURES, PARTITIONS AND ACCESSORIES. PROVIDE BLOCKING FOR GRAB BARS IN WALLS OF BATHROOMS
 - PROVIDE APPROPRIATE BLOCKING IN WALLS FOR DOOR STOPS
 - BOTTOM EDGE OF GWB ON WALL SURFACES TO BE HELD UP 1/2" FROM CONCRETE FLOOR SURFACES
 - PROVIDE VINYL TRANSITIONS STRIPS AT ALL FLOOR TRANSITIONS UNLESS OTHERWISE NOTED
 - UNLESS OTHERWISE NOTED IN DRAWINGS THE TYPICAL WALL TYPE IS 'NA'. ALL OTHER PARTITION TYPES WILL BE INDICATED.

PAINT SCHEDULE KEY	
TAG	COLOR
P1	TBD
P2	TBD