DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

Located at

GLASS BUILDING LLC /CAP Services LLC -Tom Munroe

832 CONGRESS ST

PERMIT ID: 2013-02760

ISSUE DATE: 01/29/2014

CBL: 053 F001001

has permission to Build 3 new 12' x 12' Offices in existing shop area

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Craig Messinger

/s/ Jeanie Bourke

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

Use Group: S-2/F-2/B **Type:** 3B Storage/Industrial Low Hazard &

Business

Mixed Use Separated NFPA 13 Sprinkled

ENTIRE

MUBEC/IBC 2009

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

Close-in Plumbing/Framing w/Fire & Draft Stopping Electrical Close-in w/Fire & Draftstopping Above Ceiling Inspection

Final - Commercial

Final - Electric

Final - Fire

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

PERMIT ID: 2013-02760 **Located at:** 832 CONGRESS ST **CBL:** 053 F001001

Permit No: Date Applied For: CBL: City of Portland, Maine - Building or Use Permit 12/18/2013 2013-02760 053 F001001 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716 Proposed Use: Proposed Project Description: Same: retail with showroom - offices and light manufacturing with Build 3 new 12' x 12' Offices in existing shop area warehouse **Dept:** Zoning Status: Approved Reviewer: Marge Schmuckal **Approval Date:** 12/27/2013 Ok to Issue: Note: **Conditions:** 01/27/2014 Dept: Building **Status:** Approved w/Conditions Reviewer: Jeanie Bourke **Approval Date:**

Conditions:

Note:

1) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.

Ok to Issue:

- 2) Any modifications to existing building systems and all new systems (HVAC, electrical, plumbing) shall meet IECC 2009 or ASHRAE 90.1-2007 requirements for energy code compliance.
- 3) Penetrations through fire resistance rated assemblies shall be protected by an approved penetration firestop system installed as tested in accordance with ASTM E814 or UL 1479
- 4) This permit is approved based upon information provided by the applicant or design professional, including conversation with Tom M. on 1/27/14, ie. the offices will be fire separated from the shop, walls continuous to the ceiling above, and no doors directly into the shop from the new offices. Any deviation from the final approved plans requires separate review and approval prior to work.

Dept: Fire **Status:** Approved w/Conditions **Reviewer:** Craig Messinger **Approval Date:** 01/27/2014 **Note:** Ok to Issue: ✓

Conditions:

- 1) Through-penetrations and membrane penetrations in fire walls, fire barrier walls, and fire resistance rated horizontal assemblies shall be protected by firestop systems or devices in conformance with NFPA 101:8.3.5 (ASTM E 814 or ANSI/UL 1479). Providing firestop labels at each firestop system or device and an onsite manual containing the detail for each firestop system or device used for the project will streamline final inspection approvals.
- 2) All means of egress to remain accessible at all times.
- 3) Any cutting and welding done will require a Hot Work Permit from Fire Department.
- 4) Emergency lights and exit signs are required. Emergency lights and exit signs are required to be labeled in relation to the panel and circuit and on the same circuit as the lighting for the area they serve.

PERMIT ID: 2013-02760 **Located at:** 832 CONGRESS ST **CBL:** 053 F001001