


- NOTES:**
1. Typical floor slab is 3 1/4" lightweight concrete on 3"x20 ga. composite metal deck. Total thickness 6 1/4". Reinforce with #3@12" e.w. Provide additional #4 x 8" long @ 12" o.c. over all girders and at all slab edges. Top of steel E.I. is 6 1/4" below top of slab elevation shown unless otherwise noted thus (10"), indicating change from typical steel elevation.
 2. Refer to Drawing 5501 for lintel schedule and Typical Lintel Details.
 3. Contractor shall coordinate openings and sleeves through slabs for electrical conduit to avoid conflicts with steel framing.
 4. Contractor shall coordinate locations of sleeves through slabs (for pneumatic tube system) with steel framing.
 5. All infill framing shown on plan, without size indicated, shall be W10x12, Typ.
 6. All steel framing including infill framing, shall have 3/4" x 5" headed studs @ 12" o.c., min, Typ.

SGH
Simpson Gumpertz & Heger Inc.
 Consulting Engineers
 Boston, MA 41 Sejan Street, Telephone: (781) 907 9000
 Building 1, Suite 500 Fax: (781) 907 9009
 Waltham, MA 02453
 San Francisco, CA 232 Sutter Street, Telephone: (415) 498 3700
 Suite 300 San Francisco, CA Fax: (415) 498 3550
 94108-4445
 Washington, DC 1335 Piccard Drive, Telephone: (301) 417 0999
 Suite 220 Rockville, MD Fax: (301) 417 9825
 20850

FOR PERMIT ONLY - NOT FOR CONSTRUCTION


PERMIT 09/24/04 PERMIT SET - NOT FOR CONSTRUCTION
 Issue Log



TRO
 ARCHITECTURE
 PLANNING
 ENGINEERING
 INTERIOR DESIGN
 The Ritchie Organization
 80 Bridge Street
 Newton, MA 02458-1134
 617-969-9400

Maine Medical Center
 Charles Street Project
 Portland, Maine MMC Project No. 21841

Drawing Title
THIRD FLOOR FRAMING PLAN



Commission No.	4673	Date Issued	
Scale	AS NOTED	Sheet Number	
Drawn By	KMG/SK		
Approved By	JMT/JMT		
File Name	L:\2000\20984.00\		
Copyright	© 2004	The Ritchie Organization	