ELLSWORTH STREET

BRAMHALL PLACE

CONGRESS STREET

2 HR RATING

METAL GUARDRAIL (BASE BID)

TYP.

METAL SECURITY SCREEN (ALT.#1)

POSTS - 3 EQUAL SPACES

EXG CONCRETE PIER

GUARDRAIL (BASE BID) OR SECURITY SCREEN (ALTERNATE #1) POSTS SPACED 4'-0" O.C. U.N.O.

NEW STL. COL. ENCASED IN CONC.

BACKER ROD & SEALANT BETWEEN EXG SLAB EDGE & NEW CMU (TYP.)

UNDER ALTERNATE #1

CMU WALL- MATCH HT OF EXG. AND CAP W/ METAL COPING TO MATCH- EXTEND METAL SCREEN TO RETURN TO TRACK

STEEL TUBE

STEEL GUIDE, STEEL WALL ANDLE

MOTOR (GEARHEAD VERTICAL)

LINE OF WELL ABOVE

ROLLING GRILLE

(2) BOLLARDS EACH END

+/- 15' - 4 1/2" CLR.

7' - 0"

STEP

F.F. -2'-10" (117)

WALL MTD HANDRAIL

STAIR 1
200

STAIR 2
214

VESTIBULE
212

ELEV MACH RM
203

ELEV
202

LOBBY
201

STOR
204

PA RM
213

PARKING LEVEL
TWO - 10 SPACES
205

FACE OF CMU TO FACE OF CMU

HEAT PUMP W/ FIRE DAMPER - SEE MECH. DWGS.

MECH. CHASE - SEE MECH. DWGS.

FLOODLIGHT TYP. (SEE ELEC.)

METAL GUARDRAIL (BASE BID) OR SECURITY PANEL (ALTERNATE #1) POST TYP.

METAL GUARDRAIL TYP. (BASE BID)

METAL PANEL SECURITY SCREEN (ALT. #1)

METAL COLUMN COVER

GUARDRAIL (BASE BID) OR SECURITY SCREEN (ALTERNATE #1) POSTS SPACED 4'0" O.C. U.N.O.

CRICKET

CHASE FOR ELEC. CONDUITS - SEE ELEC. DWGS.

PROVIDE NEW BRICK VENEER WALL 6 COURSES HIGH TO MATCH EXG W/ CMU BACK UP OVER EXG CONC WALL, AND BRICK THIS AREA

1 Second Floor Plan
1/4" = 1'-0"

Architects + Engineers

HARRIMAN ASSOCIATES

One Auburn Business Park
Auburn, ME 04210
PH: 207.784.5100
Fax: 207.782.3017

66 Pearl Street, Suite 301
Portland, ME 04101
PH: 207.784.5100
Fax: 207.775-0460

Maine Heart Surgical Associates

New Office Building

Portland, ME

Project Number 04180

Key Plan

PROJECT NORTH

General Notes:

1. DIMENSIONS ARE TO FACE OF GPDW UNLESS OTHERWISE NOTED.

2. PENETRATIONS THROUGH COMPOSITE SLAB TO BE SEALED WITH FIRESTOP MATERIAL INCLUDING CONDUITS, PIPES, SPRINKLER AND DUCTS.

3. ALTERNATE No. 4 - PARKING DECK REHABILITATION: PROVIDE SECOND LEVEL PARKING DECK REPAIR AS SPECIFIED IN SECTION (TBD) AND TRAFFIC COATING SPECIFIED IN SECTION (TBD).

No.	Description	Date
	ISSUED FOR BID	4-28-05

Drawing Status:

Second Floor Plan

Issue Date:	04-28-05
Drawn By:	JGJ
PA / PE:	PSC

A10.2

Scale 1/4" = 1'-0"

4/28/2005 2:44:34 PM