



-1 1/2"ø POST

PROPOŠED PLATE CONNECTION TO PROPOSED STEEL


BEAM (SEE BASE PLATE DETAIL A)


SAFETY RAILING SCALE: N.T.S.






- USE GALVANIZED HILTI EXPANSION ANCHORS OR, APPROVED EQUAL, FOR EQUIPMENT ANCHORAGE.
- FOR SIZE AND LOCATION OF ANCHORS AND OTHER REQUIREMENTS, SEE EQUIPMENT VENDOR DRAWINGS.
- 3. BEARING STRATA MEDIUM TO DENSE INSET GRANULAR MATERIAL OR COMPACTED GRAVEL FILL. 95% COMPACTION.
- SUBGRADE AND FILL SHALL CONSIST OF CLEAN SOIL. NO DELETERIOUS MATERIALS OR ORGANICS TO BE USED.






ALL EXPOSED CORNERS MUST HAVE A
RADIUS ELBOW (UNO).

- 2. ALL CONNECTIONS TO STEEL BEAM TO BE FLASHED AND WEATHERSEALED.
- 3. PROPOSED MOUNTING CURB AND ATTACHMENTS TO CURB TO BE FLASHED AND WEATHERPROOFED. ALL ROOF WORK SHALL ADHERE TO EXISTING ROOF WARRANTIES AND BE COMPLETED BY LL APPROVED ROOFER.



- 1. CABLE TRAY TO BE ANCHORED DIRECTLY TO CONCRETE SLEEPERS.
- VERTICAL BEND SECTIONS SHALL BE INSTALLED IN ORDER TO TRAVERSE THE EXISTING PARAPET CONCRETE SLEEPERS TO BE INSTALLED ON PARAPET AND UP OF ROOF IN ORDER TO SUPPORT CAPILE TRAV
- COOPER B-LINE LADDER DROP OUT TO BE INSTALLED AT END OF CABLE TRAY.

ROOF MOUNTED CABLE TRAY



CHAIN LINK FENCE GATE DETAIL



SUITES 13 & 14 FRAMINGHAM, MA 01701



22 KEEWAYDIN DRIVE SALEM, NH 03079

HOLT HALL SITE NO.: ME2980

	C	ONSTRU	ICT	ION	DRAWINGS
			+		
ı			4		
	0	03/15/1	3 F	OR	CONSTRUCTION
ı					COMMENT

Dewberry

Dewberry Engineers Inc. 280 SUMMER STREET 10TH FLOOR BOSTON MA 02210 PHONE: 817.895.3400 FFAY: 617.696.3310 PATRICK

DRAWN BY:	MR
REVIEWED BY:	DAS
CHECKED BY:	PPB
PROJECT NUMBER:	50003936
JOB NUMBER:	50048546
SITE ADDRESS	

794 CONGRESS STREET PORTLAND, ME 04102

SHEET TITLE

CONSTRUCTION DETAILS-I

SHEET NUMBER