### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Owner: Location of Construction: Phone: Permit No: Owner Address: Lessee/Buyer's Name: Phone: BusinessName: Permit Issued: Address: Contractor Name: Phone: 934-1614/681-0261 Croserstone Bones 153 Portland Ave DOE, he 14064 JUL 2 9 1997 COST OF WORK: PERMIT FEE: Past Use: Proposed Use: 25.00 FIRE DEPT. Approved INSPECTION: ☐ Denied Use Group: Type: CBL: Zone: Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: ☐ Shoreland Replace Windows (Sintorical Preservations Only) Denied □ Wetland ☐ Flood Zone □ Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Permit Taken By: Date Applied For: 10 June 1997 Zoning Appeal ☐ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use □ Interpretation Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit SIGNATURE OF APPLICANT ADDRESS: PHONE: DATE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

PHONE:

CEO DISTRICT

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No:Q 59-61 Carleton St NCCS, Inc. Owner Address: Lessee/Buver's Name: Phone: BusinessName: Permit-Issued: Contractor Name: Address: Phone: 934-1614/681-0261 Cronerstone Homes 153 Portland Ave OOB, ME 04064 14 2 9 1997 COST OF WORK: PERMIT FEE: Past Use: Proposed Use: 25.00 FIRE DEPT. Approved INSPECTION: 6-fam ☐ Denied Use Group: Type: Zone: CBL: 055-B-005 Signature: 11MM Signature: Zoning Approval: onle Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: D Shoreland SamicVE Replace Windows (Historical Preservation Only) Denied □ Wetland ☐ Flood Zone ☐ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Date Applied For: Permit Taken By: Mary Gresik 10 June 1997 Sep Lett Zoning Appeal ☐ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation 3. ☐ Approved tion may invalidate a building pennit and stop all work... faul to drop of cut sheets □ Denied Historic Preservation □ Not in District or Landmark ☐ Does Not Require Review D Requires Review CERTIFICATION Thereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been Action: Appoved DApproved with Conditions ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 10 June 1997 SIGNATURE OF APPLICANT Paul Rheaume ADDRESS: DATE: PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

T. Musin

CEO DISTRICT

# LAND USE - ZONING REPORT

ADDRESS: 59-61 Carleton St DATE: 7/2-9/97	
REASON FOR PERMIT: replacement Windows (Historia Peru	5
BUILDING OWNER: NCCS, INC. C-B-L: 55-B-005	
PERMIT APPLICANT: Phul Rheaume R-62	ane
APPROVED With Condition SDENIED:	
#6 #9	
CONDITION(S) OF APPROVAL	
1. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be	
maintained.  2. The footprint of the existing shall not be increased during maintenance	
reconstruction.  3. All the conditions placed on the original, previously approved, permit issued on	
are still in effect for this amendment.	
4. Your present structure is legally nonconforming as to rear and side setbacks. If you were	
to demolish the building on your own volition, you will not be able to maintain these same	
setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only	
rebuild the garage in place and in phases.	
5. This property shall remain a single family dwelling. Any change of use shall require a	
separate permit application for review and approval.	
6. Our records indicate that this property has a legal use of four units. Any change	
in this approved use shall require a separate permit application for review and approval.  7. Separate permits shall be required for any signage.	
9.) Other requirements of condition Any Addition units over the Allows	3/5
Separate permits shall be required for future decks and/or garage.  Other requirements of condition Any Addition in to over the Allowship and Shall be removed.	1
toward in is that shall be removed	_
See letter to owner under Separate Care	<b>\</b>
Marge Schmuckal, Zoning Administrator,	
Asst. Chief of Code Enforcement	
CC to: NCCS, INC, 696 Congress St, Part Rand, ME	10/
	1

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development Joseph E. Gray Jr. Director

## CITY OF PORTLAND

NCCS, Inc. 696 Congress St. Portland, ME 04101

RE: 59-61 Carleton St. - 55-B-005- R-6 zone

July 30, 1997

Dear Sirs/Madams,

It has recently come to our attention that the use of your building at 59-61 Carleton Street has been changed from a legal 4 unit to an illegal 6 unit. It will be necessary to remove the 2 illegal units as soon as possible, including all kitchen equipment. Our Code Enforcement Officer, Tammy Munson, will be contacting you in order to make an appointment for reinspection. I these units are not removed within a timely manner, it will be obligatory for our office to take legal action against you.

If you have any questions regarding this matter, please do not hesitate to contact this office.

Very Truly Yours,

Marge Schmuckal Zoning Administrator/

Asst. Chief of Insp. Services

cc to: P. Samuel Hoffses, Chief of Insp. Services
Tammy Munson, Code Enforcement Officer

Corporation Counsel

### BUILDING PERMIT REPORT

DATE:	7/38/47	ADDRESS: Si . ( . letes St	
REASON FOR	PERMIT: Replece	الروزية	
BUILDING O	WNER: UCCL FAC		
CONTRACTO	)R:		
PERMIT APP	LICANT: Poul Rhouse	APPROVAL: X/X/2×/3×/4×/5, ×27×22 DENTE	D

## CONDITION(S) OF APPROVAL

1.

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 3. Precaution must be taken to protect concrete from freezing.
- 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993) U.L. 103.
- 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- 3. Guardrail & Handrails A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
- 9. Headroom in habitable space is a minimum of 7'6".
- 10. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise.
- 11. The minimum headroom in all parts of a stairway shall not be less than 80 inches.
- Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
- Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units.
- All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's.
- The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment.
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and

	Date	
vill dead wof illegal units w founer	Inspection Record	Foundation: Framing: Plumbing: Final: Other:
Windows reglaced- will dea		

I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17 A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard. 19.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. All construction and demolition debris must be disposed at the City's authorized reclamation site. The fee rate is attached. Proof of such disposal must be furnished to the office of Inspection Services before final Certificate of Occupancy is issued or demolition permit is granted.
- Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to 22. excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year.
- The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a 23. certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 24. This permit does not excuse the applicant from obtaining any license which may be needed from the City Clerk's office.
- Ventilation shall meet the requirements of Chapter 12 Sections 1210. of the City's Building Code. 25.

¥27.	This permit	15 For	3 4 Dwelling	unit onk	(Sec Attached	Land USe	Zining 18 Kol
₹ 28.	Please ream	and imple	ment Histor	ric Prosorva	Tion Condition	5	

P. Samuel Hoffses, Chief of Code Enforcement

cc: Lt. McDougall, PFD Marge Schmuckal

29.

HAMIS