


SECOND FLOOR FRAMING PLAN
SCALE: 1/8"=1'-0"

FLOOR CONSTRUCTION:
4 1/2" NORMAL WEIGHT CONCRETE OVER 2-20 GAUGE GALVANIZED
WVF 608-12-4-1/2" TOP OF CONCRETE EL. +10'-10"

- NOTES:
1. FOR TYPICAL DETAILS AND GENERAL NOTES SEE DRAWING S2.1, S2.2 & S2.3
2. TOP OF STEEL SHALL BE AT EL. +10'-3 3/4" UNLESS NOTED OTHERWISE
3. (Z O) INDICATES DEVIATION FROM TOP OF STEEL ELEVATION.
4. "(X)" INDICATES THE NUMBER OF EQUALLY SPACED 3/4" DIA. x 3/8" LONG HEADED SHEAR STUDS.
5. "EOP" INDICATES EDGE OF POOR STOP AND / OR EDGE OF DECK DIVERSION FROM COLUMN GRIDLINE OR CENTER LINE OF BEAM IF NO COLUMN GRIDLINE.
6. "4AK" INDICATES CONNECTION DESIGN SHEAR (ASD). IF REACTION IS NOT SHOWN TO SPECIFICATIONS AND GENERAL NOTES.
7. "C+..." INDICATES AMOUNT OF CAMBER.
8. "M" INDICATES MOVEMENT CONNECTION FOR DETAILS SEE DRAWING S5.X.
9. "BRACE A" INDICATES A BRACED FRAME. SEE DRAWING S9.1 FOR BRACE FRAMING ELEVATIONS AND DETAILS.
10. "TOC EL." INDICATES TOP OF CONCRETE SLAB ELEVATION.
11. "TOS EL." INDICATES TOP OF STEEL ELEVATION.
12. "BOS EL." INDICATES BOTTOM OF STEEL ELEVATION.
13. "S" INDICATES SPAN OF METAL DECK.
14. ALL FLOOR BEAMS THIS LEVEL TO BE SPRAY FIREPROOFED - OMT PRIMER



S1.2	SECOND FLOOR PLAN	Date: JULY 12, 2005	Scale: 1/8" = 1'-0"	ARCHETYPE, P.A. ARCHITECTS 48 Union Wharf Portland, Maine 04101 (207) 772-6022 Fax (207) 772-4056	CONTRACTOR:	OWNER: MAINE WORKFORCE HOUSING, LLC
	Project: WALKER TERRACE	Revisions: SUBMISSION JULY 12, 2005	Checked By:			One Longfellow Square, Portland, Maine 04101 (207) 871-9811 Fax (207) 761-0155
	ONE WALKER STREET PORTLAND, MAINE					