Location of Construction:	Owner:	*	Phone:	Permit No: 9 8 0 9 8 . Z
Owner Address: 27 Catherine Blvd Cases	Lessee/Buyer's Name:	Phone:	823-3331 BusinessName:	PERMIT ISSUED
Contractor Name:	Address:	Phone	:	Permit Issued: SEP - 1 1998
Past Use:	Proposed Use:	COST OF WORL		
5-6ee	5-fan	FIRE DEPT. Signature:	Approved INSPECTION: Use Group Signature:	CITY OF PORTLAND
Proposed Project Description:			CTIVITIES DISTRICT (P.	AD.) Zoning Approval
Amond Pormit #980360 Complete reduction of 8- Final Phase	enit to 5-enit	Action:	Approved Approved with Conditions: Denied Date:	Special Zone or Reviews: Shoreland Storeland Store Store Subdivision
Permit Taken By:	Date Applied For:	27 August 19	<u></u>	☐ Site Plan maj ⊡minor ⊡mm □
2. Building permits do not include plus	not started within six (6) months of the date of			☐ Miscellaneous ☐ Conditional Use ☐ Interpretation ☐ Approved ☐ Denied
			PERMIT ISSUED WITH REQUIREMENTS	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review Action:
I hereby certify that I am the owner of rec	CERTIFICATION cord of the named property, or that the propos plication as his authorized agent and I agree	ed work is authorized by the to conform to all applicable	e owner of record and that I he laws of this jurisdiction. In	addition, Denied
authorized by the owner to make this app if a permit for work described in the appl	lication is issued, I certify that the code offici conable hour to enforce the provisions of the			Date:
authorized by the owner to make this applif a permit for work described in the applareas covered by such permit at any reas	sonable hour to enforce the provisions of the		permit.	Date:
authorized by the owner to make this app if a permit for work described in the appl		code(s) applicable to such		Date:

BUILDING PERMIT REPORT				
DATE: 8/31/88 ADDRESS: 35-37 P/10, 57				
REASON FOR PERMIT: Amind Permit				
BUILDING OWNER: Keyis Gillerpis				
CONTRACTOR: K. G. 1/e 5 p. e				
PERMIT APPLICANT:				
USE GROUP R-2 BOCA 1996 CONSTRUCTION TYPE 53.				
CONDITION(S) OF APPROVAL				
This Permit is being issued with the understanding that the following conditions are met:				
Approved with the following conditions: K. 1 * 12, *13 * 14 K 15 * 16 * 24 × 26				
 This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services 				
must be obtained. (A 24 hour notice is required prior to inspection) 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The				
top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material.				
 3. * Precaution must be taken to protect concrete from freezing. 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is 				
done to verify that the proper setbacks are maintained. 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from				
adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½				
inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996) 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).				
 Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code. 				
8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".				
 Headroom in habitable space is a minimum of 7'6". Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group 				
minimum 11" tread. 7" maximum rise.				
The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or				
exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height				

not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension AMEND PERMIT 980360

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building):	5-317000C
Total Square Footage of Proposed Structure	Square Footage of Lot
Tax Assessor's Chart, Block & Lot Number Owner Chart# 55 Block# E Lot# 10	KEVIN B. GILLESPIE 823-3331
Owner's Address 7 Cathering BVd Lesses 35-37 PINE STREET	S/A/4 Cost Of Work: Fee \$ 3000.
Proposed Project Description:(Please be as specific as possible) COMPLETE REDUCTION FINAL PHASE.	n of 8 units to 5 outs-
Contractor's Name, Address & Telephone KEVIN B. 6	Rec'de Rec'de
Current Use: 5 UNIT	Proposed Use: 5 UNIT
•All construction must be conducted in compliance w •All plumbing must be conducted in •All Electrical Installation must comply with the •HVAC(Heating, Ventilitation and Air Conditionin You must Include the following with you application: 1) ACopy of Your D 2) A Copy of your 3) A Minor or Major site plan review will be required for the ab checklist outlines the minimum standards for a site plan.	with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. a compilance with the State of Maine Plumbing Code. to 1996 National Electrical Code as amended by Section 6-Art III. and in the State of Maine Plumbing Code. The section for the sectio

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
 equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

CHILDREN IN PROTESTORS OF the books applicance to mis permit.	
Signature of applicant:	Date: