Location of Construction: 704 Congress Street	Owner: 7-11/The Southland Corp. Phone: (609)850-5239			Permit No:99043 2		
	ssee/Buyer's Name:	Phone:	Busines	sName: /Southland Corp.	PERMIT ISSUED	
	dress: 11 Maat Rd., Minchestor,	\$10 03102 Phor				
	pposed Use:	COST OF WOI \$3,000.00	RK:	PERMIT FEE: \$35.00	MAY 5,1999	
			Approved Denied	INSPECTION: Use Group: Type:	CITY OF PORTLAND	
Proposed Project Description:		Signature: PEDESTRIAN	ACTIVITIE	Signature: Arthur Signature: S DISTRICT (PA.D.)	Zoning Approval:	
Srect signage		Action:	Approved	with Conditions:	□ Shoreland □ Wetland □ Flood Zone	
		Signature:		Date:		
Permit Taken By:	Date Applied For:			2	□ Site Plan maj □minor □mm	
 Building permits do not include plumbing, septic Building permits are void if work is not started with tion may invalidate a building permit and stop all 	hin six (6) months of the date of issu	aance. False informa			Miscellaneous Conditional Use Interpretation Approved Denied	
			PERMI WITH REQ	T ISSUED UIREMENTS	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review	
I hereby certify that I am the owner of record of the nam authorized by the owner to make this application as his if a permit for work described in the application is issue areas covered by such permit at any reasonable hour to	authorized agent and I agree to co ed, I certify that the code official's a	nform to all applicab authorized representa (s) applicable to such	le laws of th tive shall ha 1 permit	is jurisdiction. In addition,	Denied	
	ADDDECC	04/22/99	16 6	DUONE	- t t - 2 - 4	
SIGNATURE OF APPLICANT	ADDRESS:	DATE:		PHONE:		

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

A president of the second se

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE

PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building). 704 Congress St. Portland, ME					
Total Square Footage of Proposed Structure 49 59. Ft. Square Footage of Lot					
Tax Assessor's Chart, Block & Lot Number Chart# OSS Block# E Lot# 026	Owner. 7-11/The Southland	Telephone#: (017p. (609)860-5239			
Owner's Address: 1075 Cranbury South River Rd. Jamesburg, NJ 08831-9723	Lessee/Buyer's Name (If Applicable) N/A	Cost Of Work: Fee \$3000,00 \$35,00			
Proposed Project Description: (Please be as specific as possible) Replace existing 7'x7' sign face with new 7'x7' sign face on existing pylon sign. (2 sided)					
Contractor's Name, Address & Telephone Jutras Signs Inc, 711 Mast Rd., Manchester, NH 03102 (603)672-2344					
Current Use: relail Store	Proposed Use: San				

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

•HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application:

1) A Copy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations

WO#28436

- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Date: //	
Cinding Richard Jufras Signs Thes	puthland Coips +122/99	

¹Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum

Je ^{rr}
WO# 28436 SIGNAGE PRE-APPLICATION
PLEASE ANSWER ALL QUESTIONS
ADDRESS: 704 Congress St. Portland, ME ZONE:
OWNER: 7-11 (The Southland Corp)
APPLICANT: <u>Cindy Rickard, Jutras Signs Inc., 711 Mast Rd., Manches</u> ter NH 03102 (603)622-2344 ASSESSOR NO
PLEASE CIRCLE APPROPRIATE ANSWER
SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS 7'X 7' HEIGHT 19'8" from ground MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT OFF SIDEWALK HEIGHT AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK HEIGHT IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: Existing pole Sign - 7'x 14' Existing building Sign - 4'x 12'
*** TENANT BLDG. FRONTAGE (IN FEET): 704 59 ft. (44'x 16')
pole sign 7' (+1.) 7' (+1.)
A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.
SIGNATURE OF APPLICANT: Conduct Rulland Sutras Signs DATE: 4/21/99 on Behalf of The Southland Corp


.



7-11 STOR 704 Congriss St. Portland, ME Existing pole sign face change only

- leave as is


Existing 4'x12' building sign leave as is



32531



7-11 Store 704 Congless St. Portland, ME



RUNLES AGENCI

PRODUCER The Ruwley Agency, Inc. P.O. Box 511				TY INSURANCE THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.				
	P.O. BOX 517		SLIER 10	a second s	FFORDING COVERAGE	110	DELON	
Cencerd NH 03302-0511			COMPANY	Acadia Insura				
SUP	ED		CONPANY			-		
	Jutras Signs, Inc. 711 Mest Road		8					
	Manuhester MH 031	0.2	COMPANY					
			COMPANY					
TH INI CE	ERAGES IS IS TO CERTIFY THAT THE POLICIES DICATED, NOTWITHSTANDING ANY REC RTIFICATE MAY BE ISSUED OR MAY P CLUSIONS AND CONDITIONS OF SUCH	OF INSURANCE LISTED BELOW DUIREMENT, TERM OF CONDITION ERTAIN, THE INSURANCE AFFOR	N OF ANY CONTRACT OR DED BY THE POLICIES DE	HE INSURED NAMED OTHER DOCUMENT SCRIBED HEREIN IS	WITH RESPECT TO WHICH	THIS	Þ	
PA	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DOMY)	POLICY EXPIRATION DATE (MM/CD/YY)	LIMIT	Ę.		
	GENERAL LIABILITY	CPA150065410	01/01/97	01/01/00	GENERAL AGGREGATE	\$	1,000,000	
1	COMMERCIAL SENERAL LIABILITY				PRODUCTS - COMPICE ABO	\$	1,000,000	
	CLAIMS MADE X OCCUR				PERSONAL & ADV INJURY	5	500,000	
	OWNER'S & CONTRACTOR'S PHOT				EACH OCCURRENCE	1	500,000	
1				-	FIRE DAMAGE (Any one fire)	\$	300,000	
Ī					MED EXP (Any one perion)	\$	15.00	
	AUTOMOBILE LIABILITY X ANY AUTO	CAA150065510	01/01/99	01/01/00	COMBINED SINGLE LIMIT	5	1,000,000	
	ALL OWNED AUTOS				BOOLY INJURY (Per person)	5		
	X HARED AUTOS X NON-CHANED AUTOS				BODILY INJURY (Per accident)	\$		
					PROPERTY DAVAGE	3		
i	BARAGE LIABILITY		1		AUTO CHILY - EA ACCIDENT	3		
1	CTUA YAA			1	OTHER THAN AUTO ONLY.	The second		
					EACH ACCIDENT	3		
_ [ADOREDATE	3		
A	EXCESS LINELITY	CUA150065710	01/01/99	01/01/00	EACH OCCURRENCE	5	2,000,000	
	X UMBRELLA FORM			1	AGOREGATE	5	2,000,000	
	OTHER THAN UNBRELLA FORM		1	1		3		
	WORKERS COMPENSATION AND				WC STATUL IOTH-			
	EMPLOYERS' LIABILITY	WCA150065610	01/01/99	01/01/00	EL EACH ACCIDENT	15	500,000	
A	THE PROPRIETOR/				EL DISEASE - POLICY LIMIT	5	500,000	
	PARTNERSADXECUTIVE				EL DISEASE - EA EMPLOYEE	5	500,000	
A	OTHER Installation Floater	CPA150065410	01/01/99	01/01/00	Limit Deductible	<u> </u>	40,00 ZS	
E.H	TIFICATE HOLDER Southland Carp. ATTN: John H. Nickarson 22 Christy's Drive Brockten MA		340000 ANY 0 EXPIRATION DAT <u>30</u> DAYS BUT FAILURE TO OF ANY KING VI	F THE ABOVE DESCRIBE E THERECF, THE ISSUIN VHISTEN NOTICE TO TH I MAIL SUCH NOTICE SI	D POLICIES BE CANCELLED BEFO KI COMPANY WILL ENDEAVOR TO E CERTIFICATE HOLDER NAMED HALL IMPOSE NO OBLIGATION OF AGENTS OR REPRESENTATIVES.	NAC THE	e : Left	

THE SOUTHLAND CORPORATION

1075 Cranbury South River Road - Suite 4 - Jamesburg, New Jersey 08831-9723 (609/860-5239 Tel) - (609/409-9326 Fax)

April 22, 1999

To whom it may concern:

This letter is intended to serve as a verification that The Southland Corp.'s has appointed the following company and their associates in our behalf to secure all necessary sign and/or electrical permits.

Jutras Sign Co. 711 Mast Road Manchester, NH 03102

If there are any questions or concerns, please feel free to give me a call at 609/860-5005.

Sincerely,

Joe Brown Division Maintenance Manager

	BUILDING PERMIT REPORT
DAT	E: 5MAY 99 ADDRESS: 704 Congress ST. CBL: 055-E-026
REA	SONFOR PERMIT: SIGNA 9.
BUI	LDING OWNER: 7-11 The SouthLand Corp.
PER	MITAPPLICANT: IContractor JUTras Signs Inc.
USE	GROUP <u>SIGNAGU</u> BOCA 1996 CONSTRUCTION TYPE
	CONDITION(S) OF APPROVAL
	permit is being issued with the understanding that the following conditions are met:
Appr	roved with the following conditions: $\frac{\times (\frac{\times 34}{.})}{.}$
₩1. 2.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.
3.	(A 24 hour notice is required prior to inspection) Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than
5.	10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the
	footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter
	membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor
	elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be
4.	placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and
	a maximum 6' o.c. between bolts. (Section 2305.17)
5.	Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
6.	Precaution must be taken to protect concrete from freezing. Section 1908.0
7.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent
	interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private
	garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area
	by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the
9.	garage side. (Chapter 4, Section 407.0 of the BOCA/1996) All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National
2.	Mechanical Code/1993). Chapter 12 & NFPA 211
10.	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
11.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces
	for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use
	Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through
	any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but
	not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section
	with an outside diameter of at least 1 14" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of
	stairway. (Section 1014.7)
12.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0) Stair construction in <u>Use Group R-3 & R-4is a minimum of 10" tread and 7 %" maximum rise</u> . All other Use Group minimum 11"
13.	tread, 7" maximum rise. (Section 1014.0)
14.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15.	Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door
	approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate
	tools. Where windows are provided as <u>means of egress or rescue</u> they shall have a sill height not more than 44 inches (1118mm) above
	the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
	(Section 1018.6)
16.	Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits

.

÷

- -----

.

directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self .
closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

.

18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

والدار والشرور ومناجع مديكات المرازع تهار ويشتم والارد

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. <u>No closing in of walls until</u> <u>all electrical (min. 72 hours notice) and plumbing inspections have been done.</u>
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.
 Glass and glazing shall meet the requirements of Chapter 24 of the building code.

All signage shall be done in accordance with section. 34. 3102.0 ot the C. bldg. Codf 35. 36.

el Hoffses, Building Inspector Lt. McDougall, PFD Marge Schmuckal, Zoning Administrator

PSH 12-14-98

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.