

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 38 Cushman Street, 04102		Owner: Margaret & Mark Hollings		Phone: 781-8385	Permit No: 000523	
Owner Address: 38 Cushman Street, 04102		Lessee/Buyer's Name:		Phone: 892-6335		
Contractor Name: John Merrill Builders		Address: 131 Roosevelt Trail, 04093		Phone: 892-6335	Permit Issued: MAY 19 2000 DEPT. OF BUILDING INSPECTION CITY OF PORTLAND, ME	
Past Use: multi		Proposed Use: SAME		COST OF WORK: \$ 3,000.00		
Proposed Project Description: Replace existing deck in rear and add windows.		Signature: [Signature]		PERMIT FEE: \$ 42.00	Zone: CBL	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: 92 Type: 53
				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		
				Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		
Permit Taken By: GD		Date Applied For: MC 5-08-2000		Signature: [Signature] Date: [Blank]		

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

Call for P/u 780-1416 ext 2420 (Mark)

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT ADDRESS: DATE: 5-08-2000 PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

**PERMIT ISSUED
WITH REQUIREMENTS**

- Zoning Appeal**
- ☐ Variance
 - ☐ Miscellaneous
 - ☐ Conditional Use
 - ☐ Interpretation
 - ☐ Approved
 - ☐ Denied

- Historic Preservation**
- ☐ Not in District or Landmark
 - ☐ Does Not Require Review
 - ☐ Requires Review

- Action:**
- ☐ Approved
 - ☐ Approved with Conditions
 - ☐ Denied

Date: _____

**PERMIT ISSUED
WITH REQUIREMENTS
CEO DISTRICT**

JOHN BURRILL BUILDERS

133 ROOSEVELT TRAIL
WINDELL MAINE 04067

Phone 8926775
Fax 555-9876

May 07, 2000

Mark and Margaret Molinoff
38 Cushman St.
Portland, Maine

DECK REMOVAL BACK OF HOUSE
COMPLETE DEMOLITION
TRASH REMOVAL
RE-SIDE WALL WHERE ROOF IS REMOVED

400.00 ✓

495.00 ✓

NEW DECK SAME DIMENSIONS
2X8 JOISTS 5/4 DECKING PT
2X4--4X4 RAIL W/ 2X2 BALLUSTERS

1450.00 ✓

1) WINDOW INSTALL(WINDOW PRICE NOT INCLUDED)
TRIM WINDOW INTERIOR
TRIM WINDOW EXTERIOR
2) CABINET TAKE OUT---REINSTALL
NOT RESPONSIBLE FOR LOOSE PLASTER
KITCHEN CEILING NOT DECIDED YET

480.00

375.00

250.00

425.00

TO: City of Portland
Dept. of Urban Development

From: Margaret and Mark Molinoff
38 Cushman Street
Portland, ME 04102

Date: May 8, 2000

Re: Request for building permit

Project description:

We want to remove the existing enclosed back porch off of the first floor, which is 4'x12' see Photo A, B, and D. In it's place, we want to build an 8'x12' deck. (See Design 1.) The deck will incorporate the existing back stairs. The depth of the deck will not exceed the depth of the existing back stairs.

In addition, we want to put in four windows along the back wall on the first floor to mirror the look of the four windows on the second floor. (See Design 2 and Photo A.) This will create a much nicer, uniform look to the backside of the house. (Something everyone, including our neighbors can appreciate.)

We have met with Bill Needleman from the Historic Preservation. He has reviewed these ideas and agreed that they will add value to the house and not compromise its historic appeal.



The work is to be done by John Burrill Builders of Winham, ME (See Estimate.) His references have confirmed that he will perform the work most adequately within an appropriate timeframe (1 month) and cost (\$3K).

Thank you for your review.

If additional information or comments are needed, please contact us at 761-9365.


We look forward to improving our home with these renovations.





SCALE 1/2"=1'-0"


Design 2
(Inside View)



Design 1

S

2-6 Zone
REAR 20' Reg - 57' Shown
side 10' Reg - 35 & 36' Shown



**THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE
PERMIT IS ISSUED**

**Building or Use Permit Pre-Application
Attached Single Family Dwellings/Two-Family Dwelling
Multi-Family or Commercial Structures and Additions Thereto**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction (include Portion of Building): <u>38 Cushman St., Portland, ME 04102</u>			
Total Square Footage of Proposed Structure		Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number	Owner:	Telephone#:	
Chart# <u>056</u> Block# <u>D</u> Lot# <u>004</u>	<u>Margaret: Mark Molino</u>	<u>761-9345</u>	
Owner's Address:	Lessee/Buyer's Name (If Applicable)	Cost Of Work:	Fee
<u>38 Cushman St., Portland, ME</u>		<u>\$3,000</u>	<u>\$42.00</u>
Proposed Project Description: (Please be as specific as possible) <u>Remove existing enclosed porch on first floor at the back of the house. Replace porch with open deck. Insert four windows into back wall, similar to the four windows on the 2nd floor. (Essentially, create a uniform look to the back of the house.)</u>			
Contractor's Name, Address & Telephone		Rec'd By	
<u>892-6775</u> <u>John Burnell Builders 133 Roosevelt Trail Londonderry ME</u>			
Current Use:	Proposed Use:		
<u>Multi</u>	<u>Same</u>		

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: <u>[Signature]</u>	Date: <u>5.8.2000</u>
--	-----------------------

Building Permit Fee: \$30.00 for the 1st \$1000.00 cost plus \$6.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

Inspection Services
Michael J. Nugent
Manager



Housing & Neighborhood Services
Mark Adelson
Director

CITY OF PORTLAND

56-D-004
March 20, 2002

Margaret & Mark Molinoff
38 Cushman Street
Portland, ME 04102

Re: 38 Cushman St.
CBL: 056-D-004

Dear Mr. & Mrs. Molinoff:


This letter verifies that work performed under Building Permit #99028 and #000523 issued by the City of Portland at the above address has been completed. Inspections have been recorded and are in accordance with the applicable code requirements.

Please feel free to call me, Jeanie Bourke @ 874-8715 if you have any questions.

Sincerely,

A handwritten signature in cursive script that reads "Jeanie Bourke".

Jeanie Bourke
Code Enforcement Officer



BUILDING PERMIT REPORT

DATE: 9/MAY/2000 ADDRESS: 38 Cushman ST. CBL: 056-D-004
REASON FOR PERMIT: Replace existing deck in rear - and add windows
BUILDING OWNER: The Molinoff's
PERMIT APPLICANT: _____ /CONTRACTOR John Buxrill Builders
USE GROUP: R-2 CONSTRUCTION TYPE: 5B CONSTRUCTION COST: 3,000.00 PERMIT FEES: 4268

The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments)
The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)

CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met: *1, *2, *11, *13, *27, *29, *32, *36, *37

- X 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- X 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) **"ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."**
3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
6. Precaution must be taken to protect concrete from freezing. Section 1908.0
7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- X 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A,B,H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
- X 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0) See attachments
- X 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0) See attachments
14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)
18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

COMMENTS

3/11/02 Final Inspection - Deck replaces old porch in same foot print. Appears sauna Footings installed w/ 4x4 posts anchored w/ Simpson Brackets. Joists 2x6 - w/ hangers both ends - Ledger Lag bolts to house.

Change in Stairway location - instead of off the Rear they enter the Driveway side. Needs Graopable Hand Rail. JB

Windows same as 2nd Floor 5-2' windows w/ Mullions JB
3/19/02 Graopable Rail installed JB

56-D-4

#000523

Inspection Record

Type

Foundation: _____

Framing: _____

Plumbing: _____

Final: _____

Other: _____

Date

19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)

21. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.

22. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.

23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)

24. Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.

26. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).

X 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.

28. All requirements must be met before a final Certificate of Occupancy is issued.

X 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).

30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)

31. Please read and implement the attached Land Use Zoning report requirements.

X 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.

33. Bridging shall comply with Section 2305.16.

34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

X 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

X 36. This permit is being issued with the understanding that the existing foundation is being used - IF THIS IS NOT THE CASE AN AMENDMENT SHALL BE APPLIED FOR.

X 37. Your plan did not show header size for the proposed windows please submit this detail before work begins

P. Samuel Hoffses, Building Inspector

Cc: Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 1/26/00

****On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.**

*****THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.**

******CERTIFICATE OF OCCUPANCY FEE \$50.00**

****** ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL,(AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.**