



EXISTING WALLS  
NEW WALLS

- NOTES:
- 1.) MECHANICAL, ELECTRICAL, AND PLUMBING SPECIFICATIONS AND PERMITS BY OTHERS, TO CODE.
  - 2.) PROVIDE HARD-WIRED SMOKE AND CARBON MONOXIDE ALARMS IN LOCATIONS NOTED.
  - 3.) REUSE EXISTING OUTLET AND LIGHTING LOCATIONS WHERE POSSIBLE. (EXCEPTIONS TO LIGHTING PLAN TO BE INDIVIDUALLY APPROVED)
  - 5.) ENSURE THAT ALL DIMMER SWITCHES, LIGHT FIXTURES, AND BULBS ARE COMPATIBLE.

Rachel Conly Design LLC  
26 Sterling Street  
Peaks Island, Maine 04108  
207.766.5625

DATE	NOTES
2017.09.18	
REVISION	

1/4" = 1'

PROJECT  
**Bates Residence**  
73 Spruce St. #1  
Portland, ME  
04102

# A Proposed First Floor Lighting Plan

<p>NOTES:</p> <ul style="list-style-type: none"> <li>⊕ DUPLEX RECEPTACLE</li> <li>⊕ GFI GROUND FAULT CIRCUIT INTERRUPTER</li> <li>⊕ 240 V</li> <li>⊕ SWITCH</li> </ul>	<ul style="list-style-type: none"> <li>3-WAY SWITCH</li> <li>DIMMER SWITCH</li> <li>SD SMOKE DETECTOR</li> <li>CO CARBON MONOXIDE DETECTOR</li> </ul>	<ul style="list-style-type: none"> <li>CEILING MOUNT LIGHT FIXTURE</li> <li>WALL SCONCE LIGHT FIXTURE</li> <li>LOW PROFILE WALL SCONCE LIGHT FIXTURE</li> <li>WET LOCATION WALL SCONCE LIGHT FIXTURE</li> </ul>	<ul style="list-style-type: none"> <li>PENDANT LIGHT FIXTURE</li> <li>RC RECESSED CAN LIGHT FIXTURE</li> <li>FC COMPACT FLUORESCENT RECESSED CAN LIGHT</li> <li>LED 3" LED RECESSED CAN LIGHT</li> </ul>	<ul style="list-style-type: none"> <li>UNDER-COUNTER LIGHTS</li> <li>TRACK LIGHTING</li> <li>LOCALLY SWITCHED CLOSET RATED LIGHT</li> </ul>	<ul style="list-style-type: none"> <li>CEILING FAN WITH INTEGRAL LIGHT</li> <li>CEILING FAN</li> <li>MINIMUM 50 CFM VENT FAN</li> <li>MINIMUM 50 CFM VENT FAN/LIGHT COMBO</li> </ul>	<ul style="list-style-type: none"> <li>PHONE JACK</li> <li>DSL JACK</li> <li>CABLE JACK</li> <li>CAT 5 JACK</li> <li>CENTRAL VACUUM PORT</li> </ul>
--	---	---	--	---	--	---

**E2**  
Proposed  
First Floor  
Lighting Plan