Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/28/18

STAIR DETAILS FOR RESIDENTIAL USE

Typical residential risers and treads

Typical newel post construction

Alternate: Newel post may be bolted to a stringer.

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/28/18

PORCH SKIRT DETAILS

Construction of typical porch skirting

Lattice construction

Lattice construction

Note: If prefabricated lattice is to be used, it should be the heaviest grade and highest quality material available.

CITY OF PORTLAND, MAINE RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/28/18

BALUSTER DETAILS

Turned baluster construction

Baluster construction

Baluster construction

This type of baluster, while easy to construct, is not appropriate for traditional buildings.

CITY OF PORTLAND, MAINE
RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/28/18

COLONIAL & FEDERAL DETAILS

Colonial entry

Federal entry

Colonial and Federal balusters

SQUARE OR ROUND BALUSTERS FROM 2" X 2" STOCK. FINISHED SIZE IS 1 1/2" X 1 1/2".

Colonial and Federal newel post

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 03/28/18

GREEK REVIVAL PORCH DETAILS

Typical Greek Revival Balusters

SQUARE OR ROUND BALUSTERS FROM 2" X 2" STOCK. FINISHED SIZE IS 1 1/2" X 1 1/2".

Typical Greek Revival Porch Skirting