
FILL IN AND SIGN WITH INK



APPLICATION FOR PERMIT FOR HEATING, COOKING OR POWER EQUIPMENT



	Portland, Maine,
	To the INSPECTOR OF BUILDINGS, PORTLAND, ME. 04 October 1996
	The undersigned hereby applies for a permit to install the following heating, cooking or power equipment in accordance with the Laws of Maine, the Building Code of the City of Portland, and the following specifications:
	Location 259 Danforth St Use of Building 3-fam No. Stories New Building Existing "
	Name and address of owner of appliance Gary Sidelinger
	Installer's name and address Charlie Burnham P.O. Box 382 Telephone 865-9010
-	Freeport, ME 04032
	General Description of Work
	To install Steam Boiler
	IF HEATER, OR POWER BOILER
	Location of appliance basement Any burnable material in floor surface or beneath no
	Location of appliance basement Any burnable material in floor surface or beneath no
	If so, how protected? Kimi of full? #2 0i1
	Minimum distance to burnable material, from top of appliance or casing top of furnace 18"+
	From top of smoke pipe 18"+ From front of appliance 24" From sides or back of appliance 1" rear
	Size of chimney flue 6" Other connections to same flue yes - 7" flue
	If gas fired, how vented? Rated maximum demand per hour 150,000
-	Will sufficient fresh air be supplied to the appliance to insure proper and safe combustion? yes
	IF OIL BURNER
Ť	Name and type of burner KNXNXXX Beckett Labelled by underwriters' laboratories? yes
	Will operator be always in attendance? no Does oil supply line feed from top or bottom of tank? bottom
	Type of floor beneath burner concrete Size of vent pipe 1 1/4"
	Legation of all storage basement Number and capacity of tanks 1-275
	** DE 12 2
	· · · · · · · · · · · · · · · · · · ·
	389 1029 1030
	- O 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3