Location of Construction: 251 Bantorth Street	Owner: Fortland West		Phone:	1105	Permit No: 99014 C
Owner Address: 181 Brockett Street	Lessee/Buyer's Name:	Phone:	Busines	sName:	PERMIT ISSUED
Contractor Name:	Address:	Ph	one:		Permit Issued:
Past Use: Mixed Use3 Apts./Retail	Proposed Use: Kizzd Use Day Care/Apartments/ Community Policing			PERMIT FEE: \$ 31.00 INSPECTION SIgnage Use Group: Type: BAC A -	Zone: CBL: 057-B-024
Proposed Project Description: Erect a 3x10 temporary better on a loter for the state	2	Signature: PEDESTRIAN Action: Signature:	Approved	Signature: ATU S DISTRICT (PA.D.) with Conditions:	Zoning Approval: Special Zone or Reviews: Shoreland Wetland Flood Zone Subdivision

2-23-99

1.	This permit application does not preclude the Applicant(s) from meeting applicable State ar	d Federal rules.

Date Applied For:

2. Building permits do not include plumbing, septic or electrical work.

SP

Permit Taken By:

Building permits are void if work is not started within six (6) months of the date of issuance. False informa-3. tion may invalidate a building permit and stop all work..

WITH REQUIREMENTS

PHONE:

CERTIFICATION □ Appoved □ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

CEO DISTRICT

Zoning Appeal

Historic Preservation Not in District or Landmark Does Not Require Review

□ Variance □ Miscellaneous

Denied

Action:

Conditional Use

Requires Review

□ Interpretation □ Approved

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	251 Danfaeth St					
Total Square Footage of Proposed Structure 30 5g +	Square Footage of Lot					
Tax Assessor's Chart, Block & Lot Number	Owner:	Telephone#:				
Chart# 057 Block# B Lot# 024	Forthand West	775.0105				
Owner's Address:	Lessee/Buyer's Name (If Applicable)	Cost Of Work: Fee				
181 Brackott St.		\$ \$ <u>3</u> /				
Proposed Project Description (Please be as specific as possible)	hanging ~ hove either	una 6 or hand				
Proposed Project Description. (Please be as specific as possible) hanging a proper withy when i or hundes We would like to havry a tempokary banner on the autside of the building						
Contractor's Name, Address & Telephone Cucus Communications Rec'd By S						
Current Use:	Proposed Use:					

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professiona

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	QL	Date: 2 22 99
- 1111 - 1. F. AOF 00	1 1 0000 1 1 0C 00 01	000.00

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum

OF PORTLAND, ME

FFB 2 3 1999

MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS	PLEASE ANSWER ALL QUESTIONS ESS: 251 Denforth Street
PLEASE ANSWER ALL QUESTIONS ADDRESS: 251 Danforth Street	PLEASE ANSWER ALL QUESTIONS ESS: 251 Denforth Street
ADDRESS: 25 Danforth Street zone: Zone: Cone: Co	ESS: 251 Danforth Street ZONE: R: Partiand West CANT: Defland West SOR NO. ELEASE CIRCLE APPROPRIATE ANSWEB TENANT LOT? YES NO MULTI-TENANT LOT? YES NO ANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT DRE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT TTACHED TO BLDG.? YES NO DIMENSIONS HEIGHT DIMENSIONS DIMENSIONS SCIES NO SORE THAN ONE SIGN? YES NO DIMENSIONS SCIES DIMENSIONS DIMENSIONS CONSTRAINED DIMENSIONS CONSTRAIN
OWNER:	R: Portland West CANT: DRHand West SOR NO. ELEASE CIRCLE APPROPRIATE ANSWER TENANT LOT ? YES NO MULTI-TENANT LOT? YES NO ANDING SIGN? (ex. Pole Sign) YES NO ANDING SIGN? (ex. Pole Sign) YES NO CRE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT TACHED TO BLDG.? YES NO DIMENSIONS CRE THAN ONE SIGN? YES NO DIMENSIONS G: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK ERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
APPLICANT:	CANT:
ASSESSOR NO	SOR NO
ELEASE CIRCLE APPROPRIATE ANSWEB SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS MORE THAN ONE SIGN? YES NO DIMENSIONS MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO DIMENSIONS MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO MORE THAN ONE SIG	ELEASE CIRCLE APPROPRIATE ANSWER TENANT LOT ? YES NO MULTI-TENANT LOT? YES NO ANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT DIMENSIONS HEIGHT DIMENSIONS DIMENSIONS DIMENSIONS DIMENSIONS DIMENSIONS DIMENSIONS DIMENSIONS DIMENSIONS
SINGLE TENANT LOT ? YES NO MULTI-TENANT LOT? YES NO FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS MORE THAN ONE SIGN? YES NO MORE THAN ONE SIGN? YES NO DIMENSIONS	TENANT LOT ? YES NO MULTI-TENANT LOT? YES NO ANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT DRE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT DRE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT DRE THAN ONE SIGN? YES NO DIMENSIONS
FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS DIMENSIONS MORE THAN ONE SIGN? YES NO DIMENSIONS DIMENSIONS MORE THAN ONE SIGN? YES NO DIMENSIONS DIMENSIONS AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?	ANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT DRE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT TACHED TO BLDG.? YES NO DIMENSIONS DRE THAN ONE SIGN? YES NO DIMENSIONS DRE THAN ONE SIGN? YES NO DIMENSIONS G: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK ERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS MORE THAN ONE SIGN? YES NO DIMENSIONS AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?	DRE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT TACHED TO BLDG.? YES NO DIMENSIONS DRE THAN ONE SIGN? YES NO DIMENSIONS DRE THAN ONE SIGN? YES NO DIMENSIONS G: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK ERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS MORE THAN ONE SIGN? YES NO DIMENSIONS AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?	TACHED TO BLDG.? YES NO DIMENSIONS DRE THAN ONE SIGN? YES NO DIMENSIONS G: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK ERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
MORE THAN ONE SIGN? YES NO DIMENSIONS AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?	DRE THAN ONE SIGN? YES NO DIMENSIONS G: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK ERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK	G: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK
IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?	ERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: ORIO	L EXISTING SIGNAGE AND THEIR DIMENSIONS: <u>SATO</u>
*** TENANT BLDG. FRONTAGE (IN FEET):	

AREA FOR COMPUTATION

YOU SHALL PROVIDE:
A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE
EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES
AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.
SIGNATURE OF APPLICANT: Dem DATE:

FEB-22-99 MON 11:21 AM HOLDEN AGENCY

FAX NO. 207 775 3691

2.02

and the second second

P O BOX 10610 PORTLAND MAIN PORTLAND WEST PLANNING COUN 181 BRACKETT		COMPANY	COMPANIES	AFFORDED BY THE POLICIES BELOW
PORTLAND WEST PLANNING COUN	T		- Countraties	AFFORDING COVERAGE
PLANNING COUN	NEIGHBORHOOD	A	PENN AME	ERICA INSURANCE CO.
PLANNING COUN		COMPANY		
181 BEACKETT		COMPANY		
PORTLAND	ME 04102	C		
A CONTRACTOR OF		D		
TO CERTIFY THAT THE POLED, NOTWITHSTANDING AN CATE MAY BE ISSUED OR	NY REQUIREMENT, TERM OR CON MAY PERTAIN, THE INSURANCE A	DITION OF ANY CONTRAFFORDED BY THE PO	LICIES DESCRIBE	DOCUMENT WITH RESPECT TO WHICH THE
VPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MINDD/YY)	LIMITS
AL LIABILITY	PAC6067685	3/16/98	3/16/99	GENERAL AGGREGATE \$1,000,00
MMERCIAL GENERAL LIABILITY			1	PRODUCTS - COMPAP AGE \$1,000,00
				PERSONAL & ADV INJURY \$1,000,00
NER'S & CONTRACTOR'S PROT			1	EACH OCCURRENCE \$1,000,00
			1	FIRE DAMAGE (Any one fire) \$ 50,00
OBILE LIABILITY				NED EXP (Any one person) a 5,00
Y AUTO				COMBINED SINGLE LIMIT 5
HEDULED AUTOS		ş		BODILY INJURY (Per person)
RED AUTOS IN OWNED AUTOS			1	BODBY INLINY (Per accident) 5
				PROPERTY DAMAGE
YTLIBILITY				AUTO ONLY - EA ACCIDENT &
OTLIA Y			1	OTHER THAN AUTO ONLY:
	Ì.			EACH ACCIDENT \$
				AGGREGATE \$
S LIABILITY			1	EACH OCCURRENCE S
				AGGREGATE
				WC STATU- OTH- TORY LIMITS ER
YERS' LIABILITY				EL EACH ACCIDENT &
	1			EL DISFASE-POLICY LIMIT \$
FRSIEXECUTIVE)		EL DISEASE-CA ENPLOYEE \$
	ED. NOTWITHSTANDING AN CATE MAY BE ISSUED OR IONS AND CONDITIONS OF YPE OF INSURANCE ALLIABILITY AMERCIAL GENERAL LIABILITY OLAIMS MADE X OCCUR MER'S & CONTRACTOR'S PROT OBBLE LIABILITY Y AUTO OWNED AUTOS NOWNED AUTOS NOWNED AUTOS NOWNED AUTOS E LIABILITY BRELLA FORM HER THAN UMBRELLA FORM DBS COMPENSATION AND YERY LIABILITY ORBUETON	TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BEL ED, NOTWITHSTANDING ANY REQUIREMENT, THE INSURANCE / IONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN VPE OF INSURANCE POLICY NUMBER INTERCIAL GENERAL LIABILITY OLAIMS MADE X OCCUR VER'S & CONTRACTOR'S PROT OBSLE LIABILITY Y AUTO OWNED AUTOS HED AUTOS NOWNED AUTOS HED AUTOS ILABILITY Y AUTO S LIABILITY BRELLA FORM HER THAN UMBRELLA FORM DES COMPENSATION AND YER'S LIABILITY WORKETOR: INCL	TO CERTIFY THAT THE POLICIES OF INSURANCE LIGTED BELOW HAVE BEEN ISSUE TO CERTIFY THAT THE POLICIES OF INSURANCE LIGTED BELOW HAVE BEEN ISSUE CATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE PO- IONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN RED POLICY NUMBER POLICY NUMBER POLICY INMER POLICY EFFECTIVE DATE (MM/BDYY) AL LIABILITY AL LIABILITY OLAIMS MADE X OCCUR VER'S & CONTRACTOR'S PROT COSKE LIABILITY Y AUTO OWNED AUTOS VERUE AUTOS NOWNED AUTOS VERUE AUTOS NOWNED AUTOS VALUES S LIABILITY S LIABILITY S LIABILITY S LIABILITY MORNIA GENERAL LIABILITY NORNE AUTOS NOWNED AUTOS NOWNED AUTOS VALUES S LIABILITY Y AUTO S LIABILITY NORNE CONTRACTORY S PROT S LIABILITY NORNE CONTRACTORY S DECLE S LIABILITY S S COMPENSION AND S S COMPENSION AND S S S S S S S S S S S S S S S S S S S	TO CERTIFY THAT THE POLICIES OF INSURANCE LIGTED BELOW HAVE BEEN ISSUED TO THE INSURE ED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT CR OTHER I CATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBENT (INSURANCE POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CL VPR OF INSURANCE POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CL VPR OF INSURANCE POLICY NUMBER POLICY EXPHANDON MARCOAL GENERAL LIASILITY OLAIMS MADE X OCCUR VERS'S & CONTRACTOR'S PROT OBILE LIABILITY Y AUTO OWNED AUTOS HED LATOS NOWNED AUTOS HED LATOS NOWNED AUTOS STABLITY Y AUTO STABLITY BRELLA FORM HET THAN UMBRELLA FORM DEB COMPENEATION AND YERS' LIABILITY KOPRIETOR' NUMBER



Portland West Neighborhood Planning Council 181 BRACKETT STREET PORTLAND, MAINE 04102

> TELEPHONE 207-775-0105 FAX 207-780-1701

February 22, 1999

City of Portland Inspections Department Attn: Nadine 389 Congress Street Portland, Maine 04101

Dear Nadine:


I grant permission for Portland West to hang a temporary banner on the exterior of 251 Danforth Street. If you have any questions, please telephone me at 775-0105.

Sincerely,

Ethan Strimling Executive Director, Portland West



The temporary banner will hang approx. here.



Certifi	cate of Flame R	esistance
	Issued By Cormier Textile Products, Inc. 15 Cider Hill Road York, Maine 03	909
This certifies	that the materials described below	w are flame retardant.
For: PORTLAND	WEST Address: 181 B	RACKETT ST.
City: PORTLAND	State: Mℓ€	Zip: CHIOZ
approved by the Sta Date Manufactured:	ed below are made from a flame-resistant fabri te Fire Marshal for such use. 1998 10oz. & 13oz. Standard Colors; 10oz. 12oz. & 16oz. Blackout (white); Impe	& 13oz. Enamel Receptive;
The Flame Retarda	nt Process Used WILL NOT Be	Removed By Washing.
	CORMIER TEXTILE PRODUCTS, I Signed: <u>(equilible Ample)</u> Kenneth A. Cormier, Presid Name of Company Office	ent

ŀ

.

т N

FEB 22 '99 09:20AM NUTRI/SYSTEM

BUILDING PERMIT REPORT

DAT	re: 24 February 1999 ADDRESS: 251 Danforth ST- CBL \$57-B-\$24
REA	SON FOR PERMIT: Banneh
BUI	IDING OWNER: Parthand Wegt Neighborhood Danning Curcil
CON	TRACTOR: SAMe
PER	MIT APPLICANT:/
USE	GROUP \$2/6 BOCA 1996 CONSTRUCTION TYPE
	CONDITION(S) OF APPROVAL
This	Permit is being issued with the understanding that the following conditions are met:
	roved with the following conditions: $\frac{\chi}{\chi}$
Арр	roved with the following conditions:
-11.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
2.5	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more
	than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside
	edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the
	floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with
	an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane
	material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6"
	of the same material. Section 1813.5.2
2.6	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of
	foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
3.	Precaution must be taken to protect concrete from freezing. Section 1908.0
4.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
5.	verify that the proper setbacks are maintained. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from
Э.	adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting
	rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior
	spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board
	or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National
	Mechanical Code/1993). Chapter 12 & NFPA 211
7.	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
0	building code. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking
8.	surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum
	height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and
	public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a
	diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
	(Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
	Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections
	1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
9.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
10.	Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum
	11" tread. 7" maximum rise. (Section 1014.0)
11.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4

12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special

knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

- Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it 13. exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0
- The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing 15. automatic extinguishment. Table 302.1.1
- 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

- A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an 17. approved type. Section 921.0
- The Fire Alarm System shall be maintained to NFPA #72 Standard. 18.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 20. 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a 22. certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- Please read and implement the attached Land Use-Zoning report requirements. 28.
- Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building 29. code. 30.

Glass and glazing shall meet the requirements of Chapter 24 of the building code,

31.	This Bann	er shall	be han.	1 1 0	accordance	with Section	3102.12.1
)		ling Cod					
32.		/					

×

33.

appliellt Ases, Building Inspector cc: Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 8-1-98