



© 2016 RYAN SENATORE ARCHITECTURE

LITTLE GIANT RESTAURANT
 211 DANFORTH STREET
 PORTLAND, MAINE



RYAN SENATORE ARCHITECTURE
 565 CONGRESS STREET
 PORTLAND, MAINE 04101
 207-650-6414
 senatorearchitecture.com

CONSULTANTS:

REVISIONS:

DATE: NOVEMBER 29, 2016

PROJECT No. 1640

DRAWN BY: RRT, RJS

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:
FINISH SCHEDULE

A7-2

ROOM FINISH SCHEDULE

ROOM #	ROOM NAME	WALLS					FLOOR	CEILINGS			REMARKS	PAINT COLOR
		NORTH	EAST	SOUTH	WEST	BASE		MATL.	HEIGHT	RATING		
100	ENTRY	1	1	1	1	10	25	31	-	-		
101	BAR	1	1	1	1	10	20	31	-	-		
102	DINING ROOM 1	1	1	1	1	10	20	31	-	-		
103	DINING ROOM 2	1	1	1	1	10	20	32	-	-		
104	KITCHEN	1	1	1	1	11	24	34	-	-		
105	HALL	1	1	1	1	10	20	30	-	-		
106	BATHROOM 2	2	2	2	2	10	21	33	-	-		
107	BATHROOM 1	2	2	2	2	10	21	33	-	-		
108	HALL	1	1	1	1	10	24	30	-	-		
109	EXISTING VARIETY STORE	1	1	1	1	11	24	30	-	-		

PAINT NOTES

- 1.) XXXXX
- 2.)
- 3.)

FINISH SCHEDULE KEY

WALLS	
1	GWB - PAINTED
2	MOISTURE RESISTANT GWB - PAINTED
3	
4	
5	
6	
7	
8	
9	
BASE	
10	WOOD BASE
11	4" VINYL
12	
FLOORS	
20	ENGINEERED WOOD
21	TILE
22	PLYWOOD
23	CONCRETE
24	QUARRY TILE
25	PORCELAIN TILE
26	
27	
28	
CEILINGS	
30	GWB - PAINTED
31	EXPOSED RAFTERS - PAINTED
32	WOOD CEILING - REFINISH
33	MOISTURE RESISTANT GWB - PAINTED
34	2'X2' CLEAN ROOM ACT TILE AND GRID

ROOM FINISH GENERAL NOTES

- 1 ALSO SEE INTERIOR ELEVATIONS FOR GRAPHIC DEPICTION'S OF EXTENT OF FINISHES
- 2 INSTALL MOISTURE RESISTANT (MOLD AND MILDEW RESISTANT) GWB IN ALL AREAS WHERE PLUMBING FIXTURES EXIST (CEILING AND WALLS IN BATHROOMS)
- 3 CLOSETS SHALL BE FINISHED AS THE ROOMS THEY SERVICE
- 4 ALL SPACES DESIGNATED AS CLOSET OR 'CL.' ARE TO RECEIVE ONE CLOTHING ROD 5'-2" AFF AND ONE 12" SHELF ABOVE THE ROD ALONG THE WALL OPPOSITE THE DOOR UNLESS NOTED OTHERWISE.
- 5 ALL SPACES DESIGNATED AS LINEN CLOSETS (LIN) OR PANTRY (PAN) ARE TO RECEIVE FOUR 12" SHELVES SPACED AT 1'-6" OC STARTING AT FINISH FLOOR. UNLESS NOTED OTHERWISE.
- 6 PROVIDE APPROPRIATE BLOCKING IN WALLS OF ALL BATHROOMS BEHIND FIXTURES, PARTITIONS AND ACCESSORIES. PROVIDE BLOCKING FOR GRAB BARS IN WALLS OF BATHROOMS
- 6 PROVIDE APPROPRIATE BLOCKING IN WALLS FOR DOOR STOPS
- 7 PROVIDE APPROPRIATE BLOCKING IN WALLS FOR WALL HUNG CABINERY
- 8 BOTTOM EDGE OF GWB ON WALL SURFACES TO BE HELD UP 1/2" FROM CONCRETE FLOOR SURFACES
- 9 PROVIDE VINYL TRANSITIONS STRIPS AT ALL FLOOR TRANSITIONS UNLESS OTHERWISE NOTED
- 10 UNLESS OTHERWISE NOTED IN DRAWINGS THE TYPICAL WALL TYPE IS 'NA'. ALL OTHER PARTITION TYPES WILL BE INDICATED.
- 11 VERIFY UNDERLAYMENT MEETS MANUFACTURERS SPECIFICATION AT RESILIENT FLOORING