## City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction:	Owner:		Phone:	Permit No:
258-262 Danforth	Leis Marphy		846~1401	001000
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	001082
30 E. Elm St., Yarmouth, ME 0409	Address:	Dhange	12	Permit Issued:
Contractor Name:		Phone:		i dinit iboudul
Past Use:	Proposed Use:	COST OF WORK	: PERMIT FEE:	SEP 2 7 2001
Tast Ose.	rioposed ese.	\$ 3,000.00	\$ 42.00	OLI L I LOU
		FIRE DEPT. A	pproved INSPECTION:	
				2
Multi-Fauily	Nult1-Family		Boc 4991 0	Zone: CBL:
		Signature: -()	Signature: Tellien	057-G-001
Proposed Project Description:			TIVITIES DISTRICT (A.D.)	Zoning Approval:
			pproved	
Replace rotting portions of deck	as well as railings		pproved with Conditions:	Special Zone of Reviews.
			enied	
				D Flood Zone
		Signature:	Date:	□Subdivision
Permit Taken By:	Date Applied For:			Site Plan maj Dminor Dmm D
Sayis Jodine		September 20, 2	000 GG	Zoning Appeal
1. This permit application does not preclude the A	□ Variance			
	□Miscellaneous			
2. Building permits do not include plumbing, sep	Conditional Use			
3. Building permits are void if work is not started		ance. False informa-		
tion may invalidate a building permit and stop	all work			□ Approved □ Denied
				Historic Preservation
				□ Not in District or Landmark
			-2	Does Not Require Review
182			PERMITISSUED WITH REQUIREMENTS	□ Requires Review
Xil			OFRIMI WREMEN	Action:
At a			THREQUI	
IN	CERTIFICATION			□Appoved
I hereby certify that I am the owner of record of the				
authorized by the owner to make this application as				
if a permit for work described in the application is i				Date:
areas covered by such permit at any reasonable how	ur to enforce the provisions of the code(	s) applicable to such p	ermit	
				2 miles
		No. 10 1000		
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	1221000
			6	OF RIMIN OF MEND
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:			TH REQUIRE	
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE:				CEOLDISTRICT
White-Per	mit Desk Green-Assessor's Canal	y-D.P.W. Pink-Pub	lic File Ivory Card-Inspector	

BUILDING PERMIT REPORT
DATE: 21 September 2K ADDRESS: 258-262 Danfor Th ST. CBL: \$57-G-\$\$
REASON FOR PERMIT: Be pair deck and railings
BUILDING OWNER: 2015 Murphy
PERMIT APPLICANT:/CONTRACTOR_JacK_STar
USE GROUP: $\underline{R}^{1}2$ construction type: 50 construction cost: 3000 correction fees: $\underline{4260}$
The City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions Shall be met: $\frac{*1}{1}$ , $\frac{*1}{1}$ , $\frac{*3}{13}$ , $\frac$

- $\chi_1$ . This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
  - 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "<u>ALL</u> LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."
  - 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
  - 4. Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17
- 5. Waterproofing and dampproofing shall be done in accordance with <u>Section 1813.0</u> of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0

A STATE OF THE STATE

- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. <u>Private garages attached side-by-side to rooms</u> in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- 11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", In occupancies in Use Group A, B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38"). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)
  - 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- X 13. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 ½" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
  - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
  - 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)
  - 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

(8.) The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1) w/small separates

- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall installed and maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 24. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. <u>No closing in of walls until all</u> <u>electrical</u> (min. 72 hours notice) <u>and plumbing inspections have been done</u>.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1999).
  - Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
  - 31. Please read and implement the attached Land Use Zoning report requirements.
  - 32. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
    33. Bridging shall comply with Section 2305.16.
- 34. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2405.0)
- 35. All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999).

30. IF The decks are part of egress, Care shall be Takenter in Not Intocking egross during Construction

\* 37. The deck' Shall remain in The Same Foil print as The Orginial decks

Samuel Hottses, Building Inspector c: / De McDougall, PFD Marge Schmuckal, Zoning Administrator

PSH 11/25/99

\*\*This Permit is herewith issued, on the basis of plans submitted and conditions placed the plans, any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

## \*\*\*\* Certificate of Occupancy Fees: \$50.00 each

\*\*\*\*\* All PLANS THAT REQUIRE A PROFESSIONAL DESIGN'S SEAL,( AS PER SECTION 114.0 OF THE BUILDING CODE ) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000 OR REQUIVALENT.

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED Building or Use Permit Pre-Application


Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

· · · · · · · · · · · · · · · · · · ·		
Location'Addressof Construction (include Portion of Building) :	258-262 Danford	
Total Square Focuse of Proposed Structure 4,000	Square Footage of Let	· · · · · · · · · · · · · · · · · · ·
Tax Assessor's Chart, Block & Lot Number Chart <sup>3</sup> OSA Block <sup>#</sup> G Lot <sup>3</sup> OO	Course Murphy	Telephonet: 846-1401
Varmouth, ME. 04096	Lessee Buyer's Name (If Applicable)	Cost Of Work: For S3,000 S42.00
Proposed Project Description: (Please be as specific as possible) Replace Rotting portions of 6		· /
Current Use: MULTI Fam		ame
· · 2) A Copy of y	ur Deed or Purchase and Sale Agreet our Construction Contract, if availal 3) A Plot Plan/Site Plan e above proposed projects. The attached 1.	ment & IF Available also ble Submit Plans on
Unless exempted by State Law, constructio	) Building Plans	registered design professional.
Unless exempted by State Law, construction complete set of construction drawings showing all of Cross Sections w/Framing details (including p Floor Plans & Elevations Window and door schedules Foundation plans with required drainage and o Electrical and plumbing layout. Mechanical du equipment, HVAC equipment (air handling) of	the following elements of construction: porches, decks w/railings, and accessor dampproofing rawings for any specialized equipments or other types of work that may require.	ry sinuctures)
ereby certify that I am the Owner of record of the named property, on the to make this application as his her authorized agent. I agent to o plication is issued, I certify that the Code Officials authorized repres force the provisions of the codes applicable to this permit.	Certification c that the proposed work is authorized by the own conform to all applicable laws of this jurisdiction. catalive shall have the authority to enter all acess	in of record and that I have been a minorized by the In addition, if a permit for work described in this covered by this permit at any reasonable hour to
Signature of applicant: Jours H. Menplus		19/00
Building Permit Fee: \$30.00 for the 1st \$	1000.cost plus \$6.00 per \$1,000.00 cor related fees zre attached on a separate a	Istriction cost letternet.



These plans are all done by professionals, If your project is listed in the attached exemptions, you can prepare your own plans. For all other projects except those exempted, a Design Professional must prepare any construction documents. When proposing an addition, similar plans are required, the same goes for a detached garage or an attached deck.