

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 43 Clarke St		Owner: Stevenson, Heather		Phone: 774-4969		Permit No 981008	
Owner Address: SAA		Lessee/Buyer's Name:		Phone:		BusinessName:	
Contractor Name: Gary Shank		Address: 15 Oak St So. Portland, ME		Phone: 04106		Permit Issued: SEP - 9 1998	
Past Use: 1-fam		Proposed Use: Same		COST OF WORK: \$ 8,900.00		PERMIT FEE: \$ 60.00	
				FIRE DEPT. <input type="checkbox"/> Approved <input type="checkbox"/> Denied		INSPECTION: Use Group: Type: 2	
Proposed Project Description: Make Interior Renovations				Signature:		Signature:	
				PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning Approval: 10-11-1-D-U	
				Action: <input type="checkbox"/> Approved <input type="checkbox"/> Approved with Conditions <input type="checkbox"/> Denied		Special Zone or Reviews: <input type="checkbox"/> Shoreland <input type="checkbox"/> Wetland <input type="checkbox"/> Flood Zone <input type="checkbox"/> Subdivision <input type="checkbox"/> Site Plan maj <input type="checkbox"/> minor <input type="checkbox"/> mm <input type="checkbox"/>	
Permit Taken By: MG		Date Applied For: 02 September 1998		Signature:		Date:	

1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.
2. Building permits do not include plumbing, septic or electrical work.
3. Building permits are void if work is not started within six (6) months of the date of issuance. False information may invalidate a building permit and stop all work..

PERMIT ISSUED WITH REQUIREMENTS

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT		ADDRESS:		DATE: 03 September 1998		PHONE:	
RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE						PHONE:	

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT

3

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

**Building or Use Permit Pre-Application
Additions/Alterations/Accessory Structures
To Detached Single Family Dwelling**

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTEIf you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.**

Location/Address of Construction: 43 Clarke St. Portland Me.


Tax Assessor's Chart, Block & Lot Number Chart# <u>058</u> Block# <u>B</u> Lot# <u>010</u>		Owner: <u>Heather Stevenson</u>	Telephone#: <u>774-4969</u>
Owner's Address: <u>(Same as above)</u> <u>43 Clarke, Portland, Me.</u>		Lessee/Buyer's Name (If Applicable)	Cost Of Work: <u>\$ 8,000</u> - Fee <u>\$ 65</u>
Proposed Project Description:(Please be as specific as possible) <u>Interior Renovation, some nonstructural framing, new sheetrock, etc.</u>			
Contractor's Name, Address & Telephone <u>Odny Shunk 15 Oak St. So. Portland Me.</u>		Rec'd By: <u>my</u>	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

- All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
- All plumbing must be conducted in compliance with the State of Maine Plumbing Code.
- All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.
- HVAC (Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

- 1) A Copy of Your Deed or Purchase and Sale Agreement
- 2) A Copy of your Construction Contract, if available
- 3) A Plot Plan (Sample Attached)



If there is expansion to the structure, a complete plot plan (Site Plan) must include:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as sheds, pools, garages and any other accessory structures.
- Scale and required zoning district setbacks

4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment. HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Janet Shaw Date: 9/1 1998

Building Permit Fee: \$25.00 for the 1st \$1000. cost plus \$5.00 per \$1,000.00 construction cost thereafter.

A. Settlement Statement

U.S. Department of Housing and Urban Development Loan # 216435477
OMB No. 2502-0265

B. Type of Loan			
1. <input type="checkbox"/> FHA 2. <input type="checkbox"/> FmHA 3. <input checked="" type="checkbox"/> Conv. Unins	6. File Number	7. Loan Number	8. Mortgage Insurance Case Number
4. <input type="checkbox"/> VA 5. <input type="checkbox"/> Conv. Ins	98-1707	216435477	

C. Note: This form is furnished to give you a statement of actual settlement costs. Amounts paid to and by the settlement agent are shown. Items marked "(P.O.C.)" were paid outside the closing; they are shown here for informational purposes and are not included in the totals.

D. Name and Address of Borrower: **Heather Stephenson**
48 Bramhall Street #1, Portland, Maine 04102

E. Name and Address of Seller: **Bert Weiss**

F. Name and Address of Lender: **Peoples Heritage Savings Bank**
One Portland Square, Portland, Maine 04112

G. Property Location: **43 Clark Street, Portland, Maine 04102**

H. Settlement Agent: **Atlantic Title Company,** I. Settlement Date **08/31/1998**
Agent's Address: **76 Atlantic Place, South Portland, Maine 04106**
Place of Settlement: **76 Atlantic Place, South Portland, Maine 04106**

J. Summary of Borrower's Transaction		K. Summary of Seller's Transaction	
100. Gross Amount Due from Borrower		400. Gross Amount Due To Seller	
101. Contract sales price	\$85,900.00	401. Contract sales price	\$85,900.00
102. Personal property		402. Personal property	
103. Settlement charges to borrower (line 1400)	\$2,061.40	403.	
104.		404.	
105.		405.	
Adjustments for items paid by seller in advance		Adjustments for items paid by seller in advance	
106. City/town taxes 08/31/1998 to 12/31/1998	\$629.72	406. City/town taxes 08/31/1998 to 12/31/1998	\$629.72
107. County Tax		407. County Tax	
108. Assessments		408. Assessments	
109.		409.	
110.		410.	
111.		411.	
112.		412.	
120. Gross Amount Due From Borrower	\$88,591.12	420. Gross Amount Due To Seller	\$86,529.72
200. Amounts Paid By Or In Behalf of Borrower		500. Reductions In Amount Due to Seller	
201. Deposit or Earnest Money	\$500.00	501. Excess Deposit (see instructions)	
202. Principal Amount of New Loan	\$60,600.00	502. Settlement charges to seller (line 1400)	\$7,178.20
203. Existing Loan(s) taken subject to		503. Existing Loan(s) taken subject to	
204. Closing Costs Assistance	\$1,212.00	504. Payoff: Citicorp Mortgage, Inc.	\$65,935.36
205.		505. Payoff:	
206.		506. Dep. Retained by R.E. Agent	\$500.00
207.		507. Federal Express	\$15.00
208.		508. Portland Water District	\$31.18
209. Cr from Slr for CI Costs	\$355.00	509. Cr to Buyer for CI Costs	\$355.00
Adjustments for items unpaid by seller		Adjustments for items unpaid by seller	
210. City/town taxes		510. City/town taxes	
211. County Tax		511. County Tax	
212. Assessments		512. Assessments	
213.		513.	
214.		514.	
215.		515.	
216.		516.	
217.		517.	
218.		518.	
219.		519.	
220. Total Paid By/For Borrower	\$62,667.00	520. Total Reduction Amount Due Seller	\$74,014.74
300. Cash At Settlement From/To Borrower		600. Cash At Settlement To/From Seller	
301. Gross Amount due from borrower (line 120)	\$88,591.12	601. Gross Amount due to seller (line 420)	\$86,529.72
302. Less amounts paid by/for borrower (line 220)	\$62,667.00	602. Less reductions in amt due seller (line 520)	\$74,014.74
303. Cash from Buyer	\$25,924.12	603. Cash to Seller	\$12,514.98

We, the undersigned, identified in section D hereof and Seller in section E hereof, hereby acknowledge receipt of this completed Settlement statement on **August 31, 1998**.

Borrowers: Heather Stephenson
 Borrowers: [Signature]
 Sellers: [Signature]
 Sellers: _____

BUILDING PERMIT REPORT

DATE: 4/Sept. 198 ADDRESS: 43 Clark ST. (Ø58-B-Ø1Ø)
REASON FOR PERMIT: To MAKE interior renovation 2nd floor
BUILDING OWNER: Heather Stevenson
CONTRACTOR: Gary Shank
PERMIT APPLICANT: _____
USE GROUP A-3 BOCA 1996 CONSTRUCTION TYPE 5B

CONDITION(S) OF APPROVAL

This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: *1, *8, *9, *10, *12, *16, *24, *26

- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 2.6 Foundations anchors shall be a minimum of 1 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6'o.c. between bolts. (Section 2305.17)
- 3. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
- 8. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0)
- Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 0. Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 1. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4
- 2. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height

not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1

14. All vertical openings shall be enclosed with construction having a fire rating of at least one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0

15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1

*16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0

18. The Fire Alarm System shall be maintained to NFPA #72 Standard.

19. The Sprinkler System shall maintained to NFPA #13 Standard.

20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)

21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".

22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.

23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)

*24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.

25. All requirements must be met before a final Certificate of Occupancy is issued.

*26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).

27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)

28. Please read and implement the attached Land Use-Zoning report requirements.


*29. This permit is being issued with the understanding that
NO wall being removed or replaced is a bearing wall,
IF THIS IS NOT THE CASE, NO WORK SHALL BE DONE ON
THE WALLS WITHOUT SUBMITTING NEW PLANS FOR APPROVAL.

30. _____
31. _____
32. _____


P. Samuel Hodges, Building Inspector

cc: Lt. McDougall, PFD
Marge Schmuckal, Zoning Administrator

TRAIL 11 515 42 600-11 51




LIVING ROOM
BEDROOM 11' x 12'

KITCHEN
BATH 11' x 12'

HALL
CLOSET



12' x 12'



WATER



12' x 12'

12' x 12'

12' x 12'

12' x 12'

12' x 12'

12' x 12'

12' x 12'

TOILET
LOCATION
WATER

MIN. 12' x 12'

2nd Flr. PLAN

12' x 12'

* 12' x 12' MIN. 12' x 12'