City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Phone: Owner: Permit No: RAZ-6509 11 Summer Street ampeter Green Owner Address: 10 802 235 Lessee/Buyer's Name: Phone: BusinessName: N/A N/A MARISCHUREL, NE 64578 Permit Issued: Contractor Name: Address: Phone: OWNER SAA COST OF WORK: PERMIT FEE: Past Use: Proposed Use: \$ 5,000 \$ 54.00 1-Family FIRE DEPT. Approved INSPECTION: Use Group B3 Type:53 □ Denied CBL: Zone: BOCA99 058-B-02 Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P. Action: Approved Special Zone or Reviews: Interior removations. Approved with Conditions: ☐ Shoreland Denied \Box □ Wetland □ Flood Zone ☐ Subdivision 6 Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Date Applied For: Permit Taken By: GB CD 3-31-00 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation ☐ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation □ Not in District or Landmark PERMIT ISSUED WITH REQUIREMENTS □ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been ☐ Approved with Conditions ☐ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit 3-31-00 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

PHONE:

CEO DISTRICT

BUILDING PERMIT REPORT

| | BUILDING FERRIT REPORT |
|----------|--|
| D | ATE: 3 APRIL ST. ADDRESS: 11 Summer ST. CBL: 458-B-42 |
| R | EASON FOR PERMIT: Interior renovations |
| В | UILDING OWNER: Peter Green |
| | ERMIT APPLICANT: //CONTRACTOR Owner |
| U | SE GROUP: $\mathbb{R}-3$ CONSTRUCTION TYPE: $5 \mathbb{B}$ CONSTRUCTION COST: 5000.00 PERMIT FEES: 954.00 |
| T | the City's Adopted Building Code (The BOCA National Building code/1999 with City Amendments) the City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993) |
| | CONDITION(S) OF APPROVAL |
| T | his permit is being issued with the understanding that the following conditions are met: */, */ */ */ */ */ */ */ */ */ */ */ */ */ |
| _ | |
| X1. | This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. |
| 2. | Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A |
| | 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING." |
| 3. | Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The |
| | thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not |
| | less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain |
| | tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations |
| | shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and |
| | shall be covered with not less than 6" of the same material. Section 1813.5.2 |
| 4. | Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a |
| _ | maximum 6' O.C. between bolts. Section 2305.17 |
| 5. | Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code. |
| 6. 7. | Precaution must be taken to protect concrete from freezing. <u>Section 1908.0</u> It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the |
| /. | proper setbacks are maintained. |
| 8. | Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior |
| | spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached |
| | side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch |
| | gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999) |
| 9. | |
| 10 | Code/1993). Chapter 12 & NFPA 211 Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code. |
| 10. | Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the |
| | purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In |
| | occupancies in Use Group A, B.H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of |
| | solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would |
| | provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have |
| | a height not less than than 36" and not more than 42". Handrail grip size shall have a circular cross section with an outside diameter of at least I |
| | 4" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7) |
| | Headroom in habitable space is a minimum of 7'6". (Section 1204.0) |
| 13. | Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, |
| 14 | 7" maximum rise. (Section 1014.0) The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 |
| | Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door |
| | approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. |
| | Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All |
| | egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum |
| | net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4) |
| 16. | Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly |
| | from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1) |

17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's.

18. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic

۲.

(Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

extinguishment. (Table 302.1.1)

| ¥19. | All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations): |
|-------------------|--|
| | In the immediate vicinity of bedrooms |
| | In all bedrooms |
| | In each story within a dwelling unit, including basements |
| 20. | A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. |
| | (Section 921.0) |
| | The Fire Alarm System shall be installed and maintained to NFPA #72 Standard. |
| | The Sprinkler System shall be installed and maintained to NFPA #13 Standard. |
| 23. | All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999) |
| 24 | Section 25 – 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any |
| 24. | street or sidewalk from the time of November 15 of each year to April 15 of the following year". |
| 25. | The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a |
| | design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection |
| | Services. |
| 26. | Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & |
| | attics). |
| ₹27. | All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all |
| 4 | electrical (min. 72 hours notice) and plumbing inspections have been done. |
| | All requirements must be met before a final Certificate of Occupancy is issued. |
| C 2 9. | All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building |
| 30 | Code/1996). Vestilation of spaces within a building shall be done in accordance with the Circle Mark of the Land (The DOCA National Markagina). |
| 30. | Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical |
| (31) | Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements on Northon Exceed The Chip's Building Code. Boring, cutting and notching shall be done in accordance with Sections 2305.3.1, 2305.3.1, 2305.5.1 of the City's Building Code. |
| 32. | Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code. |
| | Bridging shall comply with Section 2305.16. |
| | Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0) |
| | All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code/1999). |

P. Sarguel Hoffses, Building Inspector

Marge Schmuckal, Zoning Administrator

PSH 1/26/00

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.


...THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD.

****CERTIFICATE OF OCCUPANCY FEE \$50.00


**** All PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL,(AS PER SECTION114.0 OF THE BUILDINGCODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT.2000, OR EQUIVALENT.

8 Smy KACONSTRUCTES MAN TO permit とかめ 7 4 shower + 19 19 froming drowing

22-141 50 SHEETS 22-142 100 SHEETS 22-144 200 SHEETS



22-141 50 SHEETS 22-142 100 SHEETS 22-144 200 SHEETS



22-141 50 SHEETS 22-142 100 SHEETS 22-144 200 SHEETS

АМРАП

LVAWIN 1810 (21E tois/s 2X4 lesper solded hung on Exy lesper - 6x6 Top beam

AMPAD 22-141 50 SHEETS 22-142 100 SHEETS 22-144 200 SHEETS

"TTUTOTOUL

MAINE REAL ESTATE TAX PAID

WARRANTY DEED Maine Statutory Short Form

049765

Know All Persons by these Presents,

That David A. Levasseur, Jr. of Portland, County of Cumberland, State of Maine, for consideration paid, grants to **Peter Green,** of Wiscasset, County of Lincoln, State of Maine, whose mailing address is Fort Hill Street, Wiscasset, Maine, with warranty covenants, the land in Portland, County of Cumberland, State of Maine, described as follows:

A certain lot or parcel of land with the buildings thereon situated in the City of Portland, County of Cumberland and State of Maine, bounded and described as follows:

Situated in rear of Summer Street in Portland, in Cumberland County, with the buildings thereon standing, bounded southeasterly by land now or formerly of E. Libby; northeasterly by lands now or formerly of W.H. Williams and Hilborn and Williams; northwesterly by land now or formerly of S.D. Knight; and southwesterly by land now or formerly of J.H. Colby; also the right of way to said property as mentioned in deeds recorded in the Cumberland County Registry of Deeds.

Also, a certain lot or parcel of land situated on the northwesterly side of Summer Street, in the City of Portland, County of Cumberland and State of Maine and being all and the same premises described in two deeds, one from William Briggs to John Garland recorded in the Cumberland County Registry of Deeds in Book 214, Page 312 and the other from Emeline Milliken to the said John Garland recorded in the Cumberland County Registry of Deeds in Book 218, Page 80:

The land described in the first named deed beginning four and three-fourths (4-3/4) rods southwesterly of Brackett Street;

Thence southwesterly in the line of said Summer Street thirty five (35) feet, more or less, to a stake standing Ten (10) feet northeasterly of land now or formerly of Samuel Colby;

Thence northwesterly parallel with said Colby's land and Ten (10) feet therefrom fifty eight (58) feet;

Thence northeasterly parallel with said Summer Street Thirty One (31) feet or to within Four (4) feet of land owned by one Keazer;

Thence northwesterly Three (3) feet;

Thence northeasterly Four (4) feet to said Keazer's land;

Thence southeasterly by said Keazer's land Sixty One (61) feet to the first bound.

Together with one-half of a strip of land Ten (10) feet wide held in common with Emeline Milliken, her heirs and assigns, above named, to be used as a passageway.

Said Emeline Milliken's deed above named conveyed a piece of land between Summer and Salem Streets, bounded by beginning at the westerly corner of a lot of land conveyed to the said Garland by William Briggs in the line of a passageway named in said deed and Fifty Eight (58) feet from Summer Street;

Thence running northwesterly in the line of said passageway Ten (10) feet;

Thence northeasterly parallel with the end line of said Garland lot Thirty Five (35) feet, to Josiah Williams' land;

Thence southeasterly ten (10) feet to the north corner of said Garland land;

Thence southwesterly by said Garland land Thirty Five (35) feet, more or less, to the first bound, together with the right of way therein described. Said premises are numbered 9-11 Summer Street.

Meaning and intending to convey and hereby conveying all of the property conveyed by The City of Portland to Patrick J. Crowley by its deed dated April 25, 1958 and recorded in the Cumberland County Registry of Deeds in Book 2412, Page 91.

Being the same premises conveyed to the Grantor herein by virtue of a Deed of Distribution by Donald F. Fontaine, Personal Representative of the Estate of Anna T. Crowley dated June 7, 1985 and recorded in the Cumberland County Registry of Deeds in Book 6785, Page 117 and by virtue of a Correcting Deed from Patricia Mary Levasseur and Dannielle Margaret Jackson dated July 15, 1998 to be recorded herewith.

Witness my hand and seal this 27 day of the month of July, 1998.

Signed, Sealed and Delivered impresence of

David A. Levasseur, Jr.

State of Maine

County of CUM BOCLTAL

JULY 27, 1998

Then personally appeared the above named David A. Levasseur, Jr. and acknowledged the foregoing instrument to be his free act and deed.

Before me,

Notary Public

Printed Name

RECEIVED
RECORDED REGISTRY OF DEEDS

1998 JUL 28 PM 2: 40

John B OBnin

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

| Tax A | ssessor's Chart. Block & Lot Number Owney: Lot: 22 | Peter | Green | | phone#: P2-6 | 509 | | |
|---|---|---|---|-------------------------|-------------------------------|----------------------------|--|--|
| 14011114 | r's Address: 04578 Lessee I Box 235, Wiscossel, M.P. | Buyer's Name (If A | oplicable) | \$ 5, | | \$ 54! | | |
| Propos | Proposed Project Description:(Please be as specific as possible) interior Kenovation 4 | | | | | | | |
| | | | | | | | | |
| Contra | actor's Name. Address & Telephone | | Rec'c | l By: | | | | |
| *All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. *All plumbing must be conducted in compliance with the State of Maine Plumbing Code. *All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. *HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application: 1) A Copy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available 3) A Plot Plan (Sample Attached) If there is expansion to the structure, a complete plot plan (Site Plan) must include: The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual | | | | | | | | |
| | property lines. Structures include decks porches, a | | cantilever sections and ro | of overha | ngs, as well | as, sheds. | | |
| • | pools, garages and any other accessory structures. Scale and required zoning district setbacks | | | Iř | III UII A DI | Transfer We | | |
| | 4) Building I | Plans (Samp | le Attached) | | MAR 3 | 2000 | | |
| A co | mplete set of construction drawings showing | g all of the fo | lowing elements of o | construc | tion: | | | |
| Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures) | | | | | | | | |
| • | Floor Plans & Elevations | | | | | | | |
| | Window and door schedules | pproofing | | | | | | |
| Foundation plans with required drainage and dampproofing Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment. HVAC equipment (air handling) or other types of work that may require special review must be included. Certification | | | | | | | | |
| that I | by certify that I am the Owner of record of the named phave been authorized by the owner to make this applies jurisdiction. In addition, if a permit for work describe sentative shall have the authority to enter all areas cove | property, or that ation as his/her ed in this applica | authorized agent. I agree tion is issued. I certify th | to confor at the Coo | m to all app le Official's | olicable law authorized | | |

Building Permit Fee: \$30.00 for the 1st \$1000 cost plus \$6.00 per \$1.000.00 construction cost thereafter.

Date:

O. INSPICORRESPIMINUGENT APADSED WPD

codes applicable to this permit.

(') Ke moud of sel plaster + lath from outside usels insulate + gut up sheet will. @ venue one un-bearing untly ugetous. All oher until remain entret. B'velocate cela door to its original location. Veplace old steathing with 3/4" CDX on golde ends (5) Veglace and windows, Stre size + locations Veglace del front door, some size + location. (6) Change ven sted exit To New location is show. C'structually two emprovements: A) double 2x8 bear installed between middle + end justs, to cotch 2x4 posts coming down from 4x6 Tog plate Original house had nothing tere. B) 2x4 ledger wistalled on one gable end To store up floor justs which had some separation where mortised into 6x6 beam. Drea wiring + plumbing by permit + license (9) It's important To note that The original past + beam frame is untouched + unchanged.

- 11 Summer St.

HENOUSTIN

4/APril /2K MET With owner went over plans o.K. ask him To place redgen under sloon joists Date 3/ADMI Jak Culled MA. Green @ 8:30Am Left missage Fo- better planse Inspection Record Type Foundation: Plumbing: Framing: Other Final: For 2nd Floon-8