IronRidge 12/9/16, 10:01 AM

Project Report



Project Details

Name Fiske 18 panels

Module SunPower: SPR-E20-327 **Dimensions** 41.2" x 61.3" x 1.8"

Tilt 45°

Date 2016-12-09 Total Modules 18 Total Watts 5,886 Attachment Pts 36

Load Assumptions

Wind Exposure B Wind Speed 110 mph Ground Snow Load 80 psf Attachment Spacing 4.0 ft

Building Details

Building Height: 40' Roof Slope 45 ° Risk Category I

Engineering Validation

| RAILS | | | | |
|--------------------|--------------|----------------|-----------|---------|
| | | XR10 | XR100 | XR1000 |
| | | 0 | 0 | 0 |
| TOTAL PROJECT COST | | | \$1,093 | |
| MAX SPAN | | | | |
| [portrait] | | | | |
| Zone 1 | | 3' 7" | 5' 3" | 6' 9" |
| Zone 2 | | 3' 7" | 5' 3" | 6' 9" |
| Zone 3 | | 3' 7" | 5' 3" | 6' 9" |
| MAX CANTILEVER | | | | |
| [portrait] | | | | |
| Zone 1 | | 1' 5" | 2' 1" | 2' 8" |
| Zone 2 | | 1' 5" | 2' 1" | 2' 8" |
| Zone 3 | | 1' 5" | 2' 1" | 2' 8" |
| LOADS | | | | |
| ZONES (portrait) | DOWN ↓ (lbs) | UPLIFT ↑ (lbs) | LATERAL « | → (lbs) |
| Zone 1 | 206.0 | -117.0 | 151.0 | |
| Zone 2 | 206.0 | -143.0 | 151.0 | |
| Zone 3 | 206.0 | -143.0 | 151.0 | |

SubArray Information

| Columns | Rows | Orientation | Required Rail | Provided Rail | Attach Pts | UFO Clamps | Splices |
|---------|------|-------------|---------------|--------------------------|------------|------------|---------|
| 6 | 1 | Portrait | 20' 11" | 1 set of 22.0' [2 x 11'] | 12 | 14 | 2 |
| 6 | 1 | Portrait | 20' 11" | 1 set of 22.0' [2 x 11'] | 12 | 14 | 2 |
| 6 | 1 | Portrait | 20' 11" | 1 set of 22.0' [2 x 11'] | 12 | 14 | 2 |

IronRidge 12/9/16, 10:01 AM

Weight Details

| Total Weight | Weight / Attachment | Distributed Weight |
|--------------|---------------------|--------------------|
| 848 lbs | 23.6 lbs | 2.6 psf |