#### City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Owner: Permit No Location of Construction: Phone: Bridgeport Assoc. Lessee/Buyer's Name: Owner Address: Phone: BusinessName: P.O. Box350 Portland Haine 04104 Permit Issued Phone: Contractor Name: Address: COST OF WORK: PERMIT FEE: Past Use: Proposed Use: \$ 30,00 Salom with Massage ther. Salon FIRE DEPT. Approved INSPECTION: ☐ Denied Use Group: R Type: 3/ CBL: Zone: DOC 496 Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (I Action: Approved Special Zone or Reviews Approved with Conditions: ☐ Shoreland Shange of use from salon to malon with manaage therapy Denied □Wetland ☐ Flood Zone □Subdivision Signature: Date: ☐ Site Plan maj ☐minor ☐mm ☐ Permit Taken By: Date Applied For: WW Aug. 25, 1999 K Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. 2. ☐ Conditional Use □Interpretation 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Approved tion may invalidate a building permit and stop all work... □ Denied Historic Preservation □Not in District or Landmark ☐ Does Not Require Review Jeannine Core 761-0099 ☐ Requires Review PERMIT ISSUED WITH REQUIREMENTS Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit Aug. 25, 1999 SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

PHONE:

CEO DISTRICT

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

## THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

# **Building or Use Permit Pre-Application** Additions/Alterations/Accessory Structures

To Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of	f Construction: 100 B	each.	St.		
Tax Assessor's Char	rt, Block & Lot Number	Owner:		Tele	phone#:
Chart# ^ 5-58	Block# E Lot# (C)	Brick	acoust (	- 40	
Owner's Address:	DO BOX 35-0	Lessee/Buyer's Na	me (If Applicable)	Cost Of W	/ork: Fee
- B	settant IE	Jeanr	ine Cove	\$	- \$36.EZ
Proposed Project D	escription:(Please be as specific as possible)				
6110.	rae of use	T1077	Salar 1	to Sala	1 00/ War
Contractor's Name,	Address & Telephone			Rec'd By:	1 WILL
	NA				DW
Separa	te permits are required for Ir	iternal & Exte	rnal Plumbing, HV	AC and Electric	al installation.
•All construc	tion must be conducted in compl				
	•All plumbing must be condu				
	ctrical Installation must comply to				
	eating, Ventilation and Air Cond clude the following with you	and the second	ition must comply w	ith the 1993 BUCA	Wiechanicai Code.
You must inc		4.4		* X	L all
			urchase and Sale		W 161-00
			ction Contract, if	available	anning
			ample Attached)	-	DIN DIN
If there is exp	nansion to the structure, a co	mplete plot pla	an (Site Plan) mus	t include:	COL
	hape and dimension of the lot, all e				
4 4	rty lines. Structures include decks p		ndows cantilever secti	ons and roof overna	ngs, as well as, sneds,
	garages and any other accessory st and required zoning district setbac				conce
Scale	and required zoning district setoac	23			Made
	4) Bu	ilding Plans (	Sample Attached	1)	
A complete s	et of construction drawings			Prince and the second s	ction:
	Sections w/Framing details (include				
	Plans & Elevations	Ten Par especial energy 1971	And the state of t		2.00
	ow and door schedules				
	dation plans with required drainage				
<ul> <li>Electrical</li> </ul>	rical and plumbing layout. Mechani	cal drawings for	any specialized equipn		
equip	ment, HVAC equipment (air handl			juire special review	must be included.
		Certif	cation		

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued. I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Date:	
Digital of approximation		

## Submission Requirements Residential Construction

When a property owner is proposing either a new structure or an addition, this office requires:

A plot or site plan, showing the shape and dimensions of the entire lot, all existing
and proposed structures on the lot and the distance that the structures are from all lot
lines. For a new dwelling the plan must be prepared by a registered design professional.
 For dwelling additions, the plan can be prepared by the owner or agent. (See Figure 1)





Figure 1. Typical Plot Plan

- As can be seen, it is easy to establish the extent of compliance with the required setbacks and lot coverage.
- For new construction, structural alterations, or additions, plans showing structural details must be provided. Minimally they should include foundation plans, including drainage and support column spacing framing details, floor plans and a cross section. (See Figures 2, 3 &4)






Figure 2. Typical Foundation Plan

## BRIDGEPORT ASSOCIATES, LTD.

P.O. BOX 350 PORTLAND, MAINE 04112

TEL: (207) 774-6324 • FAX: (207) 774-6385

City of Portland 389 Congress St Portland, Me. 04101

August 24, 1999

To Whom It May Concern

I hereby give my consent to Jeannine Cole to conduct her massage therapy business on the premises of 10C Beach St., Portland, Me. 04101. Please call me if you have any questions.


Thomas C. M. Glepm &

Sincerely,

Thomas McGlynn

Principal





.

### BUILDING PERMIT REPORT

DATE: 26 Aug 99 ADDRESS: 10 C Beach STree T CBL: 058-E-002						
REASON FOR PERMIT: Change of USE from Salon To Scalon with massage Therap						
BUILDING OWNER: Bridge part ASSOC.						
PERMIT APPLICANT: /Contractor						
use group B construction type 3-B						
The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)						
CONDITION(S) OF APPROVAL						
This permit is being issued with the understanding that the following conditions are met: */, *2?						

#### Approved with the following conditions:

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
  - 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
  - All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
  - Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
  - Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
  - 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
  - 13. Stair construction in <u>Use Group R-3 & R-4is a minimum of 10" tread and 7 %" maximum rise</u>. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
  - 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
  - 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
  - 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)




Figure 4. Typical Framing and Cross Section

These plans are all done by professionals, you can do your own plans for the purposes of residential construction, the plan does not have to be of this quality, but the level of detail and accuracy is important. When proposing and addition, similar plans are required, the same goes for a detached garage or an attached deck.

17.	All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
18.	The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic
19.	extinguishment. (Table 302.1.1) All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
	In the immediate vicinity of bedrooms
	• In all bedrooms
	<ul> <li>In each story within a dwelling unit, including basements</li> </ul>
	In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall
	receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.
20.	A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
21.	The Fire Alarm System shall maintained to NFPA #72 Standard.
22.	The Sprinkler System shall maintained to NFPA #13 Standard.
23.	All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0
	of the City's Building Code. (The BOCA National Building Code/1996)
24.	Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open
	any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
25.	The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification
	from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of
	Inspection Services.
26.	Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
<del>\ 27</del> .	All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min.72 hours notice) and plumbing inspections have been done.
28.	All requirements must be met before a final Certificate of Occupancy is issued.
29.	All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
30.	Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical
	Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements.  Porting cutting and notching shall be done in accordance with Sections 2305.4.4. 2305.5.1 and 2305.5.3 of the City's Building Code.
(31)	Please read and implement the attached Land Use Zoning report requirements.
32.	borning, eathing and notething shart be done in accordance with sections 2505.4.4, 2505.5.1 and 2505.5.5 of the City's Burioning Code.
33.	Glass and glazing shall meet the requirements of Chapter 24 of the building code.
34.	All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code
25	1996).
35.	
36.	<del></del>
50.	
37.	
٥,,	
38.	
	0.7
AU	1// _
( ) samy	et Hoffses, Building Inspector
cc!	Li-McDougall, PFD
	Marge Schmuckal, Zoning Administrator
PSH 7/24/99	
**On	the basis of plans submitted and conditions placed on these plans any deviations shall require a

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.